

**Safety Data Sheet**

according to WHMIS

**ADDINOL Gas engine oil MG 40 PowerSynth**

Revision date: 13.01.2022

Product code: 725013

Page 1 of 8

**1. Identification****Product identifier**

ADDINOL Gas engine oil MG 40 PowerSynth

**Relevant identified uses of the substance or mixture and uses advised against****Details of the supplier of the safety data sheet****Manufacturer**

Company name: ADDINOL Lube Oil GmbH  
Gebäude 4609  
Street: Am Haupttor  
Place: D-06237 Leuna  
Telephone: +49 (0) 3461 845-0  
Telefax: +49 (0) 3461 845-555  
e-mail: info@addinol.de  
Contact person: Application Technology  
Internet: www.addinol.de  
Responsible Department: ADDINOL Application Technology

**Supplier**

Company name: ADDINOL Lube Oil GmbH  
Street: Am Haupttor, D - 06237 Leuna  
Telephone: +1 647 939 9938  
e-mail: laura.nelson@addinol.de

**Emergency telephone number:** +16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST**2. Hazard identification****Classification of the substance or mixture****WHMIS 2015**

This mixture is not classified as hazardous in accordance with WHMIS 2015.

**Label elements****Additional advice on labelling**

According to EC directives or the corresponding national regulations the product does not have to be labelled.

**Other hazards**

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.  
Spilled product must not leak into the ground.  
Do not allow uncontrolled discharge of product into the environment.

**3. Composition/information on ingredients****Mixtures****Hazardous components**

CAS No	Chemical name	Quantity
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	30 - < 60% (*)
68037-01-4	1-Decene, homopolymer, hydrogenated	10 - < 30% (*)

(\*) The actual concentration is withheld as a trade secret.

**Further Information**

DMSO-Extrakt &lt; 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

# Safety Data Sheet

according to WHMIS

## ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 13.01.2022

Product code: 725013

Page 2 of 8

### 4. First-aid measures

#### Description of first aid measures

##### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

##### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

##### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

##### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### Most important symptoms and effects, whether acute or delayed

No information available.

#### Indication of immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### 5. Fire-fighting measures

#### Extinguishing media

##### Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Water spray

##### Unsuitable extinguishing media

Full water jet

#### Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Sulphur oxides Nitrogen oxides (NO<sub>x</sub>). Hydrogen sulphide (H<sub>2</sub>S) carbon black.

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

##### General measures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

##### Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

##### Methods and material for containment and cleaning up

# Safety Data Sheet

according to WHMIS

## ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 13.01.2022

Product code: 725013

Page 3 of 8

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Section 12: Ecological Information (non-mandatory)  
Disposal: see section 13

## 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.  
Keep away from: Oxidizing agents.

#### Further information on storage conditions

Recommended storage temperature: 5 - 40°C  
Protect against: Heat. UV-radiation/sunlight. Frost.

## 8. Exposure controls/Personal protection

### Control parameters

#### Additional advice on limit values

Recommended limit value for oil mist  
TWA: 5  
STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

#### Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

**Safety Data Sheet**

according to WHMIS

**ADDINOL Gas engine oil MG 40 PowerSynth**

Revision date: 13.01.2022

Product code: 725013

Page 4 of 8

**Eye/face protection**

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

**Hand protection**

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber)

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber)

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

**Skin protection**

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point > 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	brown
Odour:	like: Mineral oil
Odour threshold:	not determined

**Test method**

pH-Value: not applicable

**Changes in the physical state**

Melting point: No data available

Boiling point or initial boiling point and boiling range: not determined

Pour point: -35 °C ASTM D 7346

Flash point: 250 °C DIN EN ISO 2592

**Flammability**

Solid/liquid: No data available

Gas: No data available

**Explosive properties**

No data available

Lower explosive limits: No data available

Upper explosive limits: No data available

Auto-ignition temperature: not determined

**Self-ignition temperature**

Solid: No data available

Gas: No data available

Decomposition temperature: No data available

**Safety Data Sheet**

according to WHMIS

**ADDINOL Gas engine oil MG 40 PowerSynth**

Revision date: 13.01.2022

Product code: 725013

Page 5 of 8

**Oxidizing properties**

No data available

Vapour pressure:

No data available

Density (at 15 °C):

0,865 g/cm<sup>3</sup> DIN 51757

Water solubility:

practically insoluble.

**Solubility in other solvents**

No data available

Partition coefficient n-octanol/water:

No data available

Viscosity / kinematic:  
(at 100 °C)14,1 mm<sup>2</sup>/s ASTM D 7042

Relative vapour density:

No data available

Evaporation rate:

No data available

**Other information**

No data available

**10. Stability and reactivity****Reactivity**

The product is stable under storage at normal ambient temperatures.

**Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**Possibility of hazardous reactions**

No known hazardous reactions.

**Conditions to avoid**

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

**Incompatible materials**

Reacts with: Oxidizing agents, strong. Acid.

**Hazardous decomposition products**In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Sulphur oxides  
Nitrogen oxides (NO<sub>x</sub>). Hydrogen sulphide (H<sub>2</sub>S) carbon black.**11. Toxicological information****Information on toxicological effects****Acute toxicity**Based on available data, the classification criteria are not met.  
Mixture not tested.

**Safety Data Sheet**

according to WHMIS

**ADDINOL Gas engine oil MG 40 PowerSynth**

Revision date: 13.01.2022

Product code: 725013

Page 6 of 8

CAS No	Chemical name				
	Route of exposure	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402
68037-01-4	1-Decene, homopolymer, hydrogenated				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1994)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1995)	OECD Guideline 402

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No data available

**Information on other hazards****Endocrine disrupting properties**

not applicable

**12. Ecological information****Ecotoxicity**

No data available

**Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**Bioaccumulative potential**

Mixture not tested.

**Mobility in soil**

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

**Endocrine disrupting properties**

not applicable

**Other adverse effects**

No data available

**Further information**

Do not allow uncontrolled discharge of product into the environment.

**Safety Data Sheet**

according to WHMIS

**ADDINOL Gas engine oil MG 40 PowerSynth**

Revision date: 13.01.2022

Product code: 725013

Page 7 of 8

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

**14. Transport information****Canadian TDG**

**Proper shipping name:** No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)**

**UN number:** -

**United Nations proper shipping name:** -

**Transport hazard class(es):** -

**Packing group:** -

Segregation group: bromates

**Air transport (ICAO-TI/IATA-DGR)**

**UN number:** -

**United Nations proper shipping name:** -

**Transport hazard class(es):** -

**Packing group:** -

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Other applicable information**

No dangerous good in sense of these transport regulations.

**15. Regulatory information****Canadian regulations****DSL/NDSL inventory status**

Substance/product listed in the following inventories: DSL

**16. Other information****Changes**

This data sheet contains changes from the previous version in section(s): 3,5,6,7,9,10,12,14,15.

**Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ; ASTM - American Society for the Testing of Materials ; ATE - Acute Toxicity Estimates ; bw - Body weight ; CAO - Cargo Aircraft Only ; CAS - Chemical Abstracts Service ; CMR - Carcinogen, Mutagen or Reproductive Toxicant ; DIN - Standard of the German Institute for Standardisation ; DNEL - Derived No-Effect Level ; DOT - Department of Transportation ; DSL - Domestic Substances List (Canada) ; EG - European Union ; EN - European standards ;

## Safety Data Sheet

according to WHMIS

### ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 13.01.2022

Product code: 725013

Page 8 of 8

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further Information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*