according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 01/13/2022

Product code: 725013

Page 1 of 8

1. Identification

Product identifier

ADDINOL Gas engine oil MG 40 PowerSynth

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet

Manufacturer		
Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax:+49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	ADDINOL Lube Oil GmbH	
Street:	Am Haupttor, D - 06237 Leuna	
Telephone:	+1 647 939 9938	
e-mail:	laura.nelson@addinol.de	
Emergency phone number:	+16479399938 available Mon - Fri, 8:00	am to 4:30 pm EST

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations there is no labeling obligation for this product.

Hazards not otherwise classified

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled discharge of product into the environment.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Components	Quantity
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	40 - 60 %
68037-01-4	1-Decene, homopolymer, hydrogenated	20 - 40 %

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current US lists and is completed by information from specialist literature and company information.

according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 01/13/2022

Product code: 725013

Page 2 of 8

4. First-aid measures

Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Nitrogen oxides (NOx). Hydrogen sulphide (H2S) carbon black.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapor, dust, and aerosols.

Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up

according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 01/13/2022

Product code: 725013

Page 3 of 8

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feed. Keep away from: Oxidizing agents.

Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: Heat. UV-radiation/sunlight. Frost.

8. Exposure controls/personal protection

Control parameters

Additional advice on limit values

Recommended limit value for oil mist TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 01/13/2022

Product code: 725013

Page 4 of 8

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65° C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid		
Color:	brown		
Odor:	like: Mineral oil		
Odour threshold:	not determined		
			Test method
pH-Value:	not applical	ole	
Changes in the physical state			
Melting point/freezing point:	No data availal	ole	
Boiling point or initial boiling point and	not determin	ed	
boiling range:		•••	
Pour point:	-35	°C	ASTM D 7346
Flash point:	250	°C	DIN EN ISO 2592
Flammability			
Solid/liquid:	No data availal	ole	
Gas:	No data availal	ole	
Explosive properties			
No data available			
Lower explosion limits:	No data availal	ole	
Upper explosion limits:	No data availal	ole	
Auto-ignition temperature:	not determin	ed	
Self-ignition temperature			
Solid:	No data availal	ole	
Gas:	No data availal	ole	
Decomposition temperature:	No data availal	ole	

according to 29 CFR 1910.1200(g)

ADDINOL	Gas engine	oil MG 40	PowerSynth
---------	------------	-----------	------------

ADDINOL Gas engine oil MG 40 PowerSynth					
Revision date: 01/13/2022	Product code: 725013	Page 5 of 8			
Oxidizing properties No data available					
Vapor pressure:	No data available				
Density (at 15 °C):	0,865 g/cm³	DIN 51757			
Water solubility:	practically insoluble.				
Solubility in other solvents No data available					
Partition coefficient n-octanol/water:	No data available				
Viscosity / kinematic: (at 100 °C)	14,1 mm²/s	ASTM D 7042			
Relative vapour density:	No data available				
Evaporation rate:	No data available				
Other information					
No data available					
10. Stability and reactivity					

Reactivity

The product is stable under storage at normal ambient temperatures.

Chemical stability

Stability:

Stable

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

Hazardous reactions:

Will not occur

No known hazardous reactions.

Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

Incompatible materials

Reacts with: Oxidizing agents, strong. Acid.

Hazardous decomposition products

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Nitrogen oxides (NOx). Hydrogen sulphide (H2S) carbon black.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 01/13/2022

Product code: 725013

Page 6 of 8

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	oral	LD50 > mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
68037-01-4	1-Decene, homopolymer, hydrogenated					
	oral	LD50 > mg/kg	> 5000	Rat	Study report (1994)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

- Carcinogenicity (OSHA): No ingredient of this mixture is listed. Carcinogenicity (IARC): No ingredient of this mixture is listed.
- Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Specific effects in experiment on an animal

No data available

Information on other hazards

Endocrine disrupting properties

not applicable

12. Ecological information

Ecotoxicity

No data available

Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

Bioaccumulative potential

Mixture not tested.

Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

Endocrine disrupting properties

not applicable

Other adverse effects

No data available

according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth

Revision date: 01/13/2022

Product code: 725013

Page 7 of 8

Further information

Do not allow uncontrolled discharge of product into the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

14. Transport information

US DOT 49 CFR 172.101	
Proper shipping name:	No dangerous good in sense of these transport regulations.
Marine transport (IMDG)	
<u>UN number:</u>	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Segregation group:	bromates
Air transport (ICAO-TI/IATA-DGR)	
<u>UN number:</u>	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Special precautions for user	

Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

15. Regulatory information

U.S. Regulations

National Inventory TSCA

Substance/product listed in the following inventories: TSCA

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

0

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Hazardous Materials Information Label (HMIS)

Health:

according to 29 CFR 1910.1200(g)

ADDINOL Gas engine oil MG 40 PowerSynth		
Revision date: 01/13/2022	Product code: 725013	Page 8 of 8
Flammability:	1	
Physical Hazard:	0	
NFPA Hazard Ratings		
Health:	0	
Flammability:	1	
Reactivity:	0	$\mathbf{\overline{\mathbf{x}}}$
Unique Hazard:		\checkmark
Changes		
Revision date:	01/13/2022	
Revision No:	1,11	
This data shast contains sha	and from the provinue version in contion(a): 2 5 6 7 (0 10 10 14 15 16

This data sheet contains changes from the previous version in section(s): 3,5,6,7,9,10,12,14,15,16.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n:o;s: - Not Otherwise Specified; NFPA -National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Other data

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)