according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 1 of 8

1. Identification

Product identifier

ADDINOL Eco Gear 220 S

Relevant identified uses of the substance or mixture and uses advised against

Details of the supplier of the safety data sheet

Manufacturer		
Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0 T	elefax:+49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	ADDINOL Lube Oil GmbH	
Street:	Am Haupttor, D - 06237 Leuna	
Telephone:	+1 647 939 9938	
e-mail:	laura.nelson@addinol.de	
Emergency telephone number: +16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST		

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Respiratory or skin sensitization: Skin Sens. 1

This mixture is classified as hazardous in accordance with WHMIS 2015.

Label elements

WHMIS 2015

Signal word:

Pictograms:



Warning

Hazard statements

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container to an appropriate recycling or disposal facility.

Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 2 of 8

Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled discharge of product into the environment.

3. Composition/information on ingredients

<u>Mixtures</u>

Hazardous components

CAS No	Chemical name	Quantity
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	10 - < 30% (*)
9003-29-6	Polybutenes	7 - < 13% (*)
68937-96-2	Di-tert-butyl-Polysulfides	0.1 - < 1% (*)
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	0.1 - < 1% (*)

(*) The actual concentration is withheld as a trade secret.

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

4. First-aid measures

Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

Most important symptoms and effects, whether acute or delayed

No information available.

Indication of immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 3 of 8

Unsuitable extinguishing media

Strong water jet

Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agents.

Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 4 of 8

8. Exposure controls/Personal protection

Control parameters

Additional advice on limit values Recommended limit value for oil mist

TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid
Colour:	brown
Odour: Odour threshold:	characteristic not determined

Changes in the physical state

Melting point/freezing point:

Test method

No data available

according to WHMIS

AD Revision date: 03.02.2022	DINOL Eco Gear 220 S Product code: 741082	Page 5	of 8
Boiling point or initial boiling point and	not determined		
boiling range:			
Pour point:	-42 °C	ASTM D 7346	
Flash point:	240 °C	DIN EN ISO 2592	
Flammability			
Solid/liquid:	No data available		
Gas:	No data available		
Explosive properties No data available			
Lower explosive limits:	No data available		
Upper explosive limits:	No data available		
Auto-ignition temperature:	not determined		
Self-ignition temperature			
Solid:	No data available		
Gas:	No data available		
Decomposition temperature:	No data available		
pH-Value:	No data available		
Viscosity / kinematic: (at 40 °C)	220 mm²/s	ASTM D 7042	
Water solubility:	practically insoluble.		
Solubility in other solvents No data available			
Partition coefficient n-octanol/water:	No data available		
Vapour pressure:	No data available		
Density (at 15 °C):	0,876 g/cm³	DIN 51757	
Relative vapour density:	No data available		
Other information			
Information with regard to physical hazard classe	95		
Oxidizing properties No data available			
Other safety characteristics			
Evaporation rate:	No data available		
Further Information			
No data available			

Reactivity

The product is stable under storage at normal ambient temperatures.

Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Refer to chapter 7 No further action is necessary.

according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 6 of 8

Do not overheat to avoid decomposition by heat.

Incompatible materials

Reacts with: Oxidizing agents, strong.

Hazardous decomposition products

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. t tested. N /152+

N	/IIX	tur	e i	lot	test	ed

CAS No	Chemical name					
	Route of exposure	Dose		Species	Source	Method
64742-54-7	-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
9003-29-6	Polybutenes					
	oral	LD50 mg/kg	> 10000	Rat	Study report (1986)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 402
	inhalation (4 h) vapour	LC50	4820 mg/l	Rat		
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)			ne oxide and		
	oral	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

May cause an allergic skin reaction. (Di-tert-butyl-Polysulfides; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched))

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

not applicable

according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 7 of 8

12. Ecological information

Ecotoxicity

No data available

Mixture not tested.

Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

Bioaccumulative potential

No data available

Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No data available

Further information

Do not allow uncontrolled discharge of product into the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

14. Transport information

Canadian TDG

Proper shipping name:	No dangerous good in sense of these transport regulations.
Hazard classes:	
Marine transport (IMDG)	
UN number or ID number:	-
United Nations proper shipping	-
name:	
Transport hazard class(es):	-
Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
UN number or ID number:	-
United Nations proper shipping	-
name:	
<u>Transport hazard class(es):</u>	-
Packing group:	-
Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No

according to WHMIS

ADDINOL Eco Gear 220 S

Revision date: 03.02.2022

Product code: 741082

Page 8 of 8

15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,5,6,7,9,10,11,14,15,16.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further Information

This mixture is classified as hazardous in accordance with WHMIS 2015.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)