Page 1 of 9

# Safety Data Sheet

according to 29 CFR 1910.1200(g)

	ADDINOL Eco Gear 68 S-T	
Revision date: 02/04/2022	Product code: 741090	
1. Identification		
<u>Product identifier</u> ADDINOL Eco Gear 68 S-T		
Recommended use of the chemica	and restrictions on use	
Details of the supplier of the safety	data sheet	
Manufacturer		
Company name:	ADDINOL Lube Oil GmbH Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	ADDINOL Lube Oil GmbH	

Street:	Am Haupttor, D - 06237 Leuna
Telephone:	+1 647 939 9938
e-mail:	laura.nelson@addinol.de
Emergency phone number:	+16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST

## 2. Hazard(s) identification

## **Classification of the chemical**

## 29 CFR Part 1910.1200

Respiratory or skin sensitization: Skin Sens. 1

This mixture is classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

### Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Warning

## Hazard statements

May cause an allergic skin reaction

## **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container to an appropriate recycling or disposal facility.

## Additional advice on labelling

According to EC directives or the corresponding national regulations there is no labeling obligation for this product.

## according to 29 CFR 1910.1200(g)

**ADDINOL Eco Gear 68 S-T** 

Revision date: 02/04/2022

Product code: 741090

Page 2 of 9

### Hazards not otherwise classified

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled discharge of product into the environment.

### 3. Composition/information on ingredients

### <u>Mixtures</u>

### Hazardous components

CAS No	Components	Quantity
68937-96-2	Di-tert-butyl-Polysulfides	< 0,5 %
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)	0.18 %
722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts	0.1195 %

### Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current US lists and is completed by information from specialist literature and company information.

#### 4. First-aid measures

### **Description of first aid measures**

### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

## Most important symptoms and effects, both acute and delayed

No information available.

## Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## 5. Fire-fighting measures

## Extinguishing media

## Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

## Unsuitable extinguishing media

Strong water jet

according to 29 CFR 1910.1200(g)

## **ADDINOL Eco Gear 68 S-T**

Revision date: 02/04/2022

Product code: 741090

Page 3 of 9

### Specific hazards arising from the chemical

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapor, dust, and aerosols. Avoid contact with skin, eye and clothing.

### Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

## Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

## 7. Handling and storage

## Precautions for safe handling

### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

## Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

### Hints on joint storage

Keep away from food, drink and animal feed. Keep away from: Oxidizing agents.

### Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

according to 29 CFR 1910.1200(g)

## **ADDINOL Eco Gear 68 S-T**

Revision date: 02/04/2022

Product code: 741090

Page 4 of 9

## 8. Exposure controls/personal protection

## **Control parameters**

Additional advice on limit values Recommended limit value for oil mist

TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

## Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

### Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

## **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state:	liquid
Color:	brown
Odor: Odour threshold:	characteristic not determined
	not determined

#### Changes in the physical state

Melting point/freezing point:

Test method

No data available

according to 29 CFR 1910.1200(g)

Revision date: 02/04/2022	ADDINOL Eco Gear 68 S-T Product code: 741090		Page 5 of 9
Boiling point or initial boiling point and	not determined		
boiling range:			
Pour point:		ASTM D 7346	
Flash point:	250 °C	DIN EN ISO 2592	
Flammability			
Solid/liquid: Gas:	No data available No data available		
Explosive properties No data available			
Lower explosion limits:	No data available		
Upper explosion limits:	No data available		
Auto-ignition temperature:	not determined		
Self-ignition temperature			
Solid:	No data available No data available		
Gas:	No data available No data available		
Decomposition temperature:			
pH-Value:	No data available		
Viscosity / kinematic: (at 40 °C)	69 mm²/s	ASTM D 7042	
Water solubility:	practically insoluble.		
Solubility in other solvents No data available			
Partition coefficient n-octanol/water:	No data available		
Vapor pressure:	No data available		
Density (at 15 °C):	0,849 g/cm³	DIN 51757	
Relative vapour density:	No data available		
Other information			
Information with regard to physical haz Oxidizing properties No data available Other safety characteristics	ard classes		
Evaporation rate:	No data available		
Further Information			
No data available			
10. Stability and reactivity			
Reactivity The product is stable under storage a	normal amhient temperatures		
Chemical stability	. normal ambient temperatures.		
Stability:	Stable		
-	r recommended conditions of storage, use and tempe	erature.	
Possibility of hazardous reactions			
Hazardous reactions:	Will not occur		

according to 29 CFR 1910.1200(g)

## **ADDINOL Eco Gear 68 S-T**

Revision date: 02/04/2022

Product code: 741090

Page 6 of 9

### Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

### Incompatible materials

Reacts with: Oxidizing agents, strong.

### Hazardous decomposition products

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

### 11. Toxicological information

## Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
	Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched)				ene oxide and	
	oral	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit		

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitizing effects

May cause an allergic skin reaction (Di-tert-butyl-Polysulfides; Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines,

C12-14-alkyl (branched); Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts)

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
-------------------------	--

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Information on other hazards

Endocrine disrupting properties

not applicable

## 12. Ecological information

### **Ecotoxicity**

No data available

according to 29 CFR 1910.1200(g)

## **ADDINOL Eco Gear 68 S-T**

Revision date: 02/04/2022

Product code: 741090

Page 7 of 9

### Mixture not tested.

## Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

### **Bioaccumulative potential**

No data available

### Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

### Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## Other adverse effects

No data available

## **Further information**

Do not allow uncontrolled discharge of product into the environment.

### 13. Disposal considerations

#### Waste treatment methods

### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

### 14. Transport information

U.S. DOT 49 CFR 172.101 Proper shipping name:	No dangerous good in sense of these transport r
Marine transport (IMDG)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Special precautions for user	
Linless specified otherwise, general me	easures for safe transport must be followed

Unless specified otherwise, general measures for safe transport must be followed.

# Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No dangerous good in sense of these transport regulations.

## 15. Regulatory information

## U.S. Regulations

regulations.

according to 29 CFR 1910.1200(g)

## **ADDINOL Eco Gear 68 S-T**

Revision date: 02/04/2022

Product code: 741090

Page 8 of 9

## National Inventory TSCA

Substance/product listed in the following inventories: TSCA

National regulatory information

### SARA Section 311/312 Hazards:

Di-tert-butyl-Polysulfides (68937-96-2): Immediate (acute) health hazard Reaction products of bis(4-methylpentan-2-yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14-alkyl (branched) (-): Immediate (acute) health hazard Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts (722503-68-6): Immediate (acute) health hazard

## State Regulations

### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

WARNING: This product can expose you to chemicals including Ethylene glycol (ingested) (developmental), which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### 16. Other information

Hazardous Materials Information	on Label (HMIS)
Health:	1
Flammability:	1
Physical Hazard:	0
NFPA Hazard Ratings	
Health:	1
Flammability:	1
Reactivity:	0
Unique Hazard:	
Changes	
Revision date:	04.02.2022
Revision No:	1,17

### This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,9,10,11,14,15,16.

## Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DNEL - Derived No-Effect Level: DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

according to 29 CFR 1910.1200(g)

## **ADDINOL Eco Gear 68 S-T**

Revision date: 02/04/2022

Product code: 741090

Page 9 of 9

Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Other data

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)