according to 29 CFR 1910.1200(g)

<b>ADDINOL AquaPower In</b>	100ard 41 1040
-----------------------------	----------------

Revision date: 02/24/2022

Product code: 721405

Page 1 of 8

#### 1. Identification

# Product identifier

ADDINOL AquaPower Inboard 4T 1040

# Recommended use of the chemical and restrictions on use

# Details of the supplier of the safety data sheet

Manufacturer		
Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	ADDINOL Lube Oil GmbH	
Street:	Am Haupttor, D - 06237 Leuna	
Telephone:	+1 647 939 9938	
e-mail:	laura.nelson@addinol.de	
Emergency phone number:	+16479399938 available Mon - Fri, 8:00 am to	4:30 pm EST

# 2. Hazard(s) identification

# **Classification of the chemical**

# 29 CFR Part 1910.1200

This mixture is not classified as hazardous in accordance with Regulation 29 CFR 1910.1200(d).

# Label elements

# Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

# Hazards not otherwise classified

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled discharge of product into the environment.

# 3. Composition/information on ingredients

# <u>Mixtures</u>

# Hazardous components

CAS No	Components	Quantity
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	40 - 60 %
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic	20 - 40 %

# Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current US lists and is completed by information from specialist literature and company information.

according to 29 CFR 1910.1200(g)

# **ADDINOL AquaPower Inboard 4T 1040**

Revision date: 02/24/2022

Product code: 721405

Page 2 of 8

## 4. First-aid measures

# Description of first aid measures

# **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

# After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

No information available.

# Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# 5. Fire-fighting measures

# Extinguishing media

#### Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

#### Unsuitable extinguishing media

Full water jet

## Specific hazards arising from the chemical

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

# Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapor, dust, and aerosols. Avoid contact with skin, eye and clothing.

#### **Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## Methods and material for containment and cleaning up

according to 29 CFR 1910.1200(g)

# **ADDINOL AquaPower Inboard 4T 1040**

Revision date: 02/24/2022

Product code: 721405

Page 3 of 8

# Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

# Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

## 7. Handling and storage

## Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

# Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place.

#### Hints on joint storage

Keep away from food, drink and animal feed. Keep away from: Oxidizing agents.

#### Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: Heat. UV-radiation/sunlight. Frost.

## 8. Exposure controls/personal protection

#### **Control parameters**

# Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

# Exposure controls



# Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

## Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

according to 29 CFR 1910.1200(g)

# **ADDINOL AquaPower Inboard 4T 1040**

Revision date: 02/24/2022

Product code: 721405

Page 4 of 8

## Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

# Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

# **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point >  $65^{\circ}$ C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

# 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state:	liquid	
Color:	yellow - brown	
Odor:	like: Mineral oil	
Odour threshold:	not determined	
		Test method
Changes in the physical state		
Melting point/freezing point:	No data available	•
Boiling point or initial boiling point and boiling range:	No data available	
Pour point:	-42 °C	ASTM D 7346
Flash point:	235 °C	DIN EN ISO 2592
Flammability		
Solid/liquid:	No data available	
Gas:	No data available	•
Explosive properties No data available		
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	;
Auto-ignition temperature:	No data available	
Self-ignition temperature		
Solid:	No data available	
Gas:	No data available	
Decomposition temperature:	No data available	:
pH-Value:	not applicable	:
Viscosity / kinematic: (at 100 °C)	14,9 mm²/s	ASTM D 7042

according to 29 CFR 1910.1200(g)

ADDINOL AquaPower Inboard 4T 1040			
Revision date: 02/24/2022	Product code: 721405	Page 5 of 8	
Water solubility:	practically insoluble.		
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:			
Vapor pressure:	No data available		
Density (at 15 °C):	0,868 g/cm <sup>3</sup> DIN 51757		
Relative vapour density:	No data available		
Other information			
Information with regard to physica	al hazard classes		
Oxidizing properties No data available			
Other safety characteristics			
Evaporation rate:	No data available		
Further Information			
No data available			
10. Stability and reactivity			
Reactivity			
	age at normal ambient temperatures.		
Chemical stability			
Stability:	Stable		
The mixture is chemically stable	under recommended conditions of storage, use and temperature.		
Possibility of hazardous reactions			
Hazardous reactions:	Will not occur		
No known hazardous reactions.			
Conditions to avoid			
Refer to chapter 7 No further ac	tion is necessary.		
Do not overheat to avoid decom	position by heat.		
Incompatible materials Oxidizing agents, strong.			
Hazardous decomposition products			
In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.			

# 11. Toxicological information

# Information on toxicological effects

# Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to 29 CFR 1910.1200(g)

# **ADDINOL AquaPower Inboard 4T 1040**

Revision date: 02/24/2022

Product code: 721405

Page 6 of 8

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	oral	LD50 > mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic					
	oral	LD50 > mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitizing effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

## Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

# Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Carcinogenicity (OSHA):	No ingredient of this mixture is listed.
Carcinogenicity (IARC):	No ingredient of this mixture is listed.
Carcinogenicity (NTP):	No ingredient of this mixture is listed.
A surface the second	

Aspiration hazard

Based on available data, the classification criteria are not met.

# Information on other hazards

# **Endocrine disrupting properties**

not applicable

# 12. Ecological information

#### **Ecotoxicity**

Mixture not tested.

# Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

### **Bioaccumulative potential**

No data available

#### Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

# Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# Other adverse effects

No data available

according to 29 CFR 1910.1200(g)

# **ADDINOL AquaPower Inboard 4T 1040**

Revision date: 02/24/2022

Product code: 721405

Page 7 of 8

#### **Further information**

Do not allow uncontrolled discharge of product into the environment.

# 13. Disposal considerations

# Waste treatment methods

# **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

# Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

#### 14. Transport information

U.S. DOT 49 CFR 172.101	
Proper shipping name:	No dangerous good in sense of these transport regulations.
Marine transport (IMDG)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Special precautions for user	
Unless specified otherwise, general me	easures for safe transport must be followed.
Transport in bulk according to Annex II of N	IARPOL 73/78 and the IBC Code
not applicable	
Other applicable information	
No dangerous good in sense of these t	transport regulations.
15. Regulatory information	
U.S. Regulations	
National Inventory TSCA	
Substance/product listed in the followir	na inventories: TSCA
	· · · · · · · · · · · · · · · · · · ·

# State Regulations

# Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Othe	r informa	tion
----------	-----------	------

Hazardous Materials Information Lab	el (HMIS)
Health:	0
Flammability:	1
Physical Hazard:	0

according to 29 CFR 1910.1200(g)

ADDINOL AquaPower Inboard 4T 1040		
Revision date: 02/24/2022	Product code: 721405	Page 8 of 8
NFPA Hazard Ratings		
Health:	0	
Flammability:	1	
Reactivity:	0	$\overline{}$
Unique Hazard:		$\checkmark$
Changes		
Revision date:	24.02.2022	
Revision No:	1,04	
This data sheet contains cha	nges from the previous version in section(s): 1,2,5,9,10,12,14,1	5,16.
Abbreviations and acronyms		

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

# Other data

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)