according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Penta-Cool WS 251

UFI: EKRS-56J6-P20F-PAJ2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal working fluids.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

E-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: Gidov Oil & Logistics Ltd.

Street: 76 Cobham Road, Ferndown Industrial Estate
Place: GB-TN157DA Wrotham, Sevenoaks Kent

Telephone: +44 7729229830 Telefax: +44 7729229830

E-mail: sales@addinol.co.uk

Internet: https://www.gidovlogistics.co.uk/

1.4. Emergency telephone +44 7729229830 - This number is serviced during office hours.

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Signal word: Warning

Pictograms:



according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 2 of 11

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | | | |
|-----------|--------------------------------------------------------------------------------------------------|--------------------------------------|---------|---------------|--|
| | EC No | Index No | F | REACH No | |
| | Classification (GB CLP Regulation) | | | | |
| 101-83-7 | dicyclohexylamine | | | 1 - < 2.5 % | |
| | 202-980-7 | 612-066-00-3 | | | |
| | Acute Tox. 4, Skin Corr. 1B, A | quatic Acute 1, Aquatic Chronic 1; I | H302 H3 | 314 H400 H410 | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | 0.3 - < 0.5 % | |
| | 220-120-9 | 613-088-00-6 | | | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | |
|-----------|------------------|---------------------------------------------------------------------------------------|---------------|--|--|
| | Specific Conc. L | Limits, M-factors and ATE | | | |
| 101-83-7 | 202-980-7 | dicyclohexylamine | 1 - < 2.5 % | | |
| | dermal: LD50 = | dermal: LD50 = 200 - 316 mg/kg; oral: LD50 = 200 mg/kg | | | |
| 2634-33-5 | 220-120-9 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | 0.3 - < 0.5 % | | |
| | dermal: LD50 = | dermal: LD50 = > 2000 mg/kg; oral: LD50 = 670 mg/kg Skin Sens. 1; H317: >= 0,05 - 100 | | | |

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 3 of 11

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. Use skin protection ointment after cleaning. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Atomized water. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation. Take up mechanically, placing in appropriate containers for

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 4 of 11

disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|----------------------------------------------------------|----------------|----------|-----------------------|
| DNEL type | | Exposure route | Effect | Value |
| 101-83-7 | dicyclohexylamine | | | |
| Worker DNEL, | long-term | inhalation | systemic | 0,353 mg/m³ |
| Worker DNEL, | long-term | dermal | systemic | 0,1 mg/kg bw/day |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | |
| Worker DNEL, long-term | | inhalation | systemic | 6,81 mg/m³ |
| Worker DNEL, long-term | | dermal | systemic | 0,966 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 1,2 mg/m³ |
| Consumer DNEL, long-term | | dermal | systemic | 0,345 mg/kg bw/day |

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 5 of 11

PNEC values

| CAS No | Substance | |
|--------------------------------------------------|----------------------------------------------------------|---------------|
| Environment | al compartment | Value |
| 101-83-7 | dicyclohexylamine | · |
| Freshwater | | 0,002 mg/l |
| Freshwater (i | intermittent releases) | 0,01 mg/l |
| Marine water | | 0 mg/l |
| Freshwater s | ediment | 0,075 mg/kg |
| Marine sedim | nent | 0,007 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 21 mg/l |
| Soil | | 0,014 mg/kg |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | |
| Freshwater | | 0,00403 mg/l |
| Freshwater (intermittent releases) | | 0,0011 mg/l |
| Marine water | | 0,000403 mg/l |
| Freshwater s | 0,0499 mg/kg | |
| Marine sediment | | 0,00499 mg/kg |
| Micro-organis | sms in sewage treatment plants (STP) | 1,03 mg/l |
| Soil | | 3 mg/kg |

Additional advice on limit values

source:

Recommended limit value for cooling lubricants (steam and aerosol)

MAK: 10 mg/m³

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 6 of 11

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. full mask (DIN EN 136). Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: clear

Odour: like: mineral oil.
Odour threshold: not determined

Test method

No data available

Melting point/freezing point:

No data available

Boiling point or initial boiling point and

> 100 °C

boiling range:

Flammability:

Lower explosion limits:

No data available

not determined

Upper explosion limits:

not determined

Flash point: > 100 °C DIN EN ISO 2592

Auto-ignition temperature: not determined Decomposition temperature: No data available

pH-Value (at 20 °C): 9,4 5% - DIN 51369 Viscosity / kinematic: 13 mm²/s DIN EN ISO 3104

(at 20 °C)

Water solubility: highly soluble.

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 15 °C):

No data available

1,070 g/cm³ DIN EN ISO 12185

Relative vapour density:

Particle characteristics:

No data available

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

Pour point:

No data available

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 7 of 11

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acids

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

10.5. Incompatible materials

Reacts with: Oxidising agent, strong. Acids

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide. Nitrogen oxides (NOx). carbon black.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | | |
|-----------|----------------------------------------------------------|---------------|-----------|---------|------------------------------|------------------------------------------|
| | Exposure route | Dose | | Species | Source | Method |
| 101-83-7 | dicyclohexylamine | | | | | |
| | oral | LD50 mg/kg | 200 | Rat | Other company data (1978) | Single oral application by gavage, undil |
| | dermal | LD50 mg/kg | 200 - 316 | Rabbit | Other company data (1977) | other: |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | | | |
| | oral | LD50 mg/kg | 670 | Rat | Study report (1988) | OECD Guideline 401 |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (1994) | OECD Guideline 402 |

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 8 of 11

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Mixture not tested.

| CAS No | Chemical name | | | | | | | |
|-----------|----------------------------------------------------------|---------------|-----------|-----------|----------------------------------------------------|----------------------------------|------------------------------------------------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 101-83-7 | dicyclohexylamine | | | | | | | |
| | Acute fish toxicity | LC50 | 62 mg/l | 96 h | Danio rerio | Study report (1992) | EU Method C.1 | |
| | Acute algae toxicity | ErC50 | > 1 mg/l | 72 h | Desmodesmus subspicatus | Other company data (1992) | EU Method C.3 | |
| | Acute crustacea toxicity | EC50 | 8 mg/l | 48 h | Daphnia magna | Study report (1999) | OECD Guideline 202 | |
| | Crustacea toxicity | NOEC mg/l | 0,016 | 21 d | Daphnia magna | Study report (1999) | other: OECD Guideline 202, part 2 "Daphn | |
| | Acute bacteria toxicity | EC50 | 712 mg/l | 3 h | Activated sludge | Study report (1990) | ISO 8192 | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | ca. 16,7 | 96 h | Cyprinodon variegatus | REACh Registration Dossier | other: | |
| | Acute algae toxicity | ErC50 mg/l | 0,15 | 72 h | Raphidocelis subcapitata | Study report (1994) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | 2,94 | 48 h | Daphnia magna | Study report (1995) | OECD Guideline 202 | |
| | Acute bacteria toxicity | EC50) | 13 mg/l (| 3 h | activated sludge of a predominantly domestic sewag | REACh Registration Dossier | OECD Guideline 209 | |

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

Mixture not tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|----------------------------------------------------------|---------|
| 101-83-7 | dicyclohexylamine | 2,724 |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | 0,63 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|-----------|-------------------------------------------------------------|----------|---------------------|----------------------|
| 101-83-7 | dicyclohexylamine | 459 | | BCFWIN v. 2.1 (2005) |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | ca. 6,62 | Lepomis macrochirus | REACh Registration D |

12.4. Mobility in soil

Is eliminable from water only with difficulty.

12.5. Results of PBT and vPvB assessment

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 9 of 11

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

120110 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; synthetic machining oils; hazardous waste

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

| Land transport (ADR/RID) | |
|-----------------------------------|---|
| 14.1. UN number or ID number: | - |
| 14.2. UN proper shipping name: | - |
| 14.3. Transport hazard class(es): | - |
| 14.4. Packing group: | - |
| Inland waterways transport (ADN) | |
| 14.1. UN number or ID number: | - |
| 14.2. UN proper shipping name: | - |
| 14.3. Transport hazard class(es): | - |
| 14.4. Packing group: | - |
| Marine transport (IMDG) | |
| 14.1. UN number or ID number: | - |
| 14.2. UN proper shipping name: | - |
| 14.3. Transport hazard class(es): | - |
| 14.4. Packing group: | - |

Air transport (ICAO-TI/IATA-DGR)

| 14.1. UN number or ID number: | - |
|-----------------------------------|---|
| 14.2. UN proper shipping name: | - |
| 14.3. Transport hazard class(es): | - |
| 14.4 Packing group: | _ |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251

Revision date: 06.05.2024 Product code: 770089 Page 10 of 11

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

Acute Tox: Acute toxicity
Skin Corr: Skin corrosion
Skin Irrit: Skin irritation
Eye Dam: Eye damage
Eye Irrit: Eye irritation
Skin Sens: Skin sensitisation
Aquatic Acute: Acute aquatic hazard
Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to UK REACH Regulation

ADDINOL Penta-Cool WS 251 Revision date: 06.05.2024 Product code: 770089 Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Skin Irrit. 2; H315 | Calculation method |
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| H302 | Harmful if swallowed. |
|------|-------------------------------------------------------|
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)