according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 1 of 16

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ADDINOL FoodProof UNI Cleaner

UFI: YGMR-33GC-920V-C787

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

For industrial purposes only.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

e-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

**Supplier** 

Company name: Gidov Oil & Logistics Ltd.

Street: 76 Cobham Road, Ferndown Industrial Estate
Place: GB-TN157DA Wrotham, Sevenoaks Kent

Telephone: +44 7729229830 Telefax: +44 7729229830

e-mail: sales@addinol.co.uk

Internet: https://www.gidovlogistics.co.uk/

**1.4. Emergency telephone** +44 7729229830 - This number is serviced during office hours.

number:

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

Skin Irrit. 2; H315 Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 2.2. Label elements

## **GB CLP Regulation**

### Hazard components for labelling

disodium metasilicate

Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts

potassium hydroxide; caustic potash

Signal word: Danger

Pictograms:



according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 2 of 16

#### **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.

### **Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

#### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

#### 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Do not allow uncontrolled leakage of product into the environment.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Hazardous components**

Chemical name					
EC No	Index No	REACH No			
Classification (GB CLP Re	egulation)	·			
2-butoxyethanol; ethylene	glycol monobutyl ether		5 - < 10 %		
203-905-0	603-014-00-0				
Acute Tox. 3, Acute Tox.	4, Skin Irrit. 2, Eye Irrit. 2; H331 H	302 H315 H319			
Benzenesulfonic acid, 4-(	1-methylethyl)-, potassium salt (1:	1)	2.5 - < 5 %		
629-764-9		01-2119489427-24			
Eye Irrit. 2; H319	•	•			
Sodium p-cumenesulphor	2.5 - < 5 %				
239-854-6		01-2119489411-37			
Eye Irrit. 2; H319	·	·			
disodium metasilicate		2.5 - < 5 %			
229-912-9	014-010-00-8				
Skin Corr. 1B, STOT SE 3	s; H314 H335	•			
Benzenesulfonic acid, C1	0-13-alkyl derivs., sodium salts		1 - < 2.5 %		
270-115-0					
Acute Tox. 4, Skin Irrit. 2,	Eye Dam. 1, Aquatic Chronic 3; H	302 H315 H318 H412			
potassium hydroxide; cau		1 - < 2.5 %			
215-181-3	019-002-00-8				
Acute Tox. 4, Skin Corr. 1	A; H302 H314	•			
	EC No Classification (GB CLP Re 2-butoxyethanol; ethylene 203-905-0 Acute Tox. 3, Acute Tox. 4 Benzenesulfonic acid, 4-( 629-764-9 Eye Irrit. 2; H319 Sodium p-cumenesulphor 239-854-6 Eye Irrit. 2; H319 disodium metasilicate 229-912-9 Skin Corr. 1B, STOT SE 3 Benzenesulfonic acid, C10 270-115-0 Acute Tox. 4, Skin Irrit. 2, potassium hydroxide; cau 215-181-3	EC No  Classification (GB CLP Regulation)  2-butoxyethanol; ethylene glycol monobutyl ether  203-905-0  Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2; H331 H3  Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1: 629-764-9  Eye Irrit. 2; H319  Sodium p-cumenesulphonate  239-854-6  Eye Irrit. 2; H319  disodium metasilicate  229-912-9  O14-010-00-8  Skin Corr. 1B, STOT SE 3; H314 H335  Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts  270-115-0  Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H potassium hydroxide; caustic potash	EC No		

Full text of H and EUH statements: see section 16.

## **Safety Data Sheet**

according to UK REACH Regulation

#### ADDINOL FoodProof UNI Cleaner

Revision date: 03.07.2023 Product code: 736100 Page 3 of 16

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
111-76-2	203-905-0	2-butoxyethanol; ethylene glycol monobutyl ether	5 - < 10 %			
	inhalation: ATE	3 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: ATE 1200 mg/kg				
164524-02-1	629-764-9	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)	2.5 - < 5 %			
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 6720 mg/kg				
15763-76-5	239-854-6	Sodium p-cumenesulphonate	2.5 - < 5 %			
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 6720 mg/kg				
6834-92-0	229-912-9	disodium metasilicate	2.5 - < 5 %			
	inhalation: LC5 mg/kg	50 = > 2,06 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = 770 - 820				
68411-30-3	270-115-0	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	1 - < 2.5 %			
	dermal: LD50 =	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 1080 mg/kg				
1310-58-3	215-181-3	1 - < 2.5 %				
	oral: LD50 = 333 mg/kg Skin Corr. 1A; H314: >= 5 - 100 Skin Corr. 1B; H314: >= 2 - < 5 Skin Irrit. 2; H315: >= 0,5 - < 2 Eye Irrit. 2; H319: >= 0,5 - < 2					

#### **Further Information**

The product does not contain any dangerous substances with concentrations reaching or exceeding the limits acc. to 1272/2008 [GHS].

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting.

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## **Safety Data Sheet**

according to UK REACH Regulation

#### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 4 of 16

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray. alcohol resistant foam.

#### Unsuitable extinguishing media

High power water iet.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Nitrogen oxides (NOx). Sulfur oxides. Nitrogen oxides (NOx). carbon black.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 5 of 16

Keep away from: Oxidizing agent

## Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

### 7.3. Specific end use(s)

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-76-2	2-Butoxyethanol	25	123		TWA (8 h)	WEL
		50	246		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

## **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
111-76-2	2-Butoxyethanol	butoxyacetic acid (creatinine)	240 mmol/mol		Post shift

according to UK REACH Regulation

## **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 6 of 16

## **DNEL/DMEL values**

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
164524-02-1	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)						
Worker DNEL,	long-term	inhalation	systemic	37,4 mg/m³			
Worker DNEL,	long-term	dermal	systemic	191 mg/kg bw/day			
Worker DNEL,	long-term	dermal	local	0,096 mg/cm <sup>2</sup>			
Consumer DN	EL, long-term	inhalation	systemic	6,6 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	68,1 mg/kg bw/day			
Consumer DN	EL, long-term	dermal	local	0,048 mg/cm <sup>2</sup>			
Consumer DN	EL, long-term	oral	systemic	3,8 mg/kg bw/day			
15763-76-5	Sodium p-cumenesulphonate						
Worker DNEL,	long-term	inhalation	systemic	37,4 mg/m³			
Worker DNEL,	long-term	dermal	systemic	191 mg/kg bw/day			
Worker DNEL,	long-term	dermal	local	0,096 mg/cm <sup>2</sup>			
Consumer DN	EL, long-term	inhalation	systemic	6,6 mg/m³			
Consumer DN	EL, long-term	dermal	systemic	68,1 mg/kg bw/day			
Consumer DN	EL, long-term	dermal	local	0,048 mg/cm <sup>2</sup>			
Consumer DN	EL, long-term	oral	systemic	3,8 mg/kg bw/day			
68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts						
Worker DNEL,	long-term	inhalation	systemic	7,6 mg/m³			
Worker DNEL, long-term		dermal	systemic	119 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	1,3 mg/m³			
Consumer DNEL, long-term		dermal	systemic	42,5 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,425 mg/kg bw/day			

according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 7 of 16

#### **PNEC values**

CAS No	Substance						
Environmental	compartment	Value					
164524-02-1	524-02-1 Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)						
Freshwater	reshwater						
Freshwater (in	termittent releases)	1 mg/l					
Marine water		0,01 mg/l					
Freshwater se	diment	0,372 mg/kg					
Marine sedime	nt	0,037 mg/kg					
Micro-organism	ns in sewage treatment plants (STP)	100 mg/l					
Soil		0,016 mg/kg					
15763-76-5	Sodium p-cumenesulphonate	·					
Freshwater	0,1 mg/l						
Freshwater (in	termittent releases)	1 mg/l					
Marine water		0,01 mg/l					
Freshwater se	diment	0,372 mg/kg					
Marine sedime	nt	0,037 mg/kg					
Micro-organisn	ns in sewage treatment plants (STP)	100 mg/l					
Soil		0,016 mg/kg					
68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	·					
Freshwater		0,268 mg/l					
Freshwater (in	termittent releases)	0,017 mg/l					
Marine water		0,027 mg/l					
Freshwater se	8,1 mg/kg						
Marine sedime	6,8 mg/kg						
Micro-organisn	ns in sewage treatment plants (STP)	3,43 mg/l					
Soil		35 mg/kg					

### Additional advice on limit values

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### 8.2. Exposure controls





### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 8 of 16

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point: 0 °C
Boiling point or initial boiling point and 97 °C

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available Flash point: No data available Auto-ignition temperature: not determined Decomposition temperature: No data available pH-Value: 13,5 Water solubility: highly soluble.

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

Density (at 20 °C): 1,03 g/cm³ DIN 51757

Relative vapour density:

No data available

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

No data available
Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Further Information
No data available

## **Safety Data Sheet**

according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 9 of 16

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Do not overheat to avoid decomposition by heat.

Refer to chapter 7 No further action is necessary.

### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong. Acid.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Nitrogen oxides (NOx). Sulfur oxides. Nitrogen oxides (NOx). carbon black.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### **Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

#### **ATEmix** calculated

ATE (oral) 6995,8 mg/kg; ATE (inhalation vapour) 37,50 mg/l

## **Safety Data Sheet**

according to UK REACH Regulation

### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 10 of 16

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether								
	oral	ATE 1200 mg	g/kg						
	dermal	LD50 > mg/kg	> 2000	Rat	Study report (1993)	OECD Guideline 402			
	inhalation vapour	ATE 3 mg/l							
164524-02-1	Benzenesulfonic acid, 4-	(1-methylethyl)	-, potassiu	m salt (1:1)					
	oral	LD50 > mg/kg	> 6720	Rat	Study report (1982)	OECD Guideline 423			
	dermal	LD50 > mg/kg	> 2000	Rabbit	Study report (1968)	OECD Guideline 402			
15763-76-5	Sodium p-cumenesulphonate								
	oral	LD50 > mg/kg	÷ 6720	Rat	Study report (1982)	OECD Guideline 423			
	dermal	LD50 >	> 2000	Rabbit	Study report (1968)	OECD Guideline 402			
6834-92-0	disodium metasilicate								
	oral	LD50 7 mg/kg	770 - 820	Mouse	Toxicol. Lett. 31 (Suppl. P1-28), 44 (19	Standard acute oral toxicity			
	dermal	LD50 > mg/kg	> 5000	Rat	Study report (2004)	EPA OPPTS 870.1200			
	inhalation (4 h) vapour	LC50 >	> 2,06	Rat	Study report (2004)	EPA OPPTS 870.1300			
68411-30-3	Benzenesulfonic acid, C	10-13-alkyl deri	vs., sodiur	n salts					
	oral	LD50 1 mg/kg	1080	Rat	Study report (1984)	OECD Guideline 401			
	dermal	LD50 >	> 2000	Rat	Study report (1986)	OECD Guideline 402			
1310-58-3	potassium hydroxide; ca	ustic potash							
	oral	LD50 3 mg/kg	333	Rat	Fund. Appl. Toxicol., 8, 97-100 (1987)	OECD Guideline 425			

## Irritation and corrosivity

Causes skin irritation.

Causes serious eye damage. (On basis of test data)

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

not applicable

according to UK REACH Regulation

## **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 11 of 16

### **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to UK REACH Regulation

## **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 12 of 16

CAS No	Chemical name									
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method			
111-76-2	2-butoxyethanol; ethylene	glycol mond	butyl ether							
	Acute fish toxicity	LC50 mg/l	1474	96 h	Oncorhynchus mykiss	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 203			
	Acute algae toxicity	ErC50	911 mg/l	72 h	Pseudokirchneriella subcapitata	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	1550	48 h	Daphnia magna	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 202			
	Fish toxicity	NOEC mg/l	> 100	21 d	Danio rerio	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 204			
	Crustacea toxicity	NOEC	100 mg/l	21 d	Daphnia magna	Toxicol Mech Meth 12, 255-63 (2002)	OECD Guideline 211			
164524-02-1	Benzenesulfonic acid, 4-(	1-methylethy	ا)-, potassiu	m salt (1	:1)					
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	REACh Registration Dossier	EPA OTS 797.1400			
	Acute algae toxicity	ErC50 mg/l	ca. 252	72 h	Raphidocelis subcapitata	Study report (2020)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300			
15763-76-5	Sodium p-cumenesulphonate									
	Acute fish toxicity	LC50 mg/l	> 1000	96 h	Oncorhynchus mykiss	REACh Registration Dossier	EPA OTS 797.1400			
	Acute algae toxicity	ErC50 mg/l	ca. 252	72 h	Raphidocelis subcapitata	Study report (2020)	OECD Guideline 201			
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300			
6834-92-0	disodium metasilicate									
	Acute fish toxicity	LC50 310 mg/l	260 -	96 h	Oncorhynchus mykiss	Suishitsu Odaku Kenkyu 12(3): 177-184 (1	Method: other: no method cited			
	Acute algae toxicity	ErC50	207 mg/l	72 h	Desmodesmus subspicatus	SIDS Initial Assessment Report for SIAM	other: DIN 38412, Teil 9			
	Acute crustacea toxicity	EC50 mg/l	1700	48 h	Daphnia magna	REACh Registration Dossier	EU Method C.2			
	Acute bacteria toxicity	(EC50 mg/l)	> 100	3 h	activated sludge, domestic	Study report (1994)	OECD Guideline 209			
68411-30-3	Benzenesulfonic acid, C1	0-13-alkyl de	erivs., sodiun	n salts						
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Lepomis macrochirus	REACh Registration Dossier	other: US EPA, 1975. Reliability, deviat			

according to UK REACH Regulation

	Α	DDINOL F	oodPro	of UNI Cleaner		
Revision date: 03.07.2023	Revision date: 03.07.2023 Product code: 736100					
Acute algae toxicity	ErC50 mg/l	0,91		/licrocystis eruginosa	REACh Registration Dossier	other: Payne AG, Hall RH, 1979, in Aquat
Acute crustacea toxicity	EC50	7,6 mg/l	CI	ther aquatic rustacea: Hyalella ızteca	REACh Registration Dossier	OECD Guideline 202
Fish toxicity	NOEC mg/l	0,23	72 d O	Oncorhynchus mykiss	Study report (2010)	OECD Guideline 210
Algae toxicity	NOEC	3,1 mg/l	15 d C	Chlorella kessleri	Study report (1984)	other: EPA-600/9-78-01 8
Crustacea toxicity	NOEC mg/l	1,18	21 d D	)aphnia magna	Study report (1977)	OECD Guideline 211
1310-58-3 potassium hydroxide; cau	stic potash					
Acute fish toxicity	LC50	80 mg/l	96 h G	Sambusia affinis	IUCLID	

### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

#### 12.3. Bioaccumulative potential

No data available

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-76-2	2-butoxyethanol; ethylene glycol monobutyl ether	0,81
164524-02-1	Benzenesulfonic acid, 4-(1-methylethyl)-, potassium salt (1:1)	-1,4
15763-76-5	Sodium p-cumenesulphonate	-1,1
68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	1,4

### BCF

CAS No	Chemical name	BCF	Species	Source
	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	87	Pimephales promelas	REACh Registration D

### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### List of Wastes Code - residues/unused products

according to UK REACH Regulation

#### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 14 of 16

200129

MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

#### Inland waterways transport (ADN)

14.1. UN number or ID number:
14.2. UN proper shipping name:
14.3. Transport hazard class(es):
14.4. Packing group:

#### Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:
14.2. UN proper shipping name:
14.3. Transport hazard class(es):
14.4. Packing group:

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### Other applicable information

No dangerous good in sense of these transport regulations.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

#### **National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

according to UK REACH Regulation

#### **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 15 of 16

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,7,8,9,10,11,13,15,16.

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure				
Skin Irrit. 2; H315					
Eye Dam. 1; H318	On basis of test data				

### Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

# **Safety Data Sheet**

according to UK REACH Regulation

## **ADDINOL FoodProof UNI Cleaner**

Revision date: 03.07.2023 Product code: 736100 Page 16 of 16

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)