ADDINOL Professional 0530 E8/E11					
Revision date: 08/07/2023	Product code: 722196	Page 1 of 11			
. Identification					
Product identifier					
ADDINOL Professional 053	0 E8/E11				
Recommended use of the chemic	cal and restrictions on use				
Details of the supplier of the safe	ety data sheet				
Manufacturer					
Company name:	ADDINOL Lube Oil GmbH				
	Gebäude 4609				
Street:	Am Haupttor				
Place:	D-06237 Leuna				
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555			
e-mail:	info@addinol.de				
Contact person:	Application Technology				
Internet:	www.addinol.de				
Responsible Department:	ADDINOL Application Technology				
Supplier					
Company name:	ADDINOL Lube Oil GmbH				
Street:	Am Haupttor, D - 06237 Leuna				
Telephone:	+1 416-821-0398				
e-mail:	enis.slimane@addinol.de				

+16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST

Emergency phone number:

2. Hazard(s) identification

Classification of the chemical

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

Label elements

Regulation (EC) No 1272/2008

Special labelling of certain mixtures

EUH208	Contains Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts. May
	produce an allergic reaction.
EUH210	Safety data sheet available on request.

Additional advice on labelling

According to EC directives or the corresponding national regulations there is no labeling obligation for this product.

Hazards not otherwise classified

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled discharge of product into the environment.

3. Composition/information on ingredients

<u>Mixtures</u>

Revision date: 08/07/2023

Product code: 722196

Page 2 of 11

Hazardous components

CAS No	Components			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64742-54-7	Distillates (petroleum), hydrotreated	d heavy paraffinic; Baseoil - unspecifi	ied	80 - < 100 %
	265-157-1		01-2119484627-25	
	Asp. Tox. 1; H304			
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate			2.5 - < 5 %
	406-040-9	607-530-00-7		
	Aquatic Chronic 4; H413	·		
70024-69-0	Benzenesulfonic acid, mono-C16-2	4-alkyl derivatives, calcium salts		0.1 - < 0.3 %
	274-263-7		01-2119492616-28	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Components	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	80 - < 100 %
	dermal: LD50 -	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	2.5 - < 5 %
	dermal: LD50 -	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
70024-69-0	274-263-7	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	0.1 - < 0.3 %
	dermal: LD50 =	= > 4000 mg/kg; oral: LD50 = > 16000 mg/kg	

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current US lists and is completed by information from specialist literature and company information.

4. First-aid measures

Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

Revision date: 08/07/2023

Product code: 722196

Page 3 of 11

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides Hydrogen sulphide (H2S) Nitrogen oxides (NOx). carbon black

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapor, dust, and aerosols.

Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion Remove all sources of ignition.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash

Revision date: 08/07/2023

Product code: 722196

Page 4 of 11

contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place.

Hints on joint storage

Keep away from food, drink and animal feed. Keep away from: Oxidizing agent

Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: Heat. UV-radiation/sunlight. Frost.

Specific end use(s)

Further information: see technical data sheet.

8. Exposure controls/personal protection

Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type	DNEL type		Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Base	oil - unspecified	•	
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m ³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m ³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calc	ium salts		
Worker DNEL,	long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL,	long-term	dermal	systemic	3,33 mg/kg bw/day
Worker DNEL,	long-term	dermal	local	1,03 mg/cm ²
Consumer DN	EL, long-term	inhalation	systemic	2,9 mg/m ³
Consumer DN	EL, long-term	dermal	systemic	1,667 mg/kg bw/day
Consumer DNI	EL, long-term	dermal	local	0,513 mg/cm²
Consumer DN	EL, long-term	oral	systemic	0,833 mg/kg bw/day

Revision date: 08/07/2023

Product code: 722196

Page 5 of 11

PNEC values

CAS No	Substance			
Environmenta	compartment	Value		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			
Secondary po	isoning	9,33 mg/kg		
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts			
Freshwater		1 mg/l		
Freshwater (intermittent releases)		10 mg/l		
Marine water		1 mg/l		
Freshwater se	diment	226000000 mg/kg		
Marine sedime	ent	226000000 mg/kg		
Secondary poisoning		16,667 mg/kg		
Micro-organis	Micro-organisms in sewage treatment plants (STP)			
Soil		271000000 mg/kg		

Additional advice on limit values

Recommended limit value for oil mist

TWA: 5

STEL: 10

Does not contain substances above concentration limits fixing an occupational exposure limit.

Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: <

Safety Data Sheet

ADDINOL Professional 0530 E8/E11

Revision date: 08/07/2023

Product code: 722196

Page 6 of 11

1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	liquid		
Color:	brown		
Odor:	like: Mineral oil		
Odour threshold:	not determined		
			Test method
Melting point/freezing point:		No data available	
Boiling point or initial boiling point ar	nd	not determined	
boiling range:			
Flammability:		No data available	
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Flash point:		230 °C	DIN EN ISO 2592
Auto-ignition temperature:		not determined	
Decomposition temperature:		No data available	
pH-Value:		not applicable	
Viscosity / kinematic:		11,9 mm²/s	ASTM D 7042
(at 100 °C)			
Water solubility:		practically insoluble.	
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:		No data available	
Vapor pressure:		No data available	
Density (at 15 °C):		0,854 g/cm³	DIN 51757
Relative vapour density:		No data available	
Other information			
Information with regard to physica	I hazard classes		
Explosive properties			
No data available			
Self-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Oxidizing properties			
No data available			
Other safety characteristics			
Evaporation rate:		No data available	
Pour point:		-42 °C	ASTM D 7346
10. Stability and reactivity			

Reactivity

The product is stable under storage at normal ambient temperatures.

Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Refer to chapter 7 No further action is necessary.

Revision date: 08/07/2023

Product code: 722196

Page 7 of 11

Do not overheat to avoid decomposition by heat.

Incompatible materials

Reacts with: Oxidizing agent, strong. Acid.

Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides Hydrogen sulphide (H2S) Nitrogen oxides (NOx). carbon black

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

CAS No	Components					
	Exposure route	Dose		Species	Source	Method
64742-54-7	Distillates (petroleum), hy	drotreated hea	avy paraffir	nic; Baseoil - unspecified		
	oral	LD50 > mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402
125643-61-0	0 reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate					
	oral	LD50 > mg/kg	> 2000	Rat	Study report (2005)	OECD Guideline 423
	dermal	LD50 > mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402
70024-69-0	Benzenesulfonic acid, mo	ono-C16-24-alk	kyl derivativ	ves, calcium salts		
	oral	LD50 > mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40
	dermal	LD50 > mg/kg	> 4000	Rabbit	Study report (1986)	other: 40 CFR, Section 163.81-2, Federal

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met. Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

not applicable

Revision date: 08/07/2023

Product code: 722196

Page 8 of 11

12. Ecological information

Ecotoxicity

Based on available data, the classification criteria are not met. Mixture not tested.

CAS No	Components							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64742-54-7	Distillates (petroleum), hy	drotreated h	ieavy paraffir	nic; Base	oil - unspecified			
	Acute fish toxicity	LL50 mg/l	> 100	96 h		Study report (1995)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	>100	72 h				
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a	
125643-61-0	reaction mass of isomers	of: C7-9-alk	yl 3-(3,5-di-te	ert-butyl-	4-hydroxyphenyl)propion	ate		
	Acute fish toxicity	LC50 mg/l	> 0,001	96 h	Oncorhynchus mykiss	Study report (2009)	OECD Guideline 203	
	Acute algae toxicity	ErC50	> 0 mg/l	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201	
	Acute crustacea toxicity	EL50	110 mg/l	48 h		Study report (2000)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	0,36	33 d		Study report (2009)	OECD Guideline 210	
	Crustacea toxicity	NOEC	3,2 mg/l	21 d		Study report (2010)	OECD Guideline 211	
	Acute bacteria toxicity	(EC50 mg/l)	> 1000		activated sludge of a predominantly domestic sewag	Study report (2000)	OECD Guideline 209	
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts							
	Acute fish toxicity	LL50 mg/l	> 10000	96 h	Cyprinodon variegatus	REACh Registration Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	EPA OTS 797.1050	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h		REACh Registration Dossier	EPA OTS 797.1300	
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209	

Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Components	Log Pow
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	15100000
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	18,05

Revision date: 08/07/2023

Product code: 722196

Page 9 of 11

BCF

CAS No	Components	BCF	Species	Source
	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propi onate	38	Cyprinus carpio	Study report (2002)

Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Other adverse effects

No data available

Further information

Do not allow uncontrolled discharge of product into the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

14. Transport information

Land transport (ADR/RID)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Inland waterways transport (ADN)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Marine transport (IMDG)	
UN number or ID number:	-
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
<u>UN number or ID number:</u>	-
UN proper shipping name:	-
<u>Transport hazard class(es):</u>	-
Packing group:	-
Environmental hazards	

ADDINOL Professional 0530 E8/E11	
Product code: 722196	

Page 10 of 11

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Revision date: 08/07/2023

Unless specified otherwise, general measures for safe transport must be followed.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,5,7,8,9,10,11,12,15,16.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Relevant H statements (full text)

H304

May be fatal if swallowed and enters airways

ADDINOL Professional 0530 E8/E11			
Revision date: 08/07/2023	Product code: 722196	Page 11 of 11	
H317	May cause an allergic skin reaction		
H413	May cause long lasting harmful effects to aquatic life		
EUH208	Contains Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts. May produce an allergic reaction.		
EUH210	Safety data sheet available on request.		
Other data			

Other data

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)