according to Regulation (EC) No 1907/2006

ADDINOL Care Protect					
Revision date: 04.10.2023	Product code: 77300		Page 1 of 12		
SECTION 1: Identification of the s	ubstance/mixture and of the comp	any/undertaking			
1.1. Product identifier ADDINOL Care Protect					
UFI:	DST1-17V0-620J-83M2				
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised	against			
Use of the substance/mixture					
Corrosion inhibitor.					
1.3. Details of the supplier of the safe	ty data sheet				
Manufacturer					
Company name:	ADDINOL Lube Oil GmbH Gebäude 4609				
Street:	Am Haupttor				
Place:	D-06237 Leuna				
Telephone:	+49 (0) 3461 845-0	Telefax:+49 (0) 3461 845-555			
e-mail:	info@addinol.de				
Contact person:	Application Technology				
Internet:	www.addinol.de				
Responsible Department:	ADDINOL Application Technology				
<b>Supplier</b> Company name: Place:	GEM OILS LIMITED IRL-H12K298 Regaskin Co. Cavan				
Telephone:	+353 49 4378116	Telefax: +353 49 4368329			
e-mail:	sales@gemoils.ie				
Contact person:	GEM OILS LIMITED	Telephone: +353 49 4378116			
e-mail:	sales@gemoils.ie				
Internet:	https://gemoils.ie/				
1.4. Emergency telephone	Healthcare Professionals: +353 (1) 80	09 2566 (24 hour service)			
<u>number:</u>					
SECTION 2: Hazards identification	ı				

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

# 2.2. Label elements

## Regulation (EC) No 1272/2008

# Hazard components for labelling

1-Decene, homopolymer, hydrogenated 1-Decene, Dimer, hydrogenated

Danger

Signal word:

**Pictograms:** 



according to Regulation (EC) No 1907/2006

ADDINOL Care Protect							
Revision date: 04.10.2023	Product code: 773003	Page 2 of 12					
Hazard statements							
H304	May be fatal if swallowed and enters airways.						
Precautionary statemer	nts						
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.						
P331	Do NOT induce vomiting.						
P405	Store locked up.						
P501	Dispose of contents/container to industrial incineration plant.						
Additional advice on la	belling						
Product is classified	and labelled in accordance with EC regulations or the corresponding national laws.						
2.3. Other hazards							

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
68037-01-4	1-Decene, homopolymer, hydrogen	ated		20 - < 40 %
	500-183-1		01-2119486452-34	
	Asp. Tox. 1; H304		·	
68649-11-6	1-Decene, Dimer, hydrogenated		20 - < 40 %	
	500-228-5		01-2119493069-28	
	Acute Tox. 4, Asp. Tox. 1; H332 H3	04		
1474044-79-5	Calcium bis(di C8-C10, branched, 0	C9 rich, alkylnaphthalenesulphonate)		2.5 - < 5 %
	939-717-7		01-2119980985-16	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
128-37-0	2,6-Di-tert-butyl-4-methylphenol			0.1 - < 0.3 %
	204-881-4		01-2119480433-40	
	Aquatic Acute 1, Aquatic Chronic 1;	H400 H410		

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. Limits, M-factors and ATE						
68037-01-4	500-183-1	1-Decene, homopolymer, hydrogenated	20 - < 40 %				
	dermal: LD50 =	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg					
68649-11-6	500-228-5	1-Decene, Dimer, hydrogenated					
	inhalation: LC5 mg/kg	0 = 900-5200 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000					
1474044-79-5	939-717-7	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	2.5 - < 5 %				
	inhalation: LC50 = > 18 mg/l (vapours); oral: LD50 = 5 mg/kg						
128-37-0	204-881-4	2,6-Di-tert-butyl-4-methylphenol	0.1 - < 0.3 %				
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 6000 mg/kg					

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 3 of 12

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. Protect skin by using skin protective cream. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Coughing. difficulties of breathing.

## 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Atomized water.

### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or

according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 4 of 12

drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidising agent, strong

#### Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

## 7.3. Specific end use(s)

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	

according to Regulation (EC) No 1907/2006

**ADDINOL Care Protect** 

Revision date: 04.10.2023

Product code: 773003

Page 5 of 12

# **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
68649-11-6	1-Decene, Dimer, hydrogenated			•		
Worker DNEL,	acute	inhalation	systemic	60 mg/m³		
Consumer DNE	EL, acute	inhalation	systemic	50 mg/m³		
1474044-79- 5						
Worker DNEL,	long-term	inhalation	systemic	70 mg/m³		
Worker DNEL,	long-term	dermal	systemic	10 mg/kg bw/day		
Consumer DNEL, long-term		dermal	systemic	0,00032 mg/kg bw/day		
Consumer DNE	EL, long-term	inhalation	systemic	2,23 mg/m³		
128-37-0	2,6-Di-tert-butyl-4-methylphenol					
Consumer DNE	EL, long-term	inhalation	systemic	0,435 mg/m³		
Consumer DNE	EL, long-term	dermal	systemic	0,25 mg/kg bw/day		
Consumer DNEL, long-term		oral	systemic	0,25 mg/kg bw/day		
Worker DNEL,	long-term	dermal	systemic	0,5 mg/kg bw/day		
Worker DNEL,	long-term	inhalation	systemic	1,76 mg/m <sup>3</sup>		

# **PNEC** values

CAS No	Substance	
Environmental	compartment	Value
1474044-79- 5	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	
Freshwater		0,004 mg/l
Freshwater (in	termittent releases)	0,0027 mg/l
Marine water		0,0004 mg/l
Freshwater se	diment	69 mg/kg
Marine sedime	ent	6,9 mg/kg
Secondary poi	22,2 mg/kg	
Micro-organisr	ns in sewage treatment plants (STP)	10 mg/l
Soil		13,9 mg/kg
128-37-0	2,6-Di-tert-butyl-4-methylphenol	
Freshwater		0,000199 mg/l
Freshwater (in	termittent releases)	0,00199 mg/l
Marine water		0,00002 mg/l
Freshwater se	diment	0,458 mg/kg
Marine sedime	ent	0,046 mg/kg
Secondary poi	soning	16,67 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	0,017 mg/l
Soil		0,054 mg/kg

according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 6 of 12

# Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

# 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.2 mm

Protect skin by using skin protective cream.

# Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour: Odour threshold:	liquid yellow - brown like: mineral oil. not determined	
Melting point/freezing point: Boiling point or initial boiling point and boiling range:		No data available not determined
Flammability: Lower explosion limits: Upper explosion limits:		No data available No data available No data available

Test method

according to Regulation (EC) No 1907/2006

AD	DINOL Care Protect		
Revision date: 04.10.2023	Product code: 773003		Page 7 of 12
Flash point:	186 °C	DIN EN ISO 2592	
Auto-ignition temperature:	not determined		
Decomposition temperature:	No data available		
pH-Value:	not applicable		
Viscosity / kinematic:	17,6 mm²/s	ASTM D 7042	
(at 40 °C)			
Water solubility:	virtually insoluble		
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:	No data available		
Vapour pressure:	No data available		
Density (at 15 °C):	0,865 g/cm³	DIN 51757	
Relative vapour density:	No data available		
9.2. Other information			
Information with regard to physical hazard classes	3		
Explosive properties			
No data available			
Self-ignition temperature			
Solid:	No data available		
Gas:	No data available		
Oxidizing properties			
No data available			
Other safety characteristics			
Evaporation rate:	No data available		
Pour point:	-65 °C	ASTM D 7346	
SECTION 10: Stability and reactivity			

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

# 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

# 10.5. Incompatible materials

Reacts with : Oxidising agent, strong. Acid.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

# according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 8 of 12

# ATEmix calculated

ATE (inhalation vapour) 52,38 mg/l; ATE (inhalation dust/mist) 7,143 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
68037-01-4	1-Decene, homopolymer, hydrogenated						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1994)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 402	
68649-11-6	1-Decene, Dimer, hydrog	genated					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1988)	OECD Guideline 423	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402	
	inhalation (4 h) vapour	LC50 mg/l	900-5200	Rat	Study report (1989)	OECD Guideline 402	
1474044-79- 5	Calcium bis(di C8-C10, b	oranched, C9	rich, alkylna	aphthalenesulphonate)			
	oral	LD50	5 mg/kg	Rat	Study report (1978)	other: FHSLA, CFR, Title 21 J para. 191.	
	inhalation (1 h) vapour	LC50	> 18 mg/l	Rat	Study report (1978)	other: FHSLA, CFR, Title 21 J para. 191.	
128-37-0	2,6-Di-tert-butyl-4-methy	lphenol					
	oral	LD50 mg/kg	> 6000	Rat	Study report (1989)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1988)	OECD Guideline 402	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

# Aspiration hazard

May be fatal if swallowed and enters airways.

# 11.2. Information on other hazards

#### **Endocrine disrupting properties**

not applicable

## **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

# according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 9 of 12

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
68037-01-4	1-Decene, homopolymer, hydrogenated								
	Acute fish toxicity	LL50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (1995)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Pseudokirchneriella subcapitata	Study report (1995)	OECD Guideline 201		
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202		
1474044-79- 5	Calcium bis(di C8-C10, br	anched, C9	rich, alkylna	phthalen	esulphonate)				
	Acute fish toxicity	LC50 mg/l	0,28	96 h					
	Acute algae toxicity	ErC50 mg/l	> 1,2	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	>= 0,18	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202		
	Crustacea toxicity	NOEC	4,6 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211		
128-37-0	2,6-Di-tert-butyl-4-methylp	henol			•				
	Acute fish toxicity	LC50 mg/l	0,199	96 h	Oryzias latipes	REACh Registration Dossier	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	0,758	96 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,48	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202		
	Fish toxicity	NOEC mg/l	0,053	30 d	Oryzias latipes	REACh Registration Dossier	OECD Guideline 210		
	Crustacea toxicity	NOEC mg/l	0,069	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211		
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	Activated sludge	Study report (2000)	OECD Guideline 209		

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# 12.3. Bioaccumulative potential

No data available

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68037-01-4	1-Decene, homopolymer, hydrogenated	> 6,5
68649-11-6	1-Decene, Dimer, hydrogenated	> 6,5
1474044-79-5	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	> 6,6
128-37-0	2,6-Di-tert-butyl-4-methylphenol	5,03

according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 10 of 12

#### BCF

CAS No	Chemical name	BCF	Species	Source
	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	3,16		Study report (2013)
128-37-0	2,6-Di-tert-butyl-4-methylphenol	465		REACh Registration D

## 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Marine transport (IMDG)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
<u>14.1. UN number or ID number:</u>	-
14.2. UN proper shipping name:	-

according to Regulation (EC) No 1907/2006

	ADDINOL Care Protect	
Revision date: 04.10.2023	Product code: 773003	Page 11 of 12
14.3. Transport hazard class(es):	-	
14.4. Packing group:	-	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Unless specified otherwise, general	measures for safe transport must be followed.	
14.7. Maritime transport in bulk accordin	g to IMO instruments	
not applicable		
Other applicable information		
No dangerous good in sense of the	se transport regulations.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental re	gulations/legislation specific for the substance or mi	<u>xture</u>
EU regulatory information		
Restrictions on use (REACH, annex XV	11):	
Entry 3		
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for su	ubstances in this mixture were not carried out.	

# **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 4,5,7,8,9,10,11,12.

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards: GHS - Globally Harmonized System: GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations: vPvB - Verv Persistent and Verv Bioaccumulative

according to Regulation (EC) No 1907/2006

# **ADDINOL Care Protect**

Revision date: 04.10.2023

Product code: 773003

Page 12 of 12

## Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

## Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)