Telefax: +49 (0) 3461 845-555

# **Safety Data Sheet**

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 1 of 9

## 1. Identification

## **Product identifier**

ADDINOL Penta-Cool NM 22

## Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

.

## Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

 Street:
 Am Haupttor

 Place:
 D-06237 Leuna

 Telephone:
 +49 (0) 3461 845-0

E-mail: info@addinol.de
Contact person: Application Technology

Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: ADDINOL Lube Oil GmbH
Street: 80 Pine Street, 24th Floor - NY
E-mail: jill.frommert@addinol.de

Emergency telephone number: +1 716 344 9074 available Mon - Fri, 8:00 am to 4:30 pm EST

## 2. Hazard identification

# Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **Label elements**

## Regulation (EC) No 1272/2008

# Hazard components for labelling

Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics

Signal word: Danger

Pictograms:



## **Hazard statements**

H304 May be fatal if swallowed and enters airways.

# **Precautionary statements**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to a waste disposal system.

Print date: 25.04.2024

# **Safety Data Sheet**

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 2 of 9

## Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

## Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

## Other hazards

Harmful by inhalation and if swallowed.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Do not allow uncontrolled discharge of product into the environment.

# 3. Composition/information on ingredients

#### **Mixtures**

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics			>=90 %
	920-901-0		01-2119456810-10	
	Asp. Tox. 1; H304 EUH066			

Full text of H statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE		
246538-78-3	920-901-0	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	>=90 %	
	dermal: LD50 = > 2200 - 2500 mg/kg; oral: LD50 = > 5000 mg/kg			

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

# 4. First-aid measures

## **Description of first aid measures**

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

## After inhalation

Provide fresh air. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove/Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

## After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

## Most important symptoms and effects, whether acute or delayed

Vomiting.

#### ADDINOL Penta-Cool NM 22

Revision date: 23.04.2024 Product code: 770055 Page 3 of 9

## Indication of immediate medical attention and special treatment needed

Treat symptomatically. Where appropriate artificial ventilation. Regulation of the blood circulation, possible shock treatment. Subsequent observance for pneumonia and lung oedema.

## 5. Fire-fighting measures

## **Extinguishing media**

#### Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray Water mist

## Unsuitable extinguishing media

Strong water jet

## Specific hazards arising from the hazardous product

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). carbon black.

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Keep away from sources of ignition - No smoking. Avoid contact with skin, eyes and clothes.

# **Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## Methods and material for containment and cleaning up

## Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

# Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

## 7. Handling and storage

## Precautions for safe handling

## Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes. Use only antistatically equipped (spark-free) tools. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Use only antistatically equipped (spark-free) tools.

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 4 of 9

## Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent

## Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

#### Specific end use(s)

Further information: see technical data sheet.

## 8. Exposure controls/Personal protection

## **Control parameters**

#### Additional advice on limit values

Recommended limit value for cooling lubricants (steam and aerosol)

MAK: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

# **Exposure controls**





## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

#### Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 5 of 9

## Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

# 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

No data available

Boiling point or initial boiling point and

>180 °C

boiling range:

Flammability: Flammable Lower explosive limits: 0,6 vol. % Upper explosive limits: 6,5 vol. %

Flash point: 76 °C DIN EN ISO 2592 Auto-ignition temperature: > 220 °C DIN 51794

Auto-ignition temperature: > 220 °C DII
Decomposition temperature: No data available

pH-Value: not applicable

Viscosity / kinematic: 1,3 mm²/s DIN EN ISO 3104

(at 40 °C)

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

(at 20 °C)

Density (at 15 °C): 0,77 g/cm³
Relative vapour density: No data available

# Other information

## Information with regard to physical hazard classes

Explosive properties

No data available
Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Pour point: < -5 °C ASTM D 7346

## 10. Stability and reactivity

# Reactivity

The product is stable under storage at normal ambient temperatures.

## **Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### Possibility of hazardous reactions

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 6 of 9

No known hazardous reactions.

#### Conditions to avoid

Keep away from sources of ignition - No smoking.

Do not overheat to avoid decomposition by heat.

## **Incompatible materials**

Reacts with: Oxidising agent, strong.

## Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). carbon black. No known hazardous decomposition products.

# Information on toxicological effects

11. Toxicological information

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Route of exposure	Dose	Species	Source	Method	
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics					
	oral	LD50 > 5000 mg/kg	Rat	Study report (1995)	OECD Guideline 401	
	dermal	LD50 > 2200 - 2500 mg/kg	Rabbit	, , , , ,	Standard acute method, applying 4 differ	

# Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

## Sensitizing effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

#### **Aspiration hazard**

May be fatal if swallowed and enters airways.

## Information on other hazards

#### **Endocrine disrupting properties**

not applicable

## 12. Ecological information

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 7 of 9

#### **Ecotoxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics						
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Fish toxicity	NOEC mg/l	0,217	28 d	Oncorhynchus mykiss	REACh Registration Dossier	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC	1 mg/l	21 d		REACh Registration Dossier	OECD Guideline 211

## Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

#### Bioaccumulative potential

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	>= 1,99

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	>= 6,91	calculated	REACh Registration D

#### Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

## Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# Other adverse effects

No data available

# **Further information**

Do not allow uncontrolled discharge of product into the environment.

# 13. Disposal considerations

## Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

## List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and

solutions); hazardous waste

## Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of

## **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 8 of 9

waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

#### 14. Transport information

Land transport (ADR/RID)

UN number or ID number:
United Nations proper shipping

name:

<u>Transport hazard class(es):</u>
Packing group:

Inland waterways transport (ADN)

UN number or ID number:
United Nations proper shipping

name:

<u>Transport hazard class(es):</u>
<u>Packing group:</u>

Marine transport (IMDG)

UN number or ID number:
United Nations proper shipping

name:

Transport hazard class(es):

Packing group:
-

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:
United Nations proper shipping

name:

<u>Transport hazard class(es):</u> - Packing group: -

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

## Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

# Other applicable information

No dangerous good in sense of these transport regulations.

## 15. Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU Regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3

#### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

## **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

# 16. Other information

## Changes

#### **ADDINOL Penta-Cool NM 22**

Revision date: 23.04.2024 Product code: 770055 Page 9 of 9

This data sheet contains changes from the previous version in section(s): 9.

#### Abbreviations and acronyms

Asp. Tox: Aspiration hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations), ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DNEL - Derived No-Effect Level: DOT - Department of Transportation: DSL - Domestic Substances List (Canada): EG - European Union: EN - European standards: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail: RQ - Reportable Quantity: SADT - Self-Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act: SDS -Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

## Relevant H statements (number and full text)

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)