



## Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 2 of 9

**Specific Conc. Limits, M-factors and ATE**

| CAS No     | EC No     | Chemical name                                                  | Quantity    |
|------------|-----------|----------------------------------------------------------------|-------------|
|            |           | Specific Conc. Limits, M-factors and ATE                       |             |
| 64742-54-7 | 265-157-1 | Distillates (petroleum), hydrotreated heavy paraffinic         | 60 - < 80 % |
|            |           | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg         |             |
| 64742-57-0 | 265-160-8 | Residual oils (petroleum), hydrotreated; Baseoil — unspecified | 20 - < 40 % |
|            |           | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg         |             |

**Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

**4. First-aid measures****Description of first aid measures****General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**After inhalation**

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician. Change contaminated clothing.

**After contact with eyes**

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

**After ingestion**

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

**Most important symptoms and effects, whether acute or delayed**

No information available.

**Indication of immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

Foam. Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Water spray Sand.

**Unsuitable extinguishing media**

Strong water jet

**Specific hazards arising from the hazardous product**

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>). Sulphur oxides Phosphorus oxides carbon black.

**Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

# Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 3 of 9

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

##### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes.

#### Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### Methods and material for containment and cleaning up

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

#### Reference to other sections

Safe handling: see section 7  
Personal protection equipment: see section 8  
Section 12: Ecological Information (non-mandatory)  
Disposal: see section 13

### 7. Handling and storage

#### Precautions for safe handling

##### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

##### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

#### Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place.

##### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.  
Keep away from: Oxidizing agent

##### Further information on storage conditions

Recommended storage temperature: 5 - 40°C  
Protect against: Heat. UV-radiation/sunlight. Frost.

#### Specific end use(s)

Further information: see technical data sheet.

### 8. Exposure controls/Personal protection

#### Control parameters

## Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 4 of 9

## DNEL/DMEL values

| CAS No                   | Chemical name                                                  |          |                        |
|--------------------------|----------------------------------------------------------------|----------|------------------------|
| DNEL type                | Exposure route                                                 | Effect   | Value                  |
| 64742-54-7               | Distillates (petroleum), hydrotreated heavy paraffinic         |          |                        |
| Worker DNEL, long-term   | inhalation                                                     | systemic | 2,73 mg/m <sup>3</sup> |
| Worker DNEL, long-term   | inhalation                                                     | local    | 5,58 mg/m <sup>3</sup> |
| Worker DNEL, long-term   | dermal                                                         | systemic | 0,97 mg/kg bw/day      |
| Consumer DNEL, long-term | inhalation                                                     | local    | 1,19 mg/m <sup>3</sup> |
| Consumer DNEL, long-term | oral                                                           | systemic | 0,74 mg/kg bw/day      |
| 64742-57-0               | Residual oils (petroleum), hydrotreated; Baseoil — unspecified |          |                        |
| Consumer DNEL, long-term | oral                                                           | systemic | 0,74 mg/kg bw/day      |
| Worker DNEL, long-term   | inhalation                                                     | systemic | 2,73 mg/m <sup>3</sup> |
| Worker DNEL, long-term   | inhalation                                                     | local    | 5,58 mg/m <sup>3</sup> |
| Worker DNEL, long-term   | dermal                                                         | systemic | 0,97 mg/kg bw/day      |
| Consumer DNEL, long-term | inhalation                                                     | local    | 1,19 mg/m <sup>3</sup> |

## PNEC values

| CAS No                    | Chemical name                                                  |  |
|---------------------------|----------------------------------------------------------------|--|
| Environmental compartment | Value                                                          |  |
| 64742-54-7                | Distillates (petroleum), hydrotreated heavy paraffinic         |  |
| Secondary poisoning       | 9,33 mg/kg                                                     |  |
| 64742-57-0                | Residual oils (petroleum), hydrotreated; Baseoil — unspecified |  |
| Secondary poisoning       | 9,33 mg/kg                                                     |  |

## Additional advice on limit values

Recommended limit value for oil mist

TWA: 5

STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

## Exposure controls



## Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

## Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber)

## Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 5 of 9

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber)

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

**Skin protection**

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point > 65 °C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

|                  |                   |
|------------------|-------------------|
| Physical state:  | liquid            |
| Colour:          | brown             |
| Odour:           | like: Mineral oil |
| Odour threshold: | not determined    |

**Test method**

|                                                           |                                   |
|-----------------------------------------------------------|-----------------------------------|
| Melting point/freezing point:                             | No data available                 |
| Boiling point or initial boiling point and boiling range: | No data available                 |
| Flammability:                                             | No data available                 |
| Lower explosive limits:                                   | No data available                 |
| Upper explosive limits:                                   | No data available                 |
| Flash point:                                              | 275 °C 2592                       |
| Auto-ignition temperature:                                | No data available                 |
| Decomposition temperature:                                | No data available                 |
| pH-Value:                                                 | not applicable                    |
| Viscosity / kinematic:                                    | 150,3 mm <sup>2</sup> /s          |
| Water solubility:                                         | practically insoluble.            |
| Partition coefficient n-octanol/water:                    | No data available                 |
| Vapour pressure:                                          | No data available                 |
| Density:                                                  | 0,885 g/cm <sup>3</sup> DIN 51757 |
| Relative vapour density:                                  | No data available                 |
| Particle characteristics:                                 | No data available                 |

**Other information****Information with regard to physical hazard classes**

Explosive properties

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

**Other safety characteristics**

Evaporation rate:

No data available

Pour point:

-20 °C ASTM D 7346

## Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 6 of 9

## 10. Stability and reactivity

**Reactivity**

The product is stable under storage at normal ambient temperatures.

**Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**Possibility of hazardous reactions**

No known hazardous reactions.

**Conditions to avoid**

Do not overheat to avoid decomposition by heat.

Refer to chapter 7 No further action is necessary.

**Incompatible materials**

Reacts with: Oxidising agent, strong

**Hazardous decomposition products**

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Nitrogen oxides (NO<sub>x</sub>). Sulphur oxides Phosphorus oxides carbon black.

## 11. Toxicological information

**Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No     | Chemical name                                                  |                   |         |                     |                    |
|------------|----------------------------------------------------------------|-------------------|---------|---------------------|--------------------|
|            | Route of exposure                                              | Dose              | Species | Source              | Method             |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic         |                   |         |                     |                    |
|            | oral                                                           | LD50 > 5000 mg/kg | Rat     | Study report (1982) | OECD Guideline 401 |
|            | dermal                                                         | LD50 > 5000 mg/kg | Rabbit  | Study report (1982) | OECD Guideline 402 |
| 64742-57-0 | Residual oils (petroleum), hydrotreated; Baseoil — unspecified |                   |         |                     |                    |
|            | oral                                                           | LD50 > 5000 mg/kg | Rat     | Study report (1982) | OECD Guideline 401 |
|            | dermal                                                         | LD50 > 5000 mg/kg | Rabbit  | Study report (1982) | OECD Guideline 402 |

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 7 of 9

**STOT-single exposure**

Based on available data, the classification criteria are not met.  
Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on other hazards****Endocrine disrupting properties**

not applicable

**12. Ecological information****Ecotoxicity**

Based on available data, the classification criteria are not met.  
No data available

| CAS No     | Chemical name                                                  |                   |           |                     |                                   |                                         |
|------------|----------------------------------------------------------------|-------------------|-----------|---------------------|-----------------------------------|-----------------------------------------|
|            | Aquatic toxicity                                               | Dose              | [h]   [d] | Species             | Source                            | Method                                  |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic         |                   |           |                     |                                   |                                         |
|            | Acute fish toxicity                                            | LL50 > 100 mg/l   | 96 h      |                     | Study report (1995)               | OECD Guideline 203                      |
|            | Acute algae toxicity                                           | ErC50 >100 mg/l   | 72 h      |                     |                                   |                                         |
|            | Fish toxicity                                                  | NOEC >= 1000 mg/l | 14 d      | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) | The aquatic toxicity was estimated by a |
| 64742-57-0 | Residual oils (petroleum), hydrotreated; Baseoil — unspecified |                   |           |                     |                                   |                                         |
|            | Acute fish toxicity                                            | LL50 > 100 mg/l   | 96 h      |                     | Study report (1995)               | OECD Guideline 203                      |
|            | Fish toxicity                                                  | NOEC >= 1000 mg/l | 14 d      | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) | The aquatic toxicity was estimated by a |

**Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**Bioaccumulative potential**

No data available

**Mobility in soil**

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

**Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**Other adverse effects**

No data available

**Further information**

Do not allow uncontrolled discharge of product into the environment.

**13. Disposal considerations**

## Safety Data Sheet

## ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 8 of 9

**Waste treatment methods****Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

**List of Wastes Code - residues/unused products**

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

**14. Transport information****Land transport (ADR/RID)**

**UN number or ID number:** -

**Transport hazard class(es):** -

**Packing group:** -

**Inland waterways transport (ADN)**

**UN number or ID number:** -

**United Nations proper shipping name:** -

**Transport hazard class(es):** -

**Packing group:** -

**Marine transport (IMDG)**

**UN number or ID number:** -

**Transport hazard class(es):** -

**Packing group:** -

**Air transport (ICAO-TI/IATA-DGR)**

**UN number or ID number:** -

**Transport hazard class(es):** -

**Packing group:** -

**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not applicable

**Other applicable information**

No dangerous good in sense of these transport regulations.

**15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****EU Regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

**National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

**Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

## Safety Data Sheet

### ADDINOL Hydraulic Oil HLP 150

Revision date: 12.06.2025

Product code: 732031

Page 9 of 9

#### 16. Other information

##### Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

##### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

##### Relevant H statements (number and full text)

EUH210 Safety data sheet available on request.

##### Further Information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*