according to Regulation (EC) No 1907/2006

### **ADDINOL ATE XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ADDINOL ATF XN Plus

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Gearbox oil.

### 1.3. Details of the supplier of the safety data sheet

Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax:+49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
1.4. Emergency telephone	+49 (0) 3461 845 222 - Only available	e during office hours.
<u>number:</u>		

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories: Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Harmful to aquatic life with long lasting effects. This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS]. 2.2. Label elements

# Regulation (EC) No. 1272/2008

### Hazard statements

H412

Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment. P501

Dispose of contents/container to a waste disposal system.

### Special labelling of certain mixtures

EUH208

Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs., 1-(tert Dodecylthio)propan-2-ol, 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs., C14-C18 alpha-olefin epoxid, reaction products of boric acid, 1-(2-Hydroxyethyl)-2-(heptadecenyl)-imidazoline, ethoxylated amine, Benzene, polypropene derivates, sulfonated, calcium salts. May produce an allergic reaction.

### Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

#### 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled leakage of product into the environment.

### **SECTION 3: Composition/information on ingredients**

according to Regulation (EC) No 1907/2006

**ADDINOL ATF XN Plus** 

Revision date: 25.02.2019

Product code: 744016

Page 2 of 10

### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	GHS Classification			
72623-87-1	Lubricating oils, C20-50, hydrotrea	< 55 %		
	276-738-4			
	Asp. Tox. 1; H304	•	•	
	Thiophene, tetrahydro-, 1,1-dioxide	e, 3-(C9-11-isoalkyloxy) o	derivs., C10-rich	< 1,85 %
	800-172-4			
	Aquatic Chronic 2; H411			
	Acetamide, 2-hydroxy-, N,N-dicocc	alkyl derivs.		< 0,90 %
	471-920-1		01-0000019770-68	
	Skin Sens. 1; H317			
67124-09-8	1-(tert Dodecylthio)propan-2-ol			< 0,90 %
	266-582-5			
	Skin Sens. 1, Aquatic Acute 1, Aqu	atic Chronic 1; H317 H4	00 H410	
	1,2-Propanediol, 3-amino-, N,N-dio	< 0,30 %		
	482-000-4		01-000020142-86	
	Skin Sens. 1, Aquatic Chronic 3; H	317 H412	·	
122-39-4	diphenylamine			< 0,20 %
	204-539-4	612-026-00-5		
	Acute Tox. 3, Acute Tox. 3, Acute T H311 H301 H373 ** H400 H410	ōx. 3, STOT RE 2, Aqua	tic Acute 1, Aquatic Chronic 1; H331	
27136-73-8	1-(2-Hydroxyethyl)-2-(heptadeceny	< 0,20 %		
	248-248-0			
	Acute Tox. 4, Skin Corr. 1C, Eye D H314 H318 H317 H400 H410			
61791-46-6	ethoxylated amine			< 0,20 %
	263-177-5			
	Met. Corr. 1, Acute Tox. 4, Skin Co H314 H318 H317 H400	rr. 1C, Eye Dam. 1, Skir	Sens. 1, Aquatic Acute 1; H290 H302	
1471314-23-4	C14-C18 alpha-olefin epoxid, reac	< 0,20 %		
	939-580-3		01-2119976364-28	
	Skin Sens. 1; H317			
Polymer	Benzene, polypropene derivates, s	< 0,20 %		
	Eye Irrit. 2, Skin Sens. 1; H319 H3			

Full text of H and EUH statements: see section 16.

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

#### **SECTION 4: First aid measures**

according to Regulation (EC) No 1907/2006

### **ADDINOL ATF XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 3 of 10

#### 4.1. Description of first aid measures

#### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. alcohol resistant foam.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. carbon black.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.

according to Regulation (EC) No 1907/2006

# **ADDINOL ATF XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 4 of 10

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eye and clothing.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agents.

### Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

#### 7.3. Specific end use(s)

Further information: see technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	WEL
		-	20		STEL (15 min)	WEL

#### Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

#### 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

according to Regulation (EC) No 1907/2006

### **ADDINOL ATF XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 5 of 10

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

<ol> <li>Information on basic physical and cher Physical state:</li> </ol>	liquid		
Colour:	red		
Odour:	characteristic		
			Test method
pH-Value:		not determined	
Changes in the physical state			
Melting point:		No data available	
Initial boiling point and boiling range:		not determined	
Pour point:		-50 °C	ASTM D 7346
Flash point:		195 °C	DIN EN ISO 2592
Flammability			
Solid:		No data available	
Gas:		No data available	
Explosive properties No data available			
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Ignition temperature:		not determined	
Auto-ignition temperature			
Solid:		not determined	
Gas:		not determined	
Decomposition temperature:		No data available	
Oxidizing properties No data available			
Vapour pressure:		No data available	
Density (at 15 °C):		0,852 g/cm³	DIN 51757

according to Regulation (EC) No 1907/2006

ADDINOL ATF XN Plus					
Revision date: 25.02.2019	Product code: 744016	Page 6 of 10			
Water solubility:	virtually insoluble				
Solubility in other solvents No data available					
Partition coefficient:	No data available				
Viscosity / kinematic: (at 100 °C)	6,9 mm²/s	ASTM D 7042			
Vapour density:	No data available				
Evaporation rate:	No data available				
9.2. Other information					
No data available					

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable with proper care and handling.

### 10.2. Chemical stability

The product is chemically stable when handled and stored under normal conditions.

#### 10.3. Possibility of hazardous reactions

No decomposition if used as intended.

#### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

### 10.5. Incompatible materials

Reacts with : Oxidizing agents, strong. Acid.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. carbon black.

#### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to Regulation (EC) No 1907/2006

# **ADDINOL ATF XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 7 of 10

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
72623-87-1	Lubricating oils, C20-50, hydrotreated neutral oil-based					
	oral	LD50 mg/kg	> 2000	Rat		
	dermal	LD50 mg/kg	> 2000	Rabbit		
122-39-4	diphenylamine					
	oral	ATE mg/kg	100			
	dermal	ATE mg/kg	300			
	inhalation vapour	ATE	3 mg/l			
	inhalation aerosol	ATE	0,5 mg/l			
27136-73-8	1-(2-Hydroxyethyl)-2-(hep	tadecenyl)-ir	midazoline			
	oral	ATE mg/kg	500			
61791-46-6	ethoxylated amine					
	oral	ATE mg/kg	500			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Irritant effect on the eye: mild irritant.

Irritant effect on the skin: Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

#### Sensitising effects

Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs., 1-(tert Dodecylthio)propan-2-ol, 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs., C14-C18 alpha-olefin epoxid, reaction products of boric acid, 1-(2-Hydroxyethyl)-2-(heptadecenyl)-imidazoline, ethoxylated amine, Benzene, polypropene derivates, sulfonated, calcium salts. May produce an allergic reaction.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met. Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

Mixture not tested.

according to Regulation (EC) No 1907/2006

# **ADDINOL ATF XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d] Species	Source	Method	
72623-87-1	Lubricating oils, C20-50, ł	Lubricating oils, C20-50, hydrotreated neutral oil-based				
	Acute fish toxicity	LC50 > 100 mg/l	96 h			
61791-46-6	ethoxylated amine	_				
	Acute algae toxicity	ErC50 0,01 - 0,1 mg/l	96 h			

### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No data available

#### Further information

Do not allow uncontrolled leakage of product into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### Waste disposal number of waste from residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	-
<u>14.3. Transport hazard class(es):</u>	-
14.4. Packing group:	-
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	-
<u>14.3. Transport hazard class(es):</u>	-
14.4. Packing group:	-
Marine transport (IMDG)	
<u>14.1. UN number:</u>	-
<u>14.3. Transport hazard class(es):</u>	-

according to Regulation (EC) No 1907/2006

		ccording to Regulation (EC) No		
		ADDINOL ATF XN PI	s	
Revision date: 25.02.201	9	Product code: 744016	5	Page 9 of 10
14.4. Packing group:		_		
Air transport (ICAO-TI/IA	IA-DGR)			
14.1. UN number:		-		
14.3. Transport hazar	d class(es):	-		
14.4. Packing group:		-		
14.5. Environmental haz	ards			
ENVIRONMENTALLY	HAZARDOUS:	no		
14.6. Special precaution	<u>s for user</u>			
Unless specified of	therwise, general mea	asures for safe transport must b	e followed.	
14.7. Transport in bulk a	ccording to Annex II	of Marpol and the IBC Code		
not applicable				
Other applicable inform	ation			
	od in sense of these tra	anonart regulations		
No dangerous goo		insport regulations.		
SECTION 15: Regulate	ory information			
AE A Cofety backth and		tione/legislation anapific for th		
15.1. Safety, nealth and	environmental regula	tions/legislation specific for the second	le substance or mixture	
EU regulatory inform	ation			
Restrictions on use (F	EACH, annex XVII):			
Entry 28: Lubricat	ng oils, C20-50, hydro	treated neutral oil-based		
National regulatory in	oformation			
Water contaminating of	. ,	2 - clearly water contaminating		
15.2. Chemical safety as	<u>sessment</u>			
Chemical safety a	ssessments for substa	nces in this mixture were not c	arried out.	
SECTION 16: Other in	formation			
Changes				
This data sheet co	ntains changes from t	he previous version in section(s	;): 1,5,8,9,11,12,15,16.	
Relevant H and EUH	statements (number a	and full text)		
H290	May be corrosive	-		
H301	Toxic if swallowed			
H302	Harmful if swallov	ved.		
H304		allowed and enters airways.		
H311	Toxic in contact w	-		
H314		kin burns and eye damage.		
H317		ergic skin reaction.		
H318	Causes serious e	-		
H319	Causes serious e			
H331	Toxic if inhaled.	,		
H373		ge to organs through prolonged	or repeated exposure	
H400	Very toxic to aqua			
H410		atic life with long lasting effects.		
H411		fe with long lasting effects.		
H412		c life with long lasting effects.		

- H412 Harmful to aquatic life with long lasting effects.
- EUH208 Contains Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs., 1-(tert Dodecylthio)propan-2-ol, 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs., C14-C18 alpha-olefin epoxid, reaction products of boric acid, 1-(2-Hydroxyethyl)-2-(heptadecenyl)-imidazoline, ethoxylated amine, Benzene, polypropene derivates, sulfonated, calcium salts. May produce an

according to Regulation (EC) No 1907/2006

### **ADDINOL ATF XN Plus**

Revision date: 25.02.2019

Product code: 744016

Page 10 of 10

allergic reaction.

### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contractual relationship.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)