according to Regulation (EC) No 1907/2006

_

ADDINOL Superior 0530 C4 Product code: 722139

Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ADDINOL Superior 0530 C4

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Motor oil.

#### 1.3. Details of the supplier of the safety data sheet

# Manufacturer

Manufacturer		
Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
E-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	GEM OILS LIMITED	
Place:	IRL-H12K298 Regaskin Co. Cavan	
Telephone:	+353 49 4378116	Telefax: +353 49 4368329
E-mail:	sales@gemoils.ie	
Contact person:	GEM OILS LIMITED	Telephone: +353 49 4378116
E-mail:	sales@gemoils.ie	
Internet:	https://gemoils.ie/	
1.4. Emergency telephone	Healthcare Professionals: +353 (1) 809	2566 (24 hour service)
number		

number:

# SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

## 2.2. Label elements

EUH210

### Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

Safety data sheet available on request.

### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

## 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

according to Regulation (EC) No 1907/2006

# ADDINOL Superior 0530 C4

Revision date: 09.01.2025

Product code: 722139

Page 2 of 11

### **Relevant ingredients**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
72623-87-1	Lubricating oils, C20-50, hydrotrea	ted neutral oil-based		60 - < 80 %	
	276-738-4		01-2119474889-13		
	Asp. Tox. 1; H304				
64742-54-7	Distillates (petroleum), hydrotreate	d heavy paraffinic		10 - < 20 %	
	265-157-1		01-2119484627-25		
	Asp. Tox. 1; H304				
125643-61-0	C7-9-(branched)-alkyl 3-(3,5-di-tert	-butyl-4-hydroxyphenyl)propanoate		1 - < 2.5 %	
	406-040-9	607-530-00-7			
	Aquatic Chronic 4; H413				

Full text of H and EUH statements: see section 16.

# Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
72623-87-1	276-738-4	Lubricating oils, C20-50, hydrotreated neutral oil-based	60 - < 80 %
	dermal: LD50 =	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic	10 - < 20 %
	dermal: LD50 =	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
125643-61-0	406-040-9	C7-9-(branched)-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propanoate	1 - < 2.5 %
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	

#### **Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No 1907/2006

# **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 3 of 11

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2).

#### Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Phosphorus oxides. Sulphur oxides. carbon black.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

## 7.2. Conditions for safe storage, including any incompatibilities

according to Regulation (EC) No 1907/2006

# **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 4 of 11

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent

# Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

## 7.3. Specific end use(s)

Motor oil. Further information: see technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## **Occupational exposure limits**

CAS No	Substance	ppm	mg/m³	fib/cm <sup>3</sup>	Category	Origin
122-39-4	Diphenylamine	-	10		TWA (8 h)	
		-	20		STEL (15 min)	

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
72623-87-1	Lubricating oils, C20-50, hydrotreated neutral oil-based			
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic			
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
125643-61-0	C7-9-(branched)-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)	propanoate		
Worker DNEL,	long-term	inhalation	systemic	3 mg/m³
Worker DNEL,	long-term	dermal	systemic	8,6 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	0,74 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4,3 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,43 mg/kg bw/day

according to Regulation (EC) No 1907/2006

# **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 5 of 11

#### **PNEC** values

CAS No	Substance				
Environmental	Environmental compartment Value				
72623-87-1	Lubricating oils, C20-50, hydrotreated neutral oil-based				
Secondary poi	soning	9,33 mg/kg			
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic					
Secondary poisoning 9,33 mg/kg					
125643-61-0	C7-9-(branched)-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propanoate				
Freshwater se	liment	0,37 mg/kg			
Marine sedime	nt	0,037 mg/kg			
Micro-organisms in sewage treatment plants (STP) 10 mg/l					
Soil	Soil 0,632 mg/kg				

# Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

# 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

# Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

according to Regulation (EC) No 1907/2006

# **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 6 of 11

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physic	al state:	liquid		
Colour		light brown		
Odour		like: mineral oil.		
Odour	threshold:	not determined		
				Test method
Melting	g point/freezing point:		No data available	
-	point or initial boiling point and	t	not determined	
-	range:			
	nability:		No data available	
	explosion limits:		No data available	
Upper	explosion limits:		No data available	
Flash			230 °C	DIN EN ISO 2592
	gnition temperature:		not determined	
Decon	nposition temperature:		No data available	
pH-Va	lue:		not applicable	
	ity / kinematic: )0 °C)		11,9 mm²/s	ASTM D 7042
	solubility:		virtually insoluble	
Solubi	lity in other solvents			
	o data available			
	on coefficient n-octanol/water:		No data available	
	r pressure:		No data available	
	y (at 15 °C):		0,850 g/cm³	DIN 51757
	/e vapour density:		No data available	
	e characteristics:		No data available	
<u>9.2. Other</u>	r information			
Inform	nation with regard to physical	hazard classes		
•	sive properties			
	o data available			
-	nition temperature			
	lid:		No data available	
Ga			No data available	
	ing properties			
	o data available			
	safety characteristics			
•	ration rate:		No data available	
Pour p			-40 °C	ASTM D 7346
	ity / dynamic:			DIN 53015

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

# 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

according to Regulation (EC) No 1907/2006

# **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 7 of 11

## 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

#### 10.5. Incompatible materials

Reacts with : Oxidising agent, strong Acid.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Phosphorus oxides. Sulphur oxides. carbon black.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met. No data available

Mixture not tested.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
72623-87-1	Lubricating oils, C20-50,	hydrotreated	l neutral oil-b	based			
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402	
64742-54-7	42-54-7 Distillates (petroleum), hydrotreated heavy paraffinic						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1982)	OECD Guideline 402	
125643-61-0	C7-9-(branched)-alkyl 3-	(3,5-di-tert-bu	utyl-4-hydrox	(yphenyl)propanoate			
	oral	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 401	
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402	

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 8 of 11

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

# Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Endocrine disrupting properties

not applicable

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met. No data available

Mixture not tested.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
72623-87-1	Lubricating oils, C20-50, ł	nydrotreated	d neutral oil-b	ased					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203		
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
64742-54-7	Distillates (petroleum), hy	drotreated h	neavy paraffir	nic					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	>100	72 h					
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a		
125643-61-0	C7-9-(branched)-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propanoate								
	Acute fish toxicity	LC50 mg/l	> 74	96 h	Danio rerio	Study report (1989)	OECD Guideline 203		
	Acute algae toxicity	ErC50	> 3 mg/l	72 h	Desmodesmus subspicatus	Study report (1995)	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2002)	OECD Guideline 202		
	Fish toxicity	NOEC mg/l	>= 0,001	36 d	Danio rerio	Study report (2007)	OECD Guideline 210		
	Crustacea toxicity	NOEC	0,3 mg/l	21 d	Daphnia magna	Study report (1995)	EU Method C.20		
	Acute bacteria toxicity	EC50 mg/l()	> 100	3 h	activated sludge, domestic	Study report (1989)	OECD Guideline 209		

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

### 12.3. Bioaccumulative potential

No data available

according to Regulation (EC) No 1907/2006

## **ADDINOL Superior 0530 C4**

Revision date: 09.01.2025

Product code: 722139

Page 9 of 11

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
125643-61-0	C7-9-(branched)-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propanoate	8,5

#### BCF

CAS No	Chemical name	BCF	Species	Source
	C7-9-(branched)-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propa noate	258	Oncorhynchus mykiss	Study report (2006)

## 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No data available

# Further information

Do not allow uncontrolled leakage of product into the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

### List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

#### **Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

, , , , , , , , , , , , , , , , , , , ,	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
<u>14.3. Transport hazard class(es):</u>	-
14.4. Packing group:	-
Marine transport (IMDG)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-

according to Regulation (EC) No 1907/2006

Revision date: 09.01.2025	ADDINOL Superior 0530 C4 Product code: 722139	Page 10 of 11	
	11000010000.122100		
14.4. Packing group:	-		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	-		
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):			
14.4. Packing group:	-		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Unless specified otherwise, general m	easures for safe transport must be followed.		
14.7. Maritime transport in bulk according to IMO instruments			
not applicable			
Other applicable information			
No dangerous good in sense of these transport regulations.			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
EU regulatory information			
Restrictions on use (REACH, annex XVII)			
Entry 28, Entry 75			
National regulatory information			
Water hazard class (D):	2 - obviously hazardous to water		
15.2. Chemical safety assessment			
Chemical safety assessments for subs	stances in this mixture were not carried out.		

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,3,5,6,7,8,9,10,12.

according to Regulation (EC) No 1907/2006

## ADDINOL Superior 0530 C4

Revision date: 09.01.2025

Product code: 722139

Page 11 of 11

## Abbreviations and acronyms

Acute Tox: Acute toxicity Asp. Tox: Aspiration hazard STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only: CAS - Chemical Abstracts Service: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DNEL - Derived No-Effect Level: DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity: SADT - Self- Accelerating Decomposition Temperature: SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H413	May cause long lasting harmful effects to aquatic life.
EUH210	Safety data sheet available on request.

#### **Further Information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)