according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Creep Oil

UFI: VVU1-M7U5-520Y-UJ5W

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Corrosion inhibitor.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

e-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: GEM OILS LIMITED

Place: IRL-H12K298 Regaskin Co. Cavan

Telephone: +353 49 4378116 Telefax: +353 49 4368329

e-mail: sales@gemoils.ie

Contact person: GEM OILS LIMITED Telephone: +353 49 4378116

e-mail: sales@gemoils.ie
Internet: https://gemoils.ie/

1.4. Emergency telephone Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, < 2% aromatics

Signal word: Danger

Pictograms:



Hazard statements

H304 May be fatal if swallowed and enters airways.

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 2 of 13

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to a waste disposal system.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of mineral oil rafffinates and additives.

Hazardous components

CAS No	Chemical name			Quantity		
	EC No	Index No	REACH No			
	Classification (Regulation (EC) No	lassification (Regulation (EC) No 1272/2008)				
	Hydrocarbons, C10-C13, n-alkanes	, iso-alkanes, cyclics, < 2% aromatic	cs	60 - < 80 %		
	918-481-9		01-2119457273-39			
	Asp. Tox. 1; H304 EUH066		•			
112-34-5	2-(2-butoxyethoxy)ethanol; diethyle	ne glycol monobutyl ether		2.5 - < 5 %		
	203-961-6	603-096-00-8				
	Eye Irrit. 2; H319	•	•			
1474044-79-5	Calcium bis(di C8-C10, branched, 0	C9 rich, alkylnaphthalenesulphonate))	1 - < 2.5 %		
	939-717-7		01-2119980985-16			
	Skin Irrit. 2, Eye Irrit. 2; H315 H319					
110-25-8	N-methyl-N-[C18-(unsaturated)alka	noyl]glycine		0.5 - < 1 %		
	203-749-3		01-2119488991-20			
	Acute Tox. 4, Skin Irrit. 2, Eye Dam H400 H412	. 1, Aquatic Acute 1, Aquatic Chronic	c 3; H332 H315 H318			
1471316-72-9	Benzenesulfonic acid, di-C10-14-al	kyl derivs., calcium salts		0.5 - < 1 %		
	939-603-7		01-2119978241-36			
	Skin Sens. 1; H317					

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE					
	918-481-9	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, < 2% aromatics	60 - < 80 %				
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg						
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	2.5 - < 5 %				
	dermal: LD50 =	ermal: LD50 = 2764 mg/kg; oral: LD50 = 2410 mg/kg					
1474044-79-5	939-717-7	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	1 - < 2.5 %				
	inhalation: LC50 = > 18 mg/l (vapours)						
110-25-8	203-749-3	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	0.5 - < 1 %				
	inhalation: ATE 5000 mg/kg	= 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 = >					
1471316-72-9	939-603-7	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	0.5 - < 1 %				
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 10000 - < 20000 mg/kg						

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets. In all cases of doubt, or when symptoms persist, seek medical advice.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Seek medical attention if problems persist.

After ingestion

Do NOT induce vomiting. Aspiration hazard

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Coughing. difficulties of breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 4 of 13

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Provide adequate ventilation. When hot, product develops flammable vapours.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent

Further information on storage conditions

Recommended storage temperature: 5 - 40°C

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 5 of 13

Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
1474044-79- 5	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalene	esulphonate)				
Worker DNEL,	long-term	inhalation	systemic	70 mg/m³		
Worker DNEL,	long-term	dermal	systemic	10 mg/kg bw/day		
Consumer DNE	EL, long-term	dermal	systemic	0,00032 mg/kg bw/day		
Consumer DNE	EL, long-term	inhalation	systemic	2,23 mg/m³		
110-25-8	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine					
Worker DNEL,	long-term	inhalation	systemic	0,8 mg/m³		
Worker DNEL,	long-term	dermal	systemic	4,2 mg/kg bw/day		
Consumer DNE	EL, long-term	inhalation	systemic	0,4 mg/m³		
Consumer DNE	EL, long-term	dermal	systemic	1,5 mg/kg bw/day		
Consumer DNE	EL, long-term	oral	systemic	1,5 mg/kg bw/day		
1471316-72- 9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts					
Worker DNEL,	long-term	inhalation	systemic	35,26 mg/m³		
Worker DNEL,	long-term	dermal	systemic	25 mg/kg bw/day		
Worker DNEL, acute		dermal	local	1,04 mg/cm ²		
Consumer DNEL, long-term		inhalation	systemic	8,7 mg/m³		
Consumer DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day		
Consumer DNE	EL, acute	dermal	local	0,518 mg/cm ²		
Consumer DNE	EL, long-term	oral	systemic	2,5 mg/kg bw/day		

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 6 of 13

PNEC values

CAS No	Substance	
Environmental	compartment	Value
1474044-79- 5	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	
Freshwater		0,004 mg/l
	termittent releases)	0,0027 mg/l
Marine water	termittent releases)	0,002/ Hig/l
Freshwater se	diment	69 mg/kg
Marine sedime		6,9 mg/kg
Secondary poi		22,2 mg/kg
	ns in sewage treatment plants (STP)	10 mg/l
Soil	13,9 mg/kg	
110-25-8	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	10,0 11,311,3
Freshwater	, , , , , , , , , , , , , , , , , , , ,	0,004 mg/l
Freshwater (in	termittent releases)	0,004 mg/l
Marine water		0 mg/l
Freshwater se	diment	0,057 mg/kg
Marine sedime	ent	0,006 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	1 mg/l
Soil		1,71 mg/kg
1471316-72- 9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	
Freshwater		0,1 mg/l
Freshwater (in	termittent releases)	1 mg/l
Marine water	0,1 mg/l	
Freshwater se	diment	45211 mg/kg
Marine sedime	ent	45211 mg/kg
Micro-organisr	ns in sewage treatment plants (STP)	1000 mg/l
Soil		36739,74 mg/kg

Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 mg/m³ STEL: 10 mg/m³

The product does not contain any relevant quantities of substances with legally established exposure limitation.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 7 of 13

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). PVC (polyvinyl chloride).

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). PVC (polyvinyl chloride).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10.000 ppm.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: brown

Odour: like: mineral oil.
Odour threshold: not determined

Test method

Melting point/freezing point:

No data available

Boiling point or initial boiling point and 100 °C

boiling range:

Flammability: No data available Lower explosion limits: 0,6 vol. % Upper explosion limits: 6,5 vol. %

Flash point: > 61 °C DIN EN ISO 2719

Auto-ignition temperature:

Decomposition temperature:

No data available

No data available

pH-Value:

not applicable

Viscosity / kinematic: 2,6 mm²/s DIN 51562

(at 20 °C)

Water solubility: insoluble

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

Density (at 15 °C): 0,820 g/cm³ DIN 51757

Relative vapour density:

No data available

9.2. Other information

Information with regard to physical hazard classes

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 8 of 13

Explosive properties

No data available Self-ignition temperature

Solid: No data available
Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Pour point: -30 °C ISO 3016

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

10.5. Incompatible materials

Reacts with: Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 9 of 13

CAS No	Chemical name									
	Exposure route	Dose		Species	Source	Method				
	Hydrocarbons, C10-C13	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, < 2% aromatics								
	oral	LD50 mg/kg	> 5000	Rat	Study report (1988)	OECD Guideline 401				
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402				
112-34-5	2-(2-butoxyethoxy)ethan	ol; diethylene	glycol mone	obutyl ether						
	oral	LD50 mg/kg	2410	Mouse	Study report (1981)	OECD Guideline 401				
	dermal	LD50 mg/kg	2764	Rabbit	Study report (1981)	OECD Guideline 402				
1474044-79- 5	Calcium bis(di C8-C10, b	oranched, C9	rich, alkylna	iphthalenesulphonate)						
	inhalation (1 h) vapour	LC50	> 18 mg/l	Rat	Study report (1978)	other: FHSLA, CFR, Title 21 J para. 191.				
110-25-8	N-methyl-N-[C18-(unsatu	urated)alkand	yl]glycine							
	oral	LD50 mg/kg	> 5000	Rat	Study report (1981)	OECD Guideline 401				
	inhalation vapour	ATE	11 mg/l							
	inhalation dust/mist	ATE	1,5 mg/l							
1471316-72- 9	Benzenesulfonic acid, di	-C10-14-alky	l derivs., cal	cium salts						
	oral	LD50 < 20000 mg	> 10000 - g/kg	Rat	Study report (1972)	Adult albino male Sprague-Dawley rats we				
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402				

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	Hydrocarbons, C10-C13,	n-alkanes, i	so-alkanes, c	yclics, <	2% aromatics		
	Acute fish toxicity	LC50 mg/l	1000	i	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	1000	48 h	Daphnia magna		
	Fish toxicity	NOEC mg/l	0,101	28 d	Oncorhynchus mykiss	REACh Registration Dossier	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC mg/l	0,176	21 d	Daphnia magna	REACh Registration Dossier	The aquatic toxicity was estimated by a
112-34-5	2-(2-butoxyethoxy)ethano	l; diethylene	glycol mono	butyl eth	ner		
	Acute fish toxicity	LC50 mg/l	1300		Lepomis macrochirus	J Haz Mat, 1, p303-18 (1977)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	96 h	Desmodesmus subspicatus	Study report (1992)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (1992)	EU Method C.2
1474044-79- 5	Calcium bis(di C8-C10, bi	anched, C9	rich, alkylna	phthalen	esulphonate)		
	Acute algae toxicity	ErC50 mg/l	> 1,2	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	>= 0,18	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Crustacea toxicity	NOEC	4,6 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
110-25-8	N-methyl-N-[C18-(unsatu	rated)alkand	yl]glycine				
	Acute fish toxicity	LC50 mg/l	> 0,43	96 h	Leuciscus idus	REACh Registration Dossier	EU Method C.1
	Acute algae toxicity	ErC50	5,1 mg/l	72 h	Desmodesmus subspicatus	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	0,53	48 h	Daphnia magna	REACh Registration Dossier	EU Method C.2
	Crustacea toxicity	NOEC mg/l	>= 0,183	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
	Acute bacteria toxicity	(EC50 mg/l)	1300	3 h	Activated sludge	REACh Registration Dossier	OECD Guideline 209
1471316-72- 9	Benzenesulfonic acid, di-	C10-14-alky	l derivs., calc	ium salts	S		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Oncorhynchus mykiss	Study report (2005)	OECD Guideline 203

according to Regulation (EC) No 1907/2006

	ADDINOL Creep Oil	
Revision date: 20.10.2023	Product code: 773016	Page 11 of 13

Acute algae toxicity	ErC50 mg/l	> 1000		•	, ,	EPA OTS 797.1050
Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	, ,	EPA OTS 797.1300
Acute bacteria toxicity	(EC50 mg/l)	> 10000		J	, ,	OECD Guideline 209

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	1
1474044-79-5	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	> 6,6
110-25-8	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	>= 3,5
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	> 6,91

BCF

CAS No	Chemical name	BCF	Species	Source
	Hydrocarbons, C10-C13, n-alkanes, iso-alkanes, cyclics, < 2% aromatics	144,3	calculated	Other company data (
1474044-79-5	Calcium bis(di C8-C10, branched, C9 rich, alkylnaphthalenesulphonate)	3,16		Study report (2013)
110-25-8	N-methyl-N-[C18- (unsaturated)alkanoyl]glycine	1,98		BCFBAF version 3.01
1471316-72-9	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	70,8	Fish, not further specified.	Study report (2013)

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

120199 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; wastes not otherwise specified

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 12 of 13

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 55

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,5,7,9,10,12,13,15.

according to Regulation (EC) No 1907/2006

ADDINOL Creep Oil

Revision date: 20.10.2023 Product code: 773016 Page 13 of 13

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM - American Society for the Testing of Materials: ATE - Acute Toxicity Estimates; bw - Body weight: CAO -Cargo Aircraft Only: CAS - Chemical Abstracts Service: CMR - Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DNEL - Derived No-Effect Level: DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulation concerning the International Carriage of Dangerous Goods by Rail: RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act: SDS - Safety Data Sheet: TSCA - Toxic Substances Control Act (United States): UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)