according to UK REACH Regulation

Revision	date.	22.07.2025	
1101131011	ualc.	22.01.2020	

ADDINOL Antifreeze Extra Product code: 796008

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Antifreeze Extra

UFI:

VUH3-Q9GF-A20A-SH78

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Refrigerant. Anti-freezing agent.

1.3. Details of the supplier of the safety data sheet

Manufacturer	
-	

	Company name:	ADDINOL Lube Oil GmbH	
		Gebäude 4609	
	Street:	Am Haupttor	
	Place:	D-06237 Leuna	
	Telephone:	+49 (0) 3461 845-0	Telefax:+49 (0) 3461 845-555
	E-mail:	info@addinol.de	
	Contact person:	Application Technology	
	Internet:	www.addinol.de	
	Responsible Department:	ADDINOL Application Technology	
	Supplier		
	Company name:	Gidov Oil & Logistics Ltd.	
	Street:	76 Cobham Road, Ferndown Industrial Estate	
	Place:	GB-TN157DA Wrotham, Sevenoaks Kent	
	Telephone:	+44 7729229830	Telefax:+44 7729229830
	E-mail:	sales@addinol.co.uk	
	Internet:	https://www.gidovlogistics.co.uk/	
1.	4. Emergency telephone	+44 7729229830 - This number is serviced dur	ing office hours.
			-

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Repr. 1B; H360D Acute Tox. 4; H302 STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

ethanediol; ethylene glycol Sodium 2-ethylhexanoate Danger

Signal word:

Pictograms:



according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 2 of 12

Hazard statements

H302	Harmful if swallowed.
H360D	May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P102	Keep out of reach of children.
P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P308+P313 P501	IF exposed or concerned: Get medical advice/attention. Dispose of contents/container to an appropriate recycling or disposal facility.

Special labelling of certain mixtures

Restricted to professional users.

Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

2.3. Other hazards

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification (GB CLP Regulation))		
107-21-1	ethanediol; ethylene glycol			80 - < 100 %
	203-473-3			
	Acute Tox. 4, STOT RE 2; H302 H373			
19766-89-3	Sodium 2-ethylhexanoate			< 5 %
	243-283-8		01-2119972937-17	
	Repr. 1B; H360D			
29385-43-1	43-1 Methyl-1H-benzotriazole			0.5 - < 1 %
	249-596-6		01-2119979081-35	
	Repr. 2, Acute Tox. 4, Aquatic Chro	onic 2; H361d H302 H411		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
107-21-1	203-473-3	ethanediol; ethylene glycol	80 - < 100 %
	dermal: LD50 =	= > 3500 mg/kg; oral: LD50 = 7712 mg/kg	
19766-89-3	243-283-8	283-8 Sodium 2-ethylhexanoate	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 2043 mg/kg		
29385-43-1	249-596-6	Methyl-1H-benzotriazole	0.5 - < 1 %
	dermal: LD50 =	= > 2000 mg/kg; oral: LD50 = ca. 720 mg/kg	

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 3 of 12

Further Information

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. In case of breathing difficulties administer oxygen. If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Call a physician immediately. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion causes nausea, weakness and central nervous system effects. The following symptoms may occur: Dizziness. Headache. drowsiness. Disorientation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder. Carbon dioxide (CO2). alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). ketone. aldehydes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 4 of 12

drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep away from sources of ignition - No smoking. The following must be prevented: inhalation. Provide adequate ventilation as well as local exhaustion at critical locations. Wear personal protection equipment. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidising agent, strong

Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Refrigerant. Anti-freezing agent. Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, particulate	-	10		TWA (8 h)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 5 of 12

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
107-21-1	ethanediol; ethylene glycol			
Worker DNEL,	long-term	inhalation	local	35 mg/m³
Worker DNEL,	long-term	dermal	systemic	106 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	7 mg/m³
Consumer DN	EL, long-term	dermal	systemic	53 mg/kg bw/day
19766-89-3	Sodium 2-ethylhexanoate			
Worker DNEL,	long-term	inhalation	systemic	14 mg/m³
Worker DNEL,	long-term	dermal	systemic	2 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	3,5 mg/m³
Consumer DN	EL, long-term	dermal	systemic	1 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	1 mg/kg bw/day
29385-43-1	Methyl-1H-benzotriazole			
Worker DNEL,	long-term	inhalation	systemic	21,2 mg/m ³
Worker DNEL,	long-term	dermal	systemic	0,3 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	0,01 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,01 mg/kg bw/day

PNEC values

CAS No	Substance	
Environment	al compartment	Value
19766-89-3	Sodium 2-ethylhexanoate	
Freshwater		0,36 mg/l
Freshwater (intermittent releases)	0,493 mg/l
Marine wate	r	0,036 mg/l
Freshwater s	sediment	0,301 mg/kg
Marine sedir	nent	0,03 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	71,7 mg/l
Soil		0,058 mg/kg
29385-43-1	Methyl-1H-benzotriazole	
Freshwater		0,008 mg/l
Freshwater (intermittent releases)	0,086 mg/l
Marine wate	r	0,02 mg/l
Freshwater s	sediment	0,117 mg/kg
Marine sedir	nent	0,292 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	39,4 mg/l
Soil		0,0187 mg/kg

Additional advice on limit values

source:

8.2. Exposure controls

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 6 of 12





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65° C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid red - violet characteristic		
Odour threshold:	not determined		
			Test method
Melting point/freezing point:		not determined	
Boiling point or initial boiling point and		180 °C	
boiling range:			
Flammability:		not determined	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Flash point:		122 °C	DIN EN ISO 22719
Auto-ignition temperature:		not determined	
Decomposition temperature:		not determined	
pH-Value:		8,5	
Viscosity / kinematic:		not applicable	
Water solubility:		easily soluble.	
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:		not determined	

according to UK REACH Regulation

Revision date: 22.07.2025	Product code: 796008		Page 7 of 12
Vapour pressure:	not determined		
Density (at 20 °C):	1,113 g/cm³	DIN 51757	
Relative density:	not determined		
Relative vapour density:	No data available		
Particle characteristics:	No data available		
.2. Other information			
Information with regard to physical h	azard classes		
Explosive properties			
not determined			
Self-ignition temperature			
Solid:	not determined		
Gas:	not determined		
Oxidizing properties			
not determined			

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Do not overheat to avoid decomposition by heat.

Refer to chapter 7 No further action is necessary.

10.5. Incompatible materials

Reacts with: Oxidising agent, strong. Strong acid. Nitrates. Peroxides. Chlorates.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). ketone. aldehydes.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed. Acute oral toxicity LD50: 1720 mg/kg (estimated)

ATEmix calculated

ATE (oral) 526,3 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 8 of 12

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
107-21-1	ethanediol; ethylene glycol					
	oral	LD50 mg/kg	7712	Rat	Study report (1968)	according to BASF-internal standards
	dermal	LD50 mg/kg	> 3500	Mouse	Fundamental and Applied Toxicology 27: 1	LD50 derived from developmental toxicity
19766-89-3	Sodium 2-ethylhexanoate					
	oral	LD50 mg/kg	2043	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1986)	OECD Guideline 402
29385-43-1	Methyl-1H-benzotriazole					
	oral	LD50 mg/kg	ca. 720	Rat	Study report (1983)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Study report (1984)	OECD Guideline 402

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

May damage the unborn child. (Sodium 2-ethylhexanoate) Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (ethanediol; ethylene glycol) Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 9 of 12

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
107-21-1	ethanediol; ethylene glycol							
	Acute fish toxicity	LC50 mg/l	53000	96 h	Pimephales promelas	Publication (1983)	other: ASTM Subcommittee on Safety to Aq	
	Acute algae toxicity	ErC50 13000 mg/	6500 - I	96 h	Raphidocelis subcapitata	Study report (1982)	other: EPA 600/9-78-018, 1978	
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (1998)	OECD Guideline 202	
	Fish toxicity	NOEC mg/l	> 40	28 d	Menidia peninsulae	Publication (1985)	other: ASTM E-47.01	
	Crustacea toxicity	NOEC mg/l	8590	7 d	Ceriodaphnia dubia	Environ. Toxicology and Chemistry, Vol.	other: EPA 600/4-89/001. U.S. Environmen	
	Acute bacteria toxicity	EC50 mg/l()	> 1000	3 h	activated sludge, domestic	Chemosphere 14(9), 1239-1251 (1985)	OECD Guideline 209	
19766-89-3	Sodium 2-ethylhexanoate							
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oryzias latipes	NITE (National Institute of Technology a	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	49,3	72 h	Desmodesmus subspicatus	Study report (1988)	other: Method: other: German Industrial	
	Acute crustacea toxicity	EC50 mg/l	85,4	48 h	Daphnia magna	Study report (1988)	other: Directive 79/831/EEC, Annex V, Pa	
	Crustacea toxicity	NOEC	25 mg/l	21 d	Daphnia magna	Study report (1997)	OECD Guideline 211	
29385-43-1	Methyl-1H-benzotriazole							
	Acute fish toxicity	LC50	55 mg/l	96 h	Cyprinodon variegatus	Study report (2003)	other: The test procedure is based on te	
	Acute algae toxicity	ErC50	75 mg/l	72 h	Raphidocelis subcapitata	Study report (1994)	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	15,8	48 h	other aquatic crustacea: Daphnia galeata	Environ Sci Pollut Res 19:1781-1790 (201	OECD Guideline 202	
	Crustacea toxicity	NOEC mg/l	18,4	21 d	Daphnia magna	Study report (1995)	other: "Daphnia Reproduction Test" of OE	

12.2. Persistence and degradability

Product is partially biodegradable.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,36
19766-89-3	Sodium 2-ethylhexanoate	1,3
29385-43-1	Methyl-1H-benzotriazole	1,079

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 10 of 12

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

160114 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08); antifreeze fluids containing hazardous substances; hazardous waste

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

Land transport (ADR/RID)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
Marine transport (IMDG)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				
Unless specified otherwise, general measures for safe transport must be followed.				
14.7 Maritime transport in bulk according to IMO instruments				

14.7. Maritime transport in bulk according to IMO instruments

according to UK REACH Regulation

ADDINOL Antifreeze Extra

Revision date: 22.07.2025

Product code: 796008

Page 11 of 12

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

1 - slightly hazardous to water

15.2. Chemical safety assessment

Water hazard class (D):

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 5,7,8,9,10,11,12.

Abbreviations and acronyms

Acute Tox: Acute toxicity

Repr: Reproductive toxicity

STOT RE: Specific target organ toxicity - repeated exposure

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISO - International Organisation for Standardization: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships: MSHA - Mine Safety and Health Administration: n:o:s: - Not Otherwise Specified: NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Repr. 1B; H360D	Calculation method
Acute Tox. 4; H302	Calculation method
STOT RE 2; H373	Calculation method

Relevant H and EUH statements (number and full text)

according to UK REACH Regulation

ADDINOL Antifreeze Extra					
Revision date: 22.07.2025	Product code: 796008	Page 12 of 12			
H302	Harmful if swallowed.				
H360D	May damage the unborn child.				
H361d	Suspected of damaging the unborn child.				
H373	May cause damage to organs through prolonged or repeated exposure.				
H411	Toxic to aquatic life with long lasting effects.				

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)