according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Longlife Grease HP 2

UFI: W392-N29P-E202-66G2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and additive.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

E-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: ETL Fluid Experts Ltd. Street: Grimbald Crag Road

Place: GB-HG5 8PY Knaresborough, North Yorkshire

Telephone: +44 (0)1423 522911 E-mail: sales(@)etlfe.com

Internet: https://www.etlfluidexperts.com/

1.4. Emergency telephone +44 (0)1423 522911 - This number is serviced during office hours.

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

Di-Tert-Dodecyl Polysulphide

Zinc naphthenate

Signal word: Warning

Pictograms:



Hazard statements

H317 May cause an allergic skin reaction.

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 2 of 12

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

2.3. Other hazards

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Lubricants, greases, release agents

Relevant ingredients

| CAS No | Chemical name | | | |
|------------|--|--------------|------------------|-------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation |) | | |
| 68425-15-0 | Di-Tert-Dodecyl Polysulphide | | | < 5 % |
| | 270-335-7 | | 01-2119540516-41 | |
| | Skin Sens. 1B; H317 | | | |
| 12001-85-3 | Zinc naphthenate | | | < 5 % |
| | 234-409-2 | | | |
| | Eye Irrit. 2, Skin Sens. 1B, Aquatic Chronic 2; H319 H317 H411 | | | |
| 1314-13-2 | Zinc oxide | | | < 1 % |
| | 215-222-5 | 030-013-00-7 | | |
| | Aquatic Acute 1, Aquatic Chronic 1 | ; H400 H410 | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| opcome con | | ********** | |
|------------|-------------------------|---|----------|
| CAS No | EC No | Chemical name | Quantity |
| | Specific Conc. | Limits, M-factors and ATE | |
| 68425-15-0 | 270-335-7 | Di-Tert-Dodecyl Polysulphide | < 5 % |
| | inhalation: LC mg/kg | 50 = > 15,5 mg/l (vapours); dermal: LD50 = 2000 mg/kg; oral: LD50 = 20008 | |
| 12001-85-3 | 234-409-2 | Zinc naphthenate | < 5 % |
| | oral: LD50 = > | 2000 mg/kg | |
| 1314-13-2 | 215-222-5 | Zinc oxide | < 1 % |
| | dermal: LD50 | = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg | |

Further Information

This mixture does not contain any substances which either present a health or environmental hazard according

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 3 of 12

to Regulation (EC) No. 1272/2008 or have an occupational exposure limit assigned.

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray. Foam. Carbon dioxide (CO2). Extinguishing powder. Sand.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulphur dioxide (SO2)..

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Print date: 26.11.2025

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 4 of 12

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent

Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 5 of 12

DNEL/DMEL values

| CAS No | Substance | | | | | | |
|--------------------------|------------------------------|----------------|----------|----------------------|--|--|--|
| DNEL type | | Exposure route | Effect | Value | | | |
| 68425-15-0 | Di-Tert-Dodecyl Polysulphide | | | | | | |
| Worker DNEL, | long-term | inhalation | systemic | 23,5 mg/m³ | | | |
| Worker DNEL, | long-term | dermal | systemic | 33,3 mg/kg bw/day | | | |
| Consumer DNEL, long-term | | oral | systemic | 1,66 mg/kg bw/day | | | |
| Consumer DNEL, long-term | | dermal | systemic | 16,6 mg/kg bw/day | | | |
| Consumer DNI | EL, long-term | inhalation | systemic | 5,8 mg/m³ | | | |
| 12001-85-3 | Zinc naphthenate | | | | | | |
| Worker DNEL, long-term | | inhalation | systemic | 1,18 mg/m³ | | | |
| Worker DNEL, long-term | | dermal | systemic | 3,3 mg/kg bw/day | | | |
| Consumer DNEL, long-term | | inhalation | systemic | 0,29 mg/m³ | | | |
| Consumer DNI | EL, long-term | dermal | systemic | 1,7 mg/kg bw/day | | | |

PNEC values

| CAS No | Substance | | | |
|--|-------------------------------------|-------------|--|--|
| Environmental compartment Value | | | | |
| 68425-15-0 | Di-Tert-Dodecyl Polysulphide | | | |
| Freshwater see | diment | 3,85 mg/kg | | |
| Marine sedime | ent | 0,385 mg/kg | | |
| Secondary poi | soning | 66,7 mg/kg | | |
| Micro-organisn | ns in sewage treatment plants (STP) | 1000 mg/l | | |
| 12001-85-3 | Zinc naphthenate | | | |
| Freshwater | | 0,004 mg/l | | |
| Freshwater (in | termittent releases) | 0,04 mg/l | | |
| Marine water | | 0 mg/l | | |
| Freshwater sec | diment | 0,015 mg/kg | | |
| Marine sedime | ent | 0,002 mg/kg | | |
| Micro-organisms in sewage treatment plants (STP) | | 0,6897 mg/l | | |
| Soil | | 0,001 mg/kg | | |
| 1314-13-2 | Zinc oxide | | | |
| Freshwater | Freshwater | | | |
| Marine water | | 0,009 mg/l | | |
| Freshwater sediment | | 182,8 mg/kg | | |
| Marine sediment | | 201,9 mg/kg | | |
| Micro-organisms in sewage treatment plants (STP) | | 0,1245 mg/l | | |
| Soil | | 103,4 mg/kg | | |

Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 mg/m³ STEL: 10 mg/m³

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 6 of 12

The product does not contain any relevant quantities of substances with legally established exposure limitation.

8.2. Exposure controls





Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: cream-coloured
Odour: like: mineral oil.
Odour threshold: not determined

Test method

Melting point/freezing point: > 170 °C
Boiling point or initial boiling point and > 250 °C

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available

Flash point: > 200 °C DIN EN ISO 2592

Auto-ignition temperature: not determined
Decomposition temperature: No data available
pH-Value: No data available

Viscosity / kinematic: 400 mm²/s DIN 51562 - Base oil

(at 40 °C)

Water solubility: virtually insoluble

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 7 of 12

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

Density (at 25 °C): 0,947 g/cm³ DIN 51757

Relative vapour density:

Particle characteristics:

No data available

No data available

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

evaluation: not Explosive. Self-ignition temperature

Solid: incapable of spontaneous heating.
Gas: No data available

Other safety characteristics

Evaporation rate:

Pour point:

No data available

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

10.5. Incompatible materials

Reacts with: Acids. Oxidising agent, strong.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulphur dioxide (SO2).. carbon black.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 8 of 12

| CAS No | Chemical name | | | | | | |
|------------|--------------------------|---------------|--------|---------|--|--|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 68425-15-0 | Di-Tert-Dodecyl Polysulp | hide | | | | | |
| | oral | LD50 mg/kg | 20008 | Rat | https://www.epa.gov/c hemical-research/to | other: REACH guidance. Chapter R.6: QSAR | |
| | dermal | LD50 mg/kg | 2000 | Rat | OECD 402 | | |
| | inhalation (4 h) vapour | LC50 mg/l | > 15,5 | Rat | OECD 403 | | |
| 12001-85-3 | Zinc naphthenate | | | | | | |
| | oral | LD50 mg/kg | > 2000 | Rat | Study report (2018) | OECD Guideline 423 | |
| 1314-13-2 | Zinc oxide | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Mouse | Nanotoxicology, 6(7):746-56 (2012) | OECD Guideline 423 | |
| | dermal | LD50 mg/kg | > 2000 | Rat | Study report (2010) | OECD Guideline 402 | |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Di-Tert-Dodecyl Polysulphide; Zinc naphthenate)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 9 of 12

| CAS No | Chemical name | | | | | | | |
|------------|---------------------------|----------------|-----------|-----------|--|--|-----------------------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 68425-15-0 | Di-Tert-Dodecyl Polysulph | nide | | | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | Danio rerio (zebrafish) | OECD 203 | | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | 72 h | Raphidocelis subcapitata | Study report (2010) | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 mg/l | < 0,1 | 48 h | Daphnia magna | | | |
| 12001-85-3 | Zinc naphthenate | | | | | | | |
| | Acute fish toxicity | LL50 mg/l | > 100 | 96 h | Cyprinus carpio | REACh Registration Dossier | OECD Guideline 203 | |
| | Acute algae toxicity | ErC50 | 4 mg/l | 72 h | Pseudokirchneriella subcapitata | REACh Registration Dossier | OECD Guideline 201 | |
| | Acute crustacea toxicity | EL50 | 35 mg/l | 48 h | Daphnia magna | REACh Registration Dossier | OECD Guideline 202 | |
| | Acute bacteria toxicity | EC50 | 5,2 mg/l | 3 h | activated sludge of a predominantly domestic sewag | Water research volume 17, nr10, 1363-136 | OECD Guideline 209 | |
| 1314-13-2 | Zinc oxide | | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 1,793 | 96 h | Danio rerio | REACh Registration Dossier | OECD Guideline 236 | |
| | Acute algae toxicity | ErC50 mg/l | 3,35 | 72 h | Desmodesmus subspicatus | REACh Registration Dossier | OECD Guideline 201 | |
| | Acute crustacea toxicity | EC50 9 mg/l | > 1,7 - < | 48 h | Daphnia magna | REACh Registration Dossier | OECD Guideline 202 | |
| | Fish toxicity | NOEC mg/l | >= 0,54 | 32 d | Danio rerio | REACh Registration Dossier | OECD Guideline 210 | |
| | Algae toxicity | NOEC mg/l | 0,08 | 4 d | Dunaliella tertiolecta | Science of the Total Environment 445-446 | other: IRSA-CNR | |
| | Crustacea toxicity | NOEC mg/l | > 78,9 | 21 d | Daphnia magna | REACh Registration Dossier | OECD Guideline 211 | |
| | Acute bacteria toxicity | EC50 | 5,2 mg/l | 3 h | activated sludge of a predominantly domestic sewag | Water research volume 17, nr10, 1363-136 | OECD Guideline 209 | |

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|------------------------------|---------|
| 68425-15-0 | Di-Tert-Dodecyl Polysulphide | > 6,2 |
| 12001-85-3 | Zinc naphthenate | 0,8 |

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2 Revision date: 26.08.2024 Product code: 717203 Page 10 of 12

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|------------------------------|--------|---------------------|----------------------|
| 68425-15-0 | Di-Tert-Dodecyl Polysulphide | < 0,01 | Cyprinus carpio | REACh Registration D |
| 12001-85-3 | Zinc naphthenate | 69,48 | Capoeta fusca | Water Qual Expo Heal |
| 1314-13-2 | Zinc oxide | 1050 | Oncorhynchus mykiss | REACh Registration D |

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

| | 0 number | or II | number | . UN | 14. |
|--|----------|-------|--------|------|-----|
|--|----------|-------|--------|------|-----|

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):
14.4. Packing group:

Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

according to UK REACH Regulation

| | ADDINOL Longlife Grease HP 2 | |
|---------------------------|------------------------------|---------------|
| Revision date: 26.08.2024 | Product code: 717203 | Page 11 of 12 |

14.3. Transport hazard class(es):
14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:
14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,12,13,15.

according to UK REACH Regulation

ADDINOL Longlife Grease HP 2

Revision date: 26.08.2024 Product code: 717203 Page 12 of 12

Abbreviations and acronyms

Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation: DNEL - Derived No-Effect Level: DOT - Department of Transportation: DSL - Domestic Substances List (Canada): EG - European Union: EN - European standards: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|--------------------|--------------------------|
| Skin Sens. 1; H317 | Calculation method |

Relevant H and EUH statements (number and full text)

| H317 | May cause an allergic skin reaction. |
|------|---|
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H/10 | Very toxic to aquatic life with long lastin |

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Further Information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)