according to UK REACH Regulation

ADDINOL	Universal	Cleaning	Spray
---------	-----------	----------	-------

Revision date: 16.02.2023

Product code: 717304

Page 1 of 14

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ADDINOL Universal Cleaning Spray

UFI:

WMA9-KQHN-WN6E-PQ4S

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Aerosol - Cleaning agent.

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

	wanulacturer		
	Company name:	ADDINOL Lube Oil GmbH	
		Gebäude 4609	
	Street:	Am Haupttor	
	Place:	D-06237 Leuna	
	Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
	e-mail:	info@addinol.de	
	Contact person:	Application Technology	
	Internet:	www.addinol.de	
	Responsible Department:	ADDINOL Application Technology	
	Supplier		
	Company name:	Gidov Oil & Logistics Ltd.	
	Street:	76 Cobham Road, Ferndown Industrial Estate	
	Place:	GB-TN157DA Wrotham, Sevenoaks Kent	
	Telephone:	+44 7729229830	Telefax:+44 7729229830
	e-mail:	sales@addinol.co.uk	
	Internet:	https://www.gidovlogistics.co.uk/	
1.4	4. Emergency telephone	+44 7729229830 - This number is serviced dur	ing office hours.
_			-

#### number:

SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

Aerosol 1; H222-H229 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H336 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### 2.2. Label elements

### **GB CLP Regulation**

### Hazard components for labelling

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane propan-2-ol; isopropyl alcohol; isopropanol

Signal word: Danger

according to UK REACH Regulation

Revision date: 16.02.2023	ADDINOL Universal Cleaning Spray Product code: 717304	Page 2 of 14
Pictograms:		
Hazard statements		
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if heated.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P102	Keep out of reach of children.	
P210	Keep away from heat. No Smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Do not pierce or burn, even after use.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.	
P501	Dispose of contents/container to an appropriate recycling or disposal facility.	
Additional advice on la The product is classi	belling fied and labelled according to EC directives or corresponding national laws.	

### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 3 of 14

### Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	)			
	Hydrocarbons, C6-C7, n-alkanes,	isoalkanes, cyclics, < 5% n-he	exane	80 - < 100 %	
	921-024-6		01-2119475514-35		
	Flam. Liq. 2, Skin Irrit. 2, STOT SE H411				
67-63-0	propan-2-ol; isopropyl alcohol; isop	5 - < 10 %			
	200-661-7	603-117-00-0			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE				
106-97-8	butane	2.5 - < 5 %			
	203-448-7		01-2119474691-32		
	Flam. Gas 1, Liquefied gas; H220				
124-38-9	Carbon dioxide			2.5 - < 5 %	
	204-696-9				
	Compressed gas; H280				
74-98-6	propane			1 - < 2.5 %	
	200-827-9		01-2119486944-21		
	Flam. Gas 1, Liquefied gas; H220				

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity				
	Specific Conc.	ecific Conc. Limits, M-factors and ATE					
	921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane					
	inhalation: LC5 5000 mg/kg	inhalation: LC50 = > 25,2 mg/l (vapours); dermal: LD50 = > 2800 - 3100 mg/kg; oral: LD50 = > 5000 mg/kg					
67-63-0	200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	5 - < 10 %				
	inhalation: LC5	inhalation: LC50 = 47,5 mg/l (vapours); dermal: LD50 = 12800 mg/kg; oral: LD50 = 5280 mg/kg					
106-97-8	203-448-7	butane	2.5 - < 5 %				
	inhalation: LC5	0 = 658 mg/l (vapours)					

### Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. Position and transport victim on their side. In case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 4 of 14

of breathing difficulties administer oxygen.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam.

#### Unsuitable extinguishing media

Water.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Flammable. Vapours may form explosive mixtures with air.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove persons to safety. Wear a self-contained breathing apparatus and chemical resistant suit. Vapours are heavier than air and will spread at floor level. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 5 of 14

Section 12: Ecological Information (non-mandatory) Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace. Avoid contact with skin, eyes and clothes.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents. Material, rich in oxygen, oxidizing.

#### Further information on storage conditions

Recommended storage temperature: 5 - 40°C. Do not store at temperatures over: 50°C. Protect against: heat. UV-radiation/sunlight. frost.

### 7.3. Specific end use(s)

Further information: see technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL
124-38-9	Carbon dioxide	5000	9150		TWA (8 h)	WEL
		15000	27400		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

according to UK REACH Regulation

## **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 6 of 14

### **DNEL/DMEL** values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane						
Worker DNEL, long-terminhalationsystemic2035 mg/m³						
Worker DNEL	., long-term	dermal	systemic	773 mg/kg bw/day		
Consumer DI	NEL, long-term	inhalation	systemic	608 mg/m <sup>3</sup>		
Consumer DI	NEL, long-term	dermal	systemic	699 mg/kg bw/day		
Consumer DI	NEL, long-term	oral	systemic	699 mg/kg bw/day		
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
Worker DNEL	., long-term	inhalation	systemic	500 mg/m <sup>3</sup>		
Worker DNEL	., long-term	dermal	systemic	888 mg/kg bw/day		
Consumer DI	NEL, long-term	inhalation	systemic	89 mg/m³		
Consumer DN	NEL, long-term	dermal	systemic	319 mg/kg bw/day		
Consumer DN	NEL, long-term	oral	systemic	26 mg/kg bw/day		
PNEC value	S	-				

#### PNEC values

CAS No	Substance					
Environment	Environmental compartment Value					
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
Freshwater 140,9 mg/l						
Freshwater (intermittent releases) 140,9 mg/l						
Marine water 140,9 mg/						
Freshwater sediment 552 mg/kg						
Marine sedin	552 mg/kg					
Secondary p	160 mg/kg					
Micro-organisms in sewage treatment plants (STP) 2251						
Soil	Soil					

### Additional advice on limit values

source:

### 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Individual protection measures, such as personal protective equipment

### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 7 of 14

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

#### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	gaseous		
Colour:	various colors		
Odour:	characteristic		
Odour threshold:	not determined		
			Test method
Melting point/freezing point:		No data available	
Boiling point or initial boiling point and		< -20 °C	
boiling range:			
Flammability:		No data available	
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		12 vol. %	
Flash point:			DIN EN ISO 2592
Auto-ignition temperature:			DIN 51794
Decomposition temperature:		No data available	
pH-Value:		No data available	
Viscosity / kinematic:		not applicable	
Water solubility: (at 20 °C)		insoluble	
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:		No data available	
Vapour pressure:		No data available	
(at 20 °C)			
Density (at 20 °C):		0,708 g/cm <sup>3</sup>	DIN 51757
Relative vapour density:		No data available	
9.2. Other information			
Information with regard to physical haz	ard classes		
Explosive properties			
In case of insufficient ventilation and/	or through use, explosive/h	highly flammable mixtures m	nay develop.
Self-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Oxidizing properties			
No data available			
Other safety characteristics			

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 8 of 14

Evaporation rate:

No data available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

Ignition hazard.

Vapours may form explosive mixtures with air.

### 10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

### 10.5. Incompatible materials

Keep away from: Oxidizing agents.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

mixture not tested.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
	Hydrocarbons, C6-C7, n	-alkanes, isoall	kanes, cyc	lics, < 5% n-hexane				
	oral LD50 > 5000 Rat mg/kg							
	dermal	LD50 3100 mg/kg	> 2800 -	Rat	Study report (1977)	The acute toxicity of SBP 100/140 was de		
	inhalation (4 h) vapour	LC50 = mg/l	> 25,2	Rat	Study report (1988)	Group of rats were exposed to test subst		
67-63-0	propan-2-ol; isopropyl al	cohol; isopropa	anol					
	oral	LD50 s mg/kg	5280	Rat				
	dermal	LD50 mg/kg	12800	Rabbit				
	inhalation (4 h) vapour	LC50 4	47,5 mg/l	Rat				
106-97-8	butane							
	inhalation (4 h) vapour	LC50	658 mg/l	Rat				

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 9 of 14

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### Endocrine disrupting properties

No information available.

#### **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Toxic to aquatic life with long lasting effects. Mixture not tested.

## according to UK REACH Regulation

## ADDINOL Universal Cleaning Spray

Revision date: 16.02.2023

Product code: 717304

Page 10 of 14

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
	Hydrocarbons, C6-C7, n-	alkanes, iso	alkanes, cyc	cs, < 5% n-hexane				
	Acute fish toxicity	LC50 mg/l	11,40	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	10 - 30	72 h	Pseudokirchneriella subcapitata	Study report (1995)	OECD Guideline 201	
	Acute crustacea toxicity	EC50	3 mg/l	48 h	Daphnia magna			
	Fish toxicity	NOEC mg/l	2,045	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a	
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	SIDS Initial Assessment Report For SIAM	OECD Guideline 211	
67-63-0	propan-2-ol; isopropyl alc	ohol; isopro	panol		•			
	Acute fish toxicity	LC50 mg/l	10000	96 h	Pimephales promelas	Publication (1983)	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	1000	72 h	Pseudokirchneriella subcapitata			
	Crustacea toxicity	NOEC mg/l	13299	2 d	Daphnia magna			
106-97-8	butane							
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo	
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	
124-38-9	Carbon dioxide					- · ·		
	Acute fish toxicity	LC50	35 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)			
74-98-6	propane							
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo	
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.	

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# 12.3. Bioaccumulative potential

No data available

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16.02.2023

Product code: 717304

Page 11 of 14

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol	0,05
106-97-8	butane	1,09
74-98-6	propane	1,09

# 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not open container by force. Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

### List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

### Contaminated packaging

Dispose of waste according to applicable legislation.

### **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
	2
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2
14.4. Packing group:	-
Hazard label:	2.1

according to UK REACH Regulation

Revision date: 16.02.2023	ADDINOL Universa Product co	al Cleaning Spray ode: 717304	Page 12 of 14
Classification code: Special Provisions: Limited quantity: Excepted quantity:	5F 190 327 344 625 1 L E0		
Marine transport (IMDG) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1950 AEROSOLS 2.1 - 2.1		
Special Provisions: Limited quantity: Excepted quantity: EmS:	63, 190, 277, 327, 3 1000 mL E0 F-D, S-U	344, 959	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label:	UN 1950 AEROSOLS, flamm 2.1 - 2.1	able	
Special Provisions: Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	A145 A167 A802 30 kg G Y203 E0	203 75 kg 203 150 kg	
14.5. Environmental hazards		C C	
ENVIRONMENTALLY HAZARDOUS:	Yes	<u> </u>	
Danger releasing substance:	Hydrocarbons, C6-0	C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	9
14.6. Special precautions for user Warning: flammable gases. 14.7. Maritime transport in bulk according not applicable	to IMO instruments		
SECTION 15: Regulatory information			

### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to UK REACH Regulation

ADDINOL Universal Cleaning Spray		
Revision date: 16.02.2023	Product code: 717304	Page 13 of 14
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 29, Entry 40, Entry 75		
2010/75/EU (VOC):	97 % (698,4 g/l)	
2004/42/EC (VOC):	97 % (698,4 g/l)	
Information according to 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the work protection guideline' (94/33/EC).	'juvenile
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for substances in this mixture were not carried out.		

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,4,6,7,9,11,12,16.

### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program: OECD - Organization for Economic Co-operation and Development: PBT -Persistent. Bioaccumulative and Toxic substance: (Q)SAR - (Quantitative) Structure Activity Relationship: RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aerosol 1; H222-H229	
Skin Irrit. 2; H315	Bridging principle "Aerosols"
Eye Irrit. 2; H319	
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 2; H411	Calculation method

according to UK REACH Regulation

### **ADDINOL Universal Cleaning Spray**

Revision date: 16	6.02.2023
-------------------	-----------

Product code: 717304

Page 14 of 14

### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)