according to Regulation (EC) No 1907/2006

## **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ADDINOL Eco Grease PD 2-120 PLUS

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant and additive.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

e-mail: info@addinol.de
Contact person: Application Technology

Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: GEM OILS LIMITED

Place: IRL-H12K298 Regaskin Co. Cavan

Telephone: +353 49 4378116 Telefax: +353 49 4368329

e-mail: sales@gemoils.ie

Contact person: GEM OILS LIMITED Telephone: +353 49 4378116

e-mail: sales@gemoils.ie
Internet: https://qemoils.ie/

**1.4. Emergency telephone** Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

# Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

#### 2.3. Other hazards

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: alkylated diphenylamine.

No risks worthy of mention.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

according to Regulation (EC) No 1907/2006

# **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 2 of 12

#### **Chemical characterization**

Lithium saponified mineral oil based grease with EP additives.

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	1272/2008)			
64742-52-5	Distillates (petroleum), hydrotreated	heavy naphthenic; base oil - not sp	ecified	40 - < 60 %	
	265-155-0		01-2119467170-45		
	Asp. Tox. 1; H304				
64742-54-7	Distillates (petroleum), hydrotreated	d heavy paraffinic; Baseoil - unspecif	ïed	10 - < 20 %	
	265-157-1		01-2119484627-25		
	Asp. Tox. 1; H304				
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)				
	224-235-5		01-2119493635-27		
	Eye Dam. 1, Aquatic Chronic 2; H318 H411				
68411-46-1	alkylated diphenylamine				
	270-128-1		01-2119491299-23		
	Repr. 2; H361f				

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

оресние сел	o. Ellinto, iti iat		•
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64742-52-5	265-155-0	Distillates (petroleum), hydrotreated heavy naphthenic; base oil - not specified	40 - < 60 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	10 - < 20 %
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
4259-15-8	224-235-5	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	1 - < 2.5 %
	dermal: LD50 Irrit. 2; H319: >	= > 5000 mg/kg; oral: LD50 = 3100 mg/kg	
68411-46-1	270-128-1	alkylated diphenylamine	0.3 - < 0.5 %
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids

according to Regulation (EC) No 1907/2006

#### **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 3 of 12

apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Sand.

#### Unsuitable extinguishing media

Water.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). carbon black.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Avoid contact with skin, eye and clothing.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

# 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Avoid contact with skin, eyes and clothes.

# Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Print date: 26.01.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 4 of 12

# Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent

# Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

# 7.3. Specific end use(s)

Further information: see technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

according to Regulation (EC) No 1907/2006

# **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 5 of 12

# **DNEL/DMEL values**

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; b	pase oil - not specified		
Worker DNEL	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL	long-term	inhalation	local	5,58 mg/m³
Worker DNEL	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Ba	seoil - unspecified		
Worker DNEL	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL	long-term	inhalation	local	5,58 mg/m³
Worker DNEL	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)			
Worker DNEL	long-term	dermal	systemic	9,6 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,67 mg/m³
Consumer DN	EL, long-term	dermal	systemic	4,8 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,19 mg/kg bw/day
Worker DNEL	long-term	inhalation	systemic	6,6 mg/m³
68411-46-1	alkylated diphenylamine			
Worker DNEL	long-term	inhalation	systemic	0,6 mg/m³
Worker DNEL, long-term		dermal	systemic	0,08 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,14 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,04 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,04 mg/kg bw/day

Print date: 26.01.2024

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 6 of 12

#### **PNEC values**

CAS No	Substance	
Environmental	compartment	Value
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; base oil - not specified	
Secondary poi	soning	9,33 mg/kg
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	
Secondary poi	soning	9,33 mg/kg
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	
Freshwater		0,004 mg/l
Freshwater (in	termittent releases)	0,044 mg/l
Marine water		0,0046 mg/l
Freshwater se	diment	0,322 mg/kg
Marine sedime	nt	0,032 mg/kg
Secondary poi	soning	8,33 mg/kg
Micro-organism	ns in sewage treatment plants (STP)	3,8 mg/l
Soil		0,062 mg/kg
68411-46-1	alkylated diphenylamine	
Freshwater		0,034 mg/l
Freshwater (in	termittent releases)	0,51 mg/l
Marine water		0,003 mg/l
Freshwater se	0,446 mg/kg	
Marine sedime	0,045 mg/kg	
Micro-organism	ns in sewage treatment plants (STP)	10 mg/l
Soil		1,76 mg/kg

#### Additional advice on limit values

The product does not contain any relevant quantities of substances with legally established exposure limitation.

#### 8.2. Exposure controls





# Individual protection measures, such as personal protective equipment

# Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

# **Hand protection**

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

according to Regulation (EC) No 1907/2006

## **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 7 of 12

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Paste

Colour: brown, Féadfaidh an dath athrú beagáinín

Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

No data available

No data available

boiling range:

Flammability:

Lower explosion limits:

Upper explosion limits:

No data available

Upper explosion limits:

No data available

Flash point:

> 200 °C

Auto-ignition temperature:

No data available

Decomposition temperature:

No data available

pH-Value:

not applicable

Viscosity / kinematic: 120 mm²/s DIN 51562 - Base oil

(at 40 °C)

Water solubility: virtually insoluble

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative vapour density:

No data available

0,91 g/cm³

No data available

## 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties not Explosive.
Self-ignition temperature

Solid: No data available

Oxidizing properties

No data available

Other safety characteristics

Pour point: not applicable
Drop point/drop range: >180 °C

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

according to Regulation (EC) No 1907/2006

#### **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 8 of 12

No known hazardous reactions.

#### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

#### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong

# 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). carbon black.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; base oil - not specified			ed			
	oral	LD50 > 50 mg/kg	000	Rat	Study report (1982)	OECD Guideline 401	
	dermal	LD50 > 50 mg/kg	000	Rabbit	Study report (1982)	OECD Guideline 402	
64742-54-7	Distillates (petroleum), hy	drotreated heavy	paraffin	nic; Baseoil - unspecified			
	oral	LD50 > 50 mg/kg	000	Rat	Study report (1982)	OECD Guideline 401	
	dermal	LD50 > 50 mg/kg	000	Rabbit	Study report (1982)	OECD Guideline 402	
4259-15-8	Zinc bis[O,O-bis(2-ethylh	exyl)] bis(dithiopho	osphate	e)			
	oral	LD50 3100 mg/kg	0	Rat	Study report (1975)	OECD Guideline 401	
	dermal	LD50 > 50 mg/kg	000	Rabbit	Study report (1975)	OECD Guideline 402	
68411-46-1	alkylated diphenylamine	alkylated diphenylamine					
	oral	LD50 > 50 mg/kg	000	Rat	Study report (1982)	OECD Guideline 401	
	dermal	LD50 > 20 mg/kg	000	Rat	Study report (1988)	OECD Guideline 402	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

according to Regulation (EC) No 1907/2006

# **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 9 of 12

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

not applicable

#### **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic; base oil - not specified						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a
64742-54-7	Distillates (petroleum), hy	drotreated h	neavy paraffir	nic; Base	oil - unspecified		
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Pimephales promelas	Study report (1995)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	>100	72 h			
	Fish toxicity	NOEC mg/l	>= 1000	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a
4259-15-8	Zinc bis[O,O-bis(2-ethylhe	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)					
	Acute fish toxicity	LL50	4,4 mg/l	96 h	Oncorhynchus mykiss	Study report (2002)	OECD Guideline 203
	Acute algae toxicity	ErC50	410 mg/l	72 h	Desmodesmus subspicatus	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EL50	75 mg/l	48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
68411-46-1	alkylated diphenylamine						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (1988)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2006)	OECD Guideline 201
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# 12.3. Bioaccumulative potential

No data available

according to Regulation (EC) No 1907/2006

# ADDINOL Eco Grease PD 2-120 PLUS Revision date: 31.05.2023 Product code: 718005 Page 10 of 12

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	3,59
68411-46-1	alkylated diphenylamine	6,66

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
68411-46-1	alkylated diphenylamine	411	Cyprinus carpio	Study report (2000)

#### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

# 12.5. Results of PBT and vPvB assessment

The mixture contains the following substances fulfilling the PBT criteria according to REACH, annex XIII: alkylated diphenylamine.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

## List of Wastes Code - residues/unused products

120112 WASTES FROM SHAI

WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

# Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-

# Inland waterways transport (ADN)

14.1. UN number or ID number:	_
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	_

# Marine transport (IMDG)

mie transport (im 20)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	_

according to Regulation (EC) No 1907/2006

#### **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 11 of 12

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

14.2. UN proper shipping name:
14.3. Transport hazard class(es):

14.4. Packing group:

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## Other applicable information

No dangerous good in sense of these transport regulations.

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

#### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,4,5,6,7,8,9,10,11,12,14,15,16.

# Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

according to Regulation (EC) No 1907/2006

#### **ADDINOL Eco Grease PD 2-120 PLUS**

Revision date: 31.05.2023 Product code: 718005 Page 12 of 12

Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.
H361f Suspected of damaging fertility.

H411 Toxic to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

#### **Further Information**

This mixture is classified as not hazardous according to Regulation (EC) 1272/2008 [GHS].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)