according to Regulation (EC) No 1907/2006

ADDINOL Poly Gear PG 680								
Revision date: 23.05.2025	on date: 23.05.2025 Product code: 764004							
SECTION 1: Identification of the substance/mixture and of the company/undertaking								
<u>1.1. Product identifier</u> ADDINOL Poly Gear PG 680								
UFI:	75W7-A6HK-X203-H1NG							
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised aga	<u>linst</u>						
Use of the substance/mixture								
Gearbox oil.								
1.3. Details of the supplier of the safe	ty data sheet							
Manufacturer								
Company name:	ADDINOL Lube Oil GmbH Gebäude 4609							
Street:	Am Haupttor							
Place:	D-06237 Leuna							
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555						
E-mail:	info@addinol.de							
Contact person:	Application Technology							
Internet:	www.addinol.de							
Responsible Department:	ADDINOL Application Technology							
Supplier	GEM OILS LIMITED							
Company name: Place:	IRL-H12K298 Regaskin Co. Cavan							
Telephone:	+353 49 4378116	Telefax:+353 49 4368329						
E-mail:	sales@gemoils.ie							
Contact person:	GEM OILS LIMITED	Telephone: +353 49 4378116						
E-mail:	sales@gemoils.ie	·						
Internet:	https://gemoils.ie/							
1.4. Emergency telephone	Healthcare Professionals: +353 (1) 809 25	566 (24 hour service)						
number:								
SECTION 2: Hazards identification	1							

## 2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# 2.2. Label elements

## Regulation (EC) No 1272/2008

Hazard components for labelling

N-Phenyl-1-naphthylamine

Signal word:

**Pictograms:** 



according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 2 of 11

#### **Hazard statements**

H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P321	Specific treatment (see Hazard statements on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to industrial incineration plant.

## Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

## 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name	Chemical name		
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
90-30-2	N-Phenyl-1-naphthylamine			
	201-983-0		01-2119488704-27	
	Acute Tox. 4, Skin Sens. 1, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H302 H317 H373 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Co	Specific Conc. Limits, M-factors and ATE				
CAS No	EC No	Chemical name	Quantity		
	Specific Conc	Limits, M-factors and ATE			
90-30-2	201-983-0	N-Phenyl-1-naphthylamine	1 - < 2.5 %		
		= > 5000 mg/kg; oral: LD50 = ca. 1625 mg/kg			

#### **Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

## After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 3 of 11

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment. Change contaminated clothing.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Water spray. alcohol resistant foam.

#### Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). Sulfur oxides. carbon black.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

according to Regulation (EC) No 1907/2006

# **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 4 of 11

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep/Store only in original container. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent

## Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

## 7.3. Specific end use(s)

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
90-30-2	N-Phenyl-1-naphthylamine					
Worker DNEL	, long-term	inhalation	systemic	0,08 mg/m <sup>3</sup>		
Worker DNEL	., acute	inhalation	systemic	44 mg/m <sup>3</sup>		
Worker DNEL	, long-term	dermal	systemic	0,02 mg/kg bw/day		
Worker DNEL	., acute	dermal	systemic	6,67 mg/kg bw/day		
Consumer DI	IEL, long-term	inhalation	systemic	0,015 mg/m³		
Consumer DI	IEL, acute	inhalation	systemic	33 mg/m³		
Consumer D	IEL, long-term	dermal	systemic	0,008 mg/kg bw/day		
Consumer D	IEL, acute	dermal	systemic	3,33 mg/kg bw/day		
Consumer D	IEL, long-term	oral	systemic	0,008 mg/kg bw/day		
Consumer DI	IEL, acute	oral	systemic	2 mg/kg bw/day		

according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 5 of 11

#### **PNEC** values

CAS No	Substance				
Environmen	Environmental compartment Value				
90-30-2	N-Phenyl-1-naphthylamine				
Freshwater		0 mg/l			
Freshwater (intermittent releases) 0,003 mg/l					
Marine water		0 mg/l			
Freshwater sediment 0,034 mg/kg		0,034 mg/kg			
Marine sediment 0,0		0,003 mg/kg			
Secondary p	Secondary poisoning				
Micro-organ	Micro-organisms in sewage treatment plants (STP)				
Soil 0,00					

#### Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

## 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

## Individual protection measures, such as personal protective equipment

## Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

## **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 6 of 11

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	yellow-orange - light red		
Odour:	characteristic		
Odour threshold:	not determined		
			Test method
Melting point/freezing point:		No data available	
Boiling point or initial boiling point and		No data available	
boiling range:			
Flommobility:		No data available	

Flammability:	No data available	
Lower explosion limits:	No data available	
Upper explosion limits:	No data available	
Flash point:	300 °C	DIN EN ISO 2592
Auto-ignition temperature:	not determined	
Decomposition temperature:	No data available	
pH-Value:	No data available	
Viscosity / kinematic: (at 40 °C)	685 mm²/s	DIN 51562
Water solubility:	slightly soluble	
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Density (at 15 °C):	1,008 g/cm³	DIN 51757
Relative vapour density:	No data available	
Particle characteristics:	No data available	
9.2. Other information		
Information with regard to physical bazard alapsas		

Information with regard to physical hazard classes Explosive properties No data available Self-ignition temperature Solid: Gas: Oxidizing properties No data available

#### Other safety characteristics

Evaporation rate: Pour point: No data available -35 °C ASTM D 7346

No data available No data available

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 7 of 11

Do not overheat to avoid decomposition by heat.

## 10.5. Incompatible materials

Reacts with : Oxidising agent, strong

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
90-30-2	N-Phenyl-1-naphthylamine							
	oral	LD50 c mg/kg	ca. 1625	Rat		The experiments reported herein were con		
	dermal	LD50 > mg/kg	> 5000	Rabbit		The study was designed to evaluate the a		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

May cause an allergic skin reaction. (N-Phenyl-1-naphthylamine)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Endocrine disrupting properties

not applicable

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Mixture not tested.

## according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 8 of 11

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
90-30-2	N-Phenyl-1-naphthylamine							
	Acute fish toxicity	LC50 mg/l	0,44	96 h	Oncorhynchus mykiss	Study report (1981)	96h acute bioassay using rainbow trout a	
	Acute algae toxicity	ErC50 mg/l	0,93	96 h	Pseudokirchneriella subcapitata	Study report (1998)	other: Growth inhibition study in algae	
	Acute crustacea toxicity	EC50	0,3 mg/l	48 h	Daphnia magna	Study report (1981)	48h acute bioassay using Daphnia magna a	
	Crustacea toxicity	NOEC mg/l	0,032	21 d	Daphnia magna	REACh Registration Dossier	other: OECD guideline 202, part II	
	Acute bacteria toxicity	EC50 mg/l()	> 10000	3 h	Activated sludge	Study report (1989)	OECD Guideline 209	

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

## 12.3. Bioaccumulative potential

No data available

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
90-30-2	N-Phenyl-1-naphthylamine	4,28

## BCF

CAS No	Chemical name	BCF	Species	Source
90-30-2	N-Phenyl-1-naphthylamine	>= 427 - = 889	Cyprinus carpio	REACh Registration D

#### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

## List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 9 of 11

### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Inland waterways transport (ADN)	
<u>14.1. UN number or ID number:</u>	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Marine transport (IMDG)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
14.5. Environmental hazards	

## **ENVIRONMENTALLY HAZARDOUS:**

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

No

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

#### Other applicable information

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3 National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 3,5,6,7,8,9,10,12.

according to Regulation (EC) No 1907/2006

## **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 10 of 11

#### Abbreviations and acronyms

Acute Tox: Acute toxicity Skin Sens: Skin sensitisation STOT RE: Specific target organ toxicity - repeated exposure Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification	Classification procedure
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

# Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

## Relevant H and EUH statements (number and full text)

<ul> <li>H317 May cause an allergic skin reaction.</li> <li>H373 May cause damage to organs through prolonged or repeated exposure</li> <li>H400 Very toxic to aquatic life.</li> </ul>	H302	Harmful if swallowed.
	H317	May cause an allergic skin reaction.
H400 Very toxic to aguatic life.	H373	May cause damage to organs through prolonged or repeated exposure.
	H400	Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.	H410	Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.	H412	Harmful to aquatic life with long lasting effects.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

according to Regulation (EC) No 1907/2006

# **ADDINOL Poly Gear PG 680**

Revision date: 23.05.2025

Product code: 764004

Page 11 of 11

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)