

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 1 of 19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ADDINOL Penta-Cool WM 650

Product group: Zulieferprodukt
UFI: J19G-8W20-V47N-04K3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal working fluids.

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH
4609
Street: Am Haupttor
Place: D-06237 Leuna
Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555
E-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de
Responsible Department: ADDINOL Application Technology

Supplier

Company name: ETL Fluid Experts Ltd.
Street: Grimbold Crag Road
Place: GB-HG5 8PY Knaresborough, North Yorkshire
Telephone: +44 (0)1423 522911
E-mail: sales(@)etlfe.com
Internet: https://www.etlfluidexperts.com/

1.4. Emergency telephone number:

+44 (0)1423 522911 - This number is serviced during office hours.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Dam. 1; H318
Skin Sens. 1; H317
Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

2-phenoxyethanol
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one
octhiline (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]
2-methylisothiazol-3(2H)-one

Signal word: Danger

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 2 of 19

Pictograms:**Hazard statements**

- H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 P310 Immediately call a POISON CENTER/doctor.
 P333+P317 If skin irritation or rash occurs: Get medical help.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/container to an appropriate recycling or disposal facility.

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

2.3. Other hazards

- Prolonged/repetitive skin contact may cause skin defatting or dermatitis.
 Spilled product must not leak into the ground.
 Do not allow uncontrolled leakage of product into the environment.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 3 of 19

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
122-99-6	2-phenoxyethanol			5 - < 10 %
	204-589-7	603-098-00-9		
	Acute Tox. 4, Eye Dam. 1, STOT SE 3; H302 H318 H335			
68608-26-4	Sodium sulphonate			1 - < 5 %
	271-781-5			
	Eye Irrit. 2; H319			
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			2.5 - < 5 %
	500-236-9		01-2119489407-26	
	Skin Irrit. 2, Aquatic Chronic 2; H315 H411			
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			< 5 %
	203-961-6	603-096-00-8		
	Eye Irrit. 2; H319			
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			< 0,25 %
	220-120-9	613-088-00-6		
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400			
26530-20-1	octhilinone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]			< 0,025 %
	247-761-7	613-112-00-5		
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			
2682-20-4	2-methylisothiazol-3(2H)-one			< 0,05 %
	220-239-6	613-326-00-9		
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 4 of 19

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
122-99-6	204-589-7	2-phenoxyethanol	5 - < 10 %
		dermal: LD50 = >2000 mg/kg; oral: ATE 1394 mg/kg	
68608-26-4	271-781-5	Sodium sulphonate	1 - < 5 %
		dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	
68920-66-1	500-236-9	Alcohols, C16-18 and C18-unsatd., ethoxylated	2.5 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg	
112-34-5	203-961-6	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	< 5 %
		dermal: LD50 = 4120 mg/kg; oral: LD50 = 5660 mg/kg	
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0,25 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 670 mg/kg Skin Sens. 1; H317: >= 0,05 - 100	
26530-20-1	247-761-7	octhlinone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]	< 0,025 %
		inhalation: ATE 0,27 mg/l (dusts or mists); dermal: ATE 311 mg/kg; oral: ATE 125 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100	
2682-20-4	220-239-6	2-methylisothiazol-3(2H)-one	< 0,05 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 242 mg/kg; oral: LD50 = 120 mg/kg Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1	

Further Information

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. Protect skin by using skin protective cream. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.
Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 5 of 19

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO₂). Sand. Atomized water.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide Sulphur dioxide (SO₂). Nitrogen oxides (NO_x). carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 6 of 19

Keep away from: Oxidizing agent.

Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat.

Recommended storage temperature: 5 - 40°C

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 7 of 19

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
122-99-6	2-phenoxyethanol			
Worker DNEL, long-term		inhalation	local	5,7 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	2,41 mg/m ³
Consumer DNEL, long-term		inhalation	local	2,41 mg/m ³
Consumer DNEL, long-term		dermal	systemic	10,42 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	9,23 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	9,23 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	20,83 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	5,7 mg/m ³
68608-26-4	Sodium sulphonate			
Worker DNEL, long-term		inhalation	systemic	0,66 mg/m ³
Worker DNEL, long-term		dermal	systemic	3,33 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,33 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1,667 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated			
Consumer DNEL, long-term		inhalation	systemic	87 mg/m ³
Consumer DNEL, long-term		dermal	systemic	1250 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	25 mg/kg bw/day
Worker DNEL, long-term		dermal	systemic	2080 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	294 mg/m ³
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether			
Worker DNEL, long-term		inhalation	local	67,5 mg/m ³
Worker DNEL, acute		inhalation	local	101,2 mg/m ³
Consumer DNEL, long-term		oral	systemic	6,25 mg/kg bw/day
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one			
Worker DNEL, long-term		inhalation	systemic	6,81 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,966 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	1,2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	0,345 mg/kg bw/day
2682-20-4	2-methylisothiazol-3(2H)-one			
Worker DNEL, long-term		inhalation	local	0,021 mg/m ³
Worker DNEL, acute		inhalation	local	0,043 mg/m ³

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 8 of 19

Consumer DNEL, long-term	inhalation	local	0,021 mg/m ³
Consumer DNEL, acute	inhalation	local	0,043 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,027 mg/kg bw/day
Consumer DNEL, acute	oral	systemic	0,053 mg/kg bw/day

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 9 of 19

PNEC values

CAS No	Substance	Value
Environmental compartment		
122-99-6	2-phenoxyethanol	
Freshwater		0,943 mg/l
Freshwater (intermittent releases)		3,44 mg/l
Marine water		0,094 mg/l
Freshwater sediment		7,237 mg/kg
Marine sediment		0,724 mg/kg
Micro-organisms in sewage treatment plants (STP)		36 mg/l
Soil		1,31 mg/kg
68608-26-4	Sodium sulphonate	
Freshwater		1 mg/l
Freshwater (intermittent releases)		10 mg/l
Marine water		1 mg/l
Freshwater sediment		723500000 mg/kg
Marine sediment		723500000 mg/kg
Secondary poisoning		16,667 mg/kg
Micro-organisms in sewage treatment plants (STP)		100 mg/l
Soil		868700000 mg/kg
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	
Freshwater		0,007 mg/l
Freshwater (intermittent releases)		0,1 mg/l
Marine water		0,001 mg/l
Freshwater sediment		22,79 mg/kg
Marine sediment		2,28 mg/kg
Micro-organisms in sewage treatment plants (STP)		10000 mg/l
Soil		1 mg/kg
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	
Freshwater		1,1 mg/l
Freshwater (intermittent releases)		11 mg/l
Marine water		0,11 mg/l
Freshwater sediment		4,4 mg/kg
Marine sediment		0,44 mg/kg
Secondary poisoning		56 mg/kg
Soil		0,32 mg/kg
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	
Freshwater		0,00403 mg/l
Freshwater (intermittent releases)		0,0011 mg/l
Marine water		0,000403 mg/l
Freshwater sediment		0,0499 mg/kg
Marine sediment		0,00499 mg/kg
Micro-organisms in sewage treatment plants (STP)		1,03 mg/l

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 10 of 19

Soil		3 mg/kg
26530-20-1	octhiline (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]	
Freshwater		0,0022 mg/l
Freshwater (intermittent releases)		0,00122 mg/l
Marine water		0,00022 mg/l
Freshwater sediment		0,0475 mg/kg
Marine sediment		0,00475 mg/kg
Soil		0,0082 mg/kg
2682-20-4	2-methylisothiazol-3(2H)-one	
Freshwater		0,00339 mg/l
Freshwater (intermittent releases)		0,00339 mg/l
Marine water		0,00339 mg/l
Micro-organisms in sewage treatment plants (STP)		0,23 mg/l
Soil		0,047 mg/kg

Additional advice on limit values

source:

Recommended limit value for cooling lubricants (steam and aerosol)

MAK: 10 mg/m³**8.2. Exposure controls****Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. full mask (DIN EN 136). Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 11 of 19

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	brown
Odour:	like: mineral oil.
Odour threshold:	not determined

Test method

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	> 100 °C
Flammability:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	> 100 °C DIN EN ISO 2592
Auto-ignition temperature:	> 240 °C
Decomposition temperature:	No data available
pH-Value (at 20 °C):	9,0 4% - DIN 51369
Viscosity / kinematic: (at 20 °C)	300 mm ² /s DIN EN ISO 3104
Water solubility:	highly soluble.
Solubility in other solvents	
No data available	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
Density (at 15 °C):	0,974 g/cm ³ DIN EN ISO 12185
Relative vapour density:	No data available
Particle characteristics:	No data available

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

No data available

Pour point:

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 12 of 19

10.5. Incompatible materials

Reacts with: Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide Sulphur dioxide (SO₂).. Nitrogen oxides (NO_x). carbon black.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.
Mixture not tested.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 13 of 19

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
122-99-6	2-phenoxyethanol				
	oral	ATE 1394 mg/kg			
	dermal	LD50 >2000 mg/kg	Rabbit		
68608-26-4	Sodium sulphonate				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1985)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1981)	OECD Guideline 402
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated				
	oral	LD50 > 2000 mg/kg	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether				
	oral	LD50 5660 mg/kg	Rat		
	dermal	LD50 4120 mg/kg	Rabbit		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	oral	LD50 670 mg/kg	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1994)	OECD Guideline 402
26530-20-1	octhilonone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]				
	oral	ATE 125 mg/kg			
	dermal	ATE 311 mg/kg			
	inhalation dust/mist	ATE 0,27 mg/l			
2682-20-4	2-methylisothiazol-3(2H)-one				
	oral	LD50 120 mg/kg	Rat	Study report (2002)	EPA OPPTS 870.1100
	dermal	LD50 242 mg/kg	Rat	Study report (1999)	OECD Guideline 402
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one; octhilonone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]; 2-methylisothiazol-3(2H)-one)

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 14 of 19

STOT-repeated exposure

Based on available data, the classification criteria are not met.
Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

not applicable

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.
Mixture not tested.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 15 of 19

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
122-99-6	2-phenoxyethanol					
	Acute fish toxicity	LC50 220 - 460 mg/l	96 h	Leuciscus idus		
	Acute algae toxicity	ErC50 > 500 mg/l	72 h	Scenedesmus sp.		
	Acute crustacea toxicity	EC50 > 500 mg/l	48 h	Daphnia magna		
68608-26-4	Sodium sulphonate					
	Acute algae toxicity	ErC50 > 1000 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1994)	EPA OTS 797.1050
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated					
	Acute fish toxicity	LC50 108 mg/l	96 h	Danio rerio	Study report (2008)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	Study report (1997)	other: EU-Guideline 92/69/EWG
	Acute crustacea toxicity	EL50 51 mg/l	48 h	Daphnia magna	Study report (2000)	OECD Guideline 202
	Fish toxicity	NOEC 0,16 mg/l	10 d	Pimephales promelas	Study report (1995)	The effect of the test substance on surv
	Crustacea toxicity	NOEC 0,77 mg/l	21 d	Daphnia magna	Publication (1999)	other: USEPA-TSCA
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether					
	Acute algae toxicity	ErC50 > 100 mg/l		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna		
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	Acute fish toxicity	LC50 ca. 16,7 mg/l	96 h	Cyprinodon variegatus	REACH Registration Dossier	other:
	Acute algae toxicity	ErC50 0,15 mg/l	72 h	Raphidocelis subcapitata	Study report (1994)	OECD Guideline 201
	Acute crustacea toxicity	EC50 2,94 mg/l	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202
	Acute bacteria toxicity	EC50 13 mg/l ()	3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209
26530-20-1	octhlinone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]					
	Acute fish toxicity	LC50 0,122 mg/l	96 h		Study report (2018)	other: From Episuite v4.11
	Acute algae toxicity	ErC50 0,15 mg/l	96 h		Study report (2018)	other: From Episuite v4.11
	Acute crustacea toxicity	EC50 0,181 mg/l	48 h	Daphnia sp.	Study report (2018)	other: From Episuite v4.11
2682-20-4	2-methylisothiazol-3(2H)-one					
	Acute fish toxicity	LC50 4,77 mg/l	96 h	Oncorhynchus mykiss	REACH Registration Dossier	EPA OPP 72-1

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 16 of 19

	Acute algae toxicity	ErC50 mg/l	0,069	96 h	Skeletonema costatum	Study report (2004)	EPA OPPTS 850.5400
	Acute crustacea toxicity	EC50 mg/l	0,934	48 h	Daphnia magna	REACH Registration Dossier	EPA OPP 72-2
	Fish toxicity	NOEC mg/l	4,93	98 d	Oncorhynchus mykiss	REACH Registration Dossier	EPA OPPTS 850.1400
	Crustacea toxicity	NOEC mg/l	0,044	21 d	Daphnia magna	REACH Registration Dossier	EPA OPPTS 850.1300
	Acute bacteria toxicity	EC50)	41 mg/l (3 h	activated sludge of a predominantly domestic sewage	REACH Registration Dossier	OECD Guideline 209

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

Mixture not tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
122-99-6	2-phenoxyethanol	1,16
68608-26-4	Sodium sulphonate	18,05
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	ca. 7,19
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	0,63
26530-20-1	octhilonone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]	2,61
2682-20-4	2-methylisothiazol-3(2H)-one	-0,486

BCF

CAS No	Chemical name	BCF	Species	Source
68920-66-1	Alcohols, C16-18 and C18-unsatd., ethoxylated	387,5	Pimephales promelas	Publication (2000)
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	ca. 6,62	Lepomis macrochirus	REACH Registration D
26530-20-1	octhilonone (ISO); 2-octyl-2H-isothiazol-3-one; [OIT]	1,284	fish unspecified	Study report (2018)
2682-20-4	2-methylisothiazol-3(2H)-one	5,75	Lepomis macrochirus	REACH Registration D

12.4. Mobility in soil

Is eliminable from water only with difficulty.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 17 of 19

13.1. Waste treatment methods**Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

Inland waterways transport (ADN)

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

Marine transport (IMDG)

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55, Entry 75

National regulatory information

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 18 of 19

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,12.

Abbreviations and acronyms

Acute Tox: Acute toxicity

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Eye Irrit: Eye irritation

Skin Sens: Skin sensitisation

STOT SE: Specific target organ toxicity - single exposure

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -

European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -

American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo

Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of

Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards;

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials

Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International

Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose

to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of

Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA -

National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No

Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology

Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent,

Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -

Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -

Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments

and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -

United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL Penta-Cool WM 650

Revision date: 13.01.2025

Product code: 770046

Page 19 of 19

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)