

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 2 of 12

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | Quantity |
|--------------|--|------------------|
| | EC No | |
| | Index No | |
| | REACH No | |
| | Classification (GB CLP Regulation) | |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic | 40 - < 60 % |
| | 265-090-8 | 01-2119488706-23 |
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 20 - < 40 % |
| | 276-738-4 | 01-2119474889-13 |
| | Asp. Tox. 1; H304 | |
| confident | Methacrylate copolymer | 1 - < 2.5 % |
| | Eye Irrit. 2; H319 | |
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | 0.3 - < 0.5 % |
| | 620-540-6 | 01-2119510877-33 |
| | Acute Tox. 4, Skin Corr. 1C, Aquatic Acute 1, Aquatic Chronic 1; H302 H314 H400 H410 | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|--------------|-----------|---|---------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 64741-88-4 | 265-090-8 | Distillates (petroleum), solvent-refined heavy paraffinic | 40 - < 60 % |
| | | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 72623-87-1 | 276-738-4 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | 20 - < 40 % |
| | | dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | |
| 1218787-32-6 | 620-540-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | 0.3 - < 0.5 % |
| | | oral: LD50 = 1500 mg/kg Aquatic Acute 1; H400: M=10 Aquatic Chronic 1; H410: M=1 | |

Further Information

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 3 of 12

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO₂). alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NO_x). carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered,

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 4 of 12

arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent

Further information on storage conditions

Recommended storage temperature: 5 - 40°C

Protect against: heat. UV-radiation/sunlight. frost.

7.3. Specific end use(s)

Gearbox oil. Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 5 of 12

DNEL/DMEL values

| CAS No | Substance | | |
|--------------------------|--|----------|-------------------------|
| DNEL type | Exposure route | Effect | Value |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic | | |
| Worker DNEL, long-term | inhalation | systemic | 2,73 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | 5,58 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,97 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | local | 1,19 mg/m ³ |
| Consumer DNEL, long-term | oral | systemic | 0,74 mg/kg bw/day |
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | |
| Worker DNEL, long-term | inhalation | systemic | 2,73 mg/m ³ |
| Worker DNEL, long-term | inhalation | local | 5,58 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,97 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | local | 1,19 mg/m ³ |
| Consumer DNEL, long-term | oral | systemic | 0,74 mg/kg bw/day |
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | | |
| Worker DNEL, long-term | inhalation | systemic | 2,112 mg/m ³ |
| Worker DNEL, long-term | dermal | systemic | 0,3 mg/kg bw/day |
| Consumer DNEL, long-term | inhalation | systemic | 0,745 mg/m ³ |
| Consumer DNEL, long-term | dermal | systemic | 0,214 mg/kg bw/day |
| Consumer DNEL, long-term | oral | systemic | 0,214 mg/kg bw/day |

PNEC values

| CAS No | Substance | |
|--|--|--|
| Environmental compartment | Value | |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic | |
| Secondary poisoning | 9,33 mg/kg | |
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | |
| Secondary poisoning | 9,33 mg/kg | |
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | |
| Freshwater | 0,000214 mg/l | |
| Freshwater (intermittent releases) | 0,00087 mg/l | |
| Marine water | 0,000021 mg/l | |
| Freshwater sediment | 1,692 mg/kg | |
| Marine sediment | 0,169 mg/kg | |
| Secondary poisoning | 2 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | 1,5 mg/l | |
| Soil | 5 mg/kg | |

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 6 of 12

Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 mg/m³STEL: 10 mg/m³

The product does not contain any relevant quantities of substances with legally established exposure limitation.

8.2. Exposure controls**Appropriate engineering controls**

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|------------------|--------------------|
| Physical state: | liquid |
| Colour: | red |
| Odour: | like: Gearbox oil. |
| Odour threshold: | not determined |

| | Test method |
|---|------------------------|
| Melting point/freezing point: | No data available |
| Boiling point or initial boiling point and boiling range: | not determined |
| Flammability: | No data available |
| Lower explosion limits: | No data available |
| Upper explosion limits: | No data available |
| Flash point: | 210 °C DIN EN ISO 2592 |

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 7 of 12

| | |
|--|------------------------------------|
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | No data available |
| pH-Value: | not applicable |
| Viscosity / kinematic: (at 100 °C) | 7,5 mm ² /s ASTM D 7042 |
| Water solubility: | virtually insoluble |
| Solubility in other solvents | |
| No data available | |
| Partition coefficient n-octanol/water: | No data available |
| Vapour pressure: | No data available |
| Density (at 15 °C): | 0,851 g/cm ³ DIN 51757 |
| Relative vapour density: | No data available |
| Particle characteristics: | No data available |

9.2. Other information**Information with regard to physical hazard classes**

Explosive properties

No data available

Self-ignition temperature

Solid:

No data available

Gas:

No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate:

No data available

Pour point:

-54 °C ASTM D 7346

SECTION 10: Stability and reactivity**10.1. Reactivity**

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

10.5. Incompatible materials

Reacts with: Oxidising agent, strong

10.6. Hazardous decomposition productsIn case of fire may be liberated: Carbon monoxide Carbon dioxide (CO₂). Sulfur oxides. Phosphorus oxides.Nitrogen oxides (NO_x). carbon black.**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 8 of 12

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|--------------|--|-------------------|---------|---------------------|--------------------|
| | Exposure route | Dose | Species | Source | Method |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1982) | OECD Guideline 401 |
| | dermal | LD50 > 5000 mg/kg | Rabbit | Study report (1982) | OECD Guideline 402 |
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Study report (1982) | OECD Guideline 401 |
| | dermal | LD50 > 5000 mg/kg | Rabbit | Study report (1982) | OECD Guideline 402 |
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | | | | |
| | oral | LD50 1500 mg/kg | Rat | Study report (1984) | OECD Guideline 425 |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards**Endocrine disrupting properties**

not applicable

SECTION 12: Ecological information**12.1. Toxicity**

Harmful to aquatic life with long lasting effects.

Mixture not tested.

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 9 of 12

| CAS No | Chemical name | | | | | |
|--------------|--|-------------------|-----------|---|-----------------------------------|---|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 64741-88-4 | Distillates (petroleum), solvent-refined heavy paraffinic | | | | | |
| | Acute fish toxicity | LL50 > 100 mg/l | 96 h | Pimephales promelas | Study report (1995) | OECD Guideline 203 |
| | Fish toxicity | NOEC >= 1000 mg/l | 14 d | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) | The aquatic toxicity was estimated by a |
| 72623-87-1 | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based | | | | | |
| | Acute fish toxicity | LL50 > 100 mg/l | 96 h | Pimephales promelas | Study report (1995) | OECD Guideline 203 |
| | Fish toxicity | NOEC >= 1000 mg/l | 14 d | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) | The aquatic toxicity was estimated by a |
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | | | | | |
| | Acute fish toxicity | LC50 0,6 mg/l | 96 h | Danio rerio | Study report (1990) | OECD Guideline 203 |
| | Acute algae toxicity | ErC50 0,0867 mg/l | 72 h | Pseudokirchneriella subcapitata | Study report (2010) | OECD Guideline 201 |
| | Crustacea toxicity | NOEC 0,32 mg/l | 21 d | Daphnia magna | Study report (2010) | OECD Guideline 211 |
| | Acute bacteria toxicity | EC50 167 mg/l () | 3 h | activated sludge of a predominantly domestic sewage | Study report (2010) | OECD Guideline 209 |

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|--------------|---|---------|
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | 3,6 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|--------------|---|------|---------|--------------------|
| 1218787-32-6 | 2,2'-(C16-18 (evennumbered, C18 unsaturated)-alkyl imino) diethanol | 20,2 | | QSAR result (2010) |

12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 10 of 12

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

130206 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; synthetic engine, gear and lubricating oils; hazardous waste

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

Inland waterways transport (ADN)

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

Marine transport (IMDG)

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: -
14.2. UN proper shipping name: -
14.3. Transport hazard class(es): -
14.4. Packing group: -

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

No dangerous good in sense of these transport regulations.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 75

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 11 of 12

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,3,5,6,7,8,9,10,12,16.

Abbreviations and acronyms

Acute Tox: Acute toxicity

Asp. Tox: Aspiration hazard

Skin Corr: Skin corrosion

Eye Irrit: Eye irritation

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ; ASTM - American Society for the Testing of Materials ; ATE - Acute Toxicity Estimates ; bw - Body weight ; CAO - Cargo Aircraft Only ; CAS - Chemical Abstracts Service ; CMR - Carcinogen, Mutagen or Reproductive Toxicant ; DIN - Standard of the German Institute for Standardisation ; DNEL - Derived No-Effect Level ; DOT - Department of Transportation ; DSL - Domestic Substances List (Canada) ; EG - European Union ; EN - European standards ; GHS - Globally Harmonized System ; GLP - Good Laboratory Practice ; HMIS - Hazardous Materials Identification System ; IARC - International Agency for Research on Cancer ; IATA - International Air Transport Association ; IC50 - Half maximal inhibitory concentration ; ICAO - International Civil Aviation Organization ; IMDG - International Maritime Dangerous Goods ; IMO - International Maritime Organization ; ISO - International Organisation for Standardization ; LC50 - Lethal Concentration to 50 % of a test population ; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose) ; MARPOL - International Convention for the Prevention of Pollution from Ships ; MSHA - Mine Safety and Health Administration ; n;o;s ; - Not Otherwise Specified ; NFPA - National Fire Protection Association ; NO(A)EC - No Observed (Adverse) Effect Concentration ; NO(A)EL - No Observed (Adverse) Effect Level ; NOELR - No Observable Effect Loading Rate ; NTP - National Toxicology Program ; OECD - Organization for Economic Co-operation and Development ; PBT - Persistent, Bioaccumulative and Toxic substance ; (Q)SAR - (Quantitative) Structure Activity Relationship ; RCRA - Resource Conservation and Recovery Act ; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals ; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail ; RQ - Reportable Quantity ; SADT - Self- Accelerating Decomposition Temperature ; SARA - Superfund Amendments and Reauthorization Act ; SDS - Safety Data Sheet ; TSCA - Toxic Substances Control Act (United States) ; UN - United Nations ; vPvB - Very Persistent and Very Bioaccumulative

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Aquatic Chronic 3; H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|---|
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H314 | Causes severe skin burns and eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Safety Data Sheet

according to UK REACH Regulation

ADDINOL ATF XN 3

Revision date: 01.09.2025

Product code: 744103

Page 12 of 12

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)