Page 1 of 11

## Safety Data Sheet

according to UK REACH Regulation

**ADDINOL Cold Cleaning Fluid M** 

Revision date: 04.07.2023	Product code: 716000	1
SECTION 1: Identification of the second	ubstance/mixture and of the company/und	lertaking
1.1. Product identifier		
ADDINOL Cold Cleaning Fluid N	1	
UFI:	4TXX-R1Y3-X20Q-EHFF	
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against	
Use of the substance/mixture		
Metal working fluids: Cleaning a	gent.	
1.3. Details of the supplier of the safe	ty data sheet	
Manufacturer		
Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	Gidov Oil & Logistics Ltd.	
Street:	76 Cobham Road, Ferndown Industrial Estate	
Place:	GB-TN157DA Wrotham, Sevenoaks Kent	
Telephone:	+44 7729229830	Telefax: +44 7729229830
e-mail:	sales@addinol.co.uk	
Internet:	https://www.gidovlogistics.co.uk/	
1.4. Emergency telephone	+44 7729229830 - This number is serviced du	ring office hours.
number:		-

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

### GB CLP Regulation

Asp. Tox. 1; H304

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## 2.2. Label elements

## **GB CLP Regulation**

### Hazard components for labelling

Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics

Signal word:

Pictograms:



according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 2 of 11

Hazard statements

H304

May be fatal if swallowed and enters airways.

## **Precautionary statements**

· · · · · · · <b>,</b> · · · · ·	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container to industrial incineration plant.

## Special labelling of certain mixtures

Repeated exposure may cause skin dryness or cracking.

#### Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

## 2.3. Other hazards

EUH066

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Chemical characterization**

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)	)		
246538-76-1	Hydrocarbons, C11-C12, isoalkane	es, < 2% aromatics		60 - < 80 %
	918-167-1		01-2119472146-39	
	Flam. Liq. 3, Asp. Tox. 1; H226 H3	04 EUH066		
246538-78-3	Hydrocarbons, C11-C13, isoalkane	es, < 2% aromatics		15 - < 20 %
	920-901-0		01-2119456810-10	
	Asp. Tox. 1; H304 EUH066			
1174522-15-6	Hydrocarbons, C11-C14, isoalkane	s, cyclics, < 2% aromatics		15 - < 20 %
	927-285-2		01-2119480162-45	
	Asp. Tox. 1; H304 EUH066			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	imits, M-factors and ATE	
246538-76-1	918-167-1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	60 - < 80 %
	dermal: LD50 =	: > 2200 - 2500 mg/kg; oral: LD50 = > 5000 mg/kg	
246538-78-3	920-901-0	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	15 - < 20 %
	dermal: LD50 =	: > 2200 - 2500 mg/kg; oral: LD50 = > 5000 mg/kg	
1174522-15-6	927-285-2	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics	15 - < 20 %
	dermal: LD50 =	: > 5000 mg/kg; oral: LD50 = > 5000 mg/kg	

according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 3 of 11

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin. Remove/Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Caution if victim vomits: Risk of aspiration!

Rinse mouth thoroughly with water. Medical treatment necessary.

#### 4.2. Most important symptoms and effects, both acute and delayed

after ingestion: Coughing. shortage of breath.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Where appropriate artificial ventilation. Regulation of the blood circulation, possible shock treatment. Subsequent observance for pneumonia and lung oedema.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Atomized water. Water fog.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx). carbon black.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### **SECTION 6: Accidental release measures**

according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 4 of 11

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Do not breathe gas/fumes/vapour/spray. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothes. Wear personal protection equipment. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Use only antistatically equipped (spark-free) tools. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Provide adequate ventilation as well as local exhaustion at critical locations. Take precautionary measures against static discharges.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent.

#### Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

#### 7.3. Specific end use(s)

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Additional advice on limit values

Exposure limit values:

according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 5 of 11

de-aromatised hydrocarbon mixtures (group 1): 200 ml/m<sup>3</sup> (TRGS 900)

#### 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.2 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point >  $65^{\circ}$ C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless , clear characteristic		
Odour threshold:	not determined		
Melting point/freezing point: Boiling point or initial boiling point and		No data available 182 - 220 °C	Test method EN ISO 3405
boiling range: Flammability: Lower explosion limits:		No data available No data available	
Upper explosion limits:		No data available	
Flash point: Auto-ignition temperature: Decomposition temperature:		> 200 °C No data available	DIN EN ISO 2719 DIN 51794
pH-Value: Viscosity / kinematic: (at 20 °C)		not applicable 1,85 mm²/s	ASTM D 7042

according to UK REACH Regulation

Page 6 of nsoluble vailable 55 g/cm <sup>3</sup> DIN 51757 vailable vailable
vailable vailable 5 g/cm³ DIN 51757 vailable vailable
vailable 5 g/cm³ DIN 51757 vailable vailable
vailable 5 g/cm³ DIN 51757 vailable vailable
vailable 5 g/cm³ DIN 51757 vailable vailable
5 g/cm³ DIN 51757 vailable vailable
vailable vailable
vailable
vailable
vailable
nd temperature.
purces of ignition (e.g. static
oxides (NOx). carbon black.

## Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix tested

	Dose	Species	Source
LD50, oral	> 5000 mg/kg	Rat	OECD 401
LD50, dermal	> 5000 mg/kg	Rabbit	OECD 402

## according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 7 of 11

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
246538-76-1	Hydrocarbons, C11-C12,	isoalkanes, < 2% aroma	tics		
	oral	LD50 > 5000 mg/kg	Rat	Study report (1995)	OECD Guideline 401
	dermal	LD50 > 2200 - 2500 mg/kg	Rabbit	Study report (1961)	Standard acute method, applying 4 differ
246538-78-3	Hydrocarbons, C11-C13,	isoalkanes, < 2% aroma	tics		
	oral	LD50 > 5000 mg/kg	Rat	Study report (1995)	OECD Guideline 401
	dermal	LD50 > 2200 - 2500 mg/kg	Rabbit	Study report (1961)	Standard acute method, applying 4 differ
1174522-15- 6	Hydrocarbons, C11-C14,	isoalkanes, cyclics, < 2%	6 aromatics		
	oral	LD50 > 5000 mg/kg	Rat	Study report (1989)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1993)	OECD Guideline 402

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

## Aspiration hazard

May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

### Endocrine disrupting properties

not applicable

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.

## according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
246538-76-1	Hydrocarbons, C11-C12,	isoalkanes,	< 2% aroma	tics			
	Acute fish toxicity	LC50 mg/l	> 76800	96 h	Pimephales promelas	REACh Registration Dossier	other: EPA/600/4-90/02 7F
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	Study report (2014)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	>= 100	32 d	Pimephales promelas	REACh Registration Dossier	OECD Guideline 210
	Crustacea toxicity	NOEC	> 1 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
246538-78-3	Hydrocarbons, C11-C13,	isoalkanes,	< 2% aroma	tics			
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Fish toxicity	NOEC mg/l	0,217	28 d	Oncorhynchus mykiss	REACh Registration Dossier	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211
1174522-15- 6	Hydrocarbons, C11-C14,	isoalkanes,	cyclics, < 2%	6 aromat	ics		
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Fish toxicity	NOEC mg/l	0,103	28 d	Oncorhynchus mykiss	REACh Registration Dossier	The aquatic toxicity was estimated by a
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211

## 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

## 12.3. Bioaccumulative potential

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
246538-76-1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	>= 1,99
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	>= 1,99
1174522-15-6	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics	>= 3,72

according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 9 of 11

BCF

CAS No	Chemical name	BCF	Species	Source
246538-76-1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	>= 6,91	calculated	REACh Registration D
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	>= 6,91	calculated	REACh Registration D
1174522-15-6	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics	>= 104,55	calculated	REACh Registration D

#### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### **Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

-
-
-
-
-
-
-
-
-
- -
- - -

according to UK REACH Regulation

ADDINOL Cold Cleaning Fluid M				
Revision date: 04.07.2023	Product code: 716000	Page 10 of 11		
14.4. Packing group:	-			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user   Unless specified otherwise, general measures for safe transport must be followed.   14.7. Maritime transport in bulk according to IMO instruments   not applicable   Other applicable information   No dangerous good in sense of these transport regulations.				
SECTION 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
EU regulatory information				
Restrictions on use (REACH, annex XVII) Entry 3, Entry 40	:			
2004/42/EC (VOC):	This chemical is a VOC according to 99/13/EC.			
National regulatory information				
Water hazard class (D):	1 - slightly hazardous to water			
15.2. Chemical safety assessment				

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 9.

### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

according to UK REACH Regulation

## **ADDINOL Cold Cleaning Fluid M**

Revision date: 04.07.2023

Product code: 716000

Page 11 of 11

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

## Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)