Page 1 of 16

Safety Data Sheet

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023	Product code: 717269						
SECTION 1: Identification of the substance/mixture and of the company/undertaking							
1.1. Product identifier							
ADDINOL Wear Protect RS 2 N	10						
UFI:	DRF2-12UV-M20Q-VQXA						
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised again	<u>nst</u>					
Use of the substance/mixture							
Lubricant and additive.							
1.3. Details of the supplier of the safe	ty data sheet						
Manufacturer							
Company name:	ADDINOL Lube Oil GmbH						
	Gebäude 4609						
Street:	Am Haupttor						
Place:	D-06237 Leuna						
Telephone:	+49 (0) 3461 845-0	Telefax:+49 (0) 3461 845-555					
e-mail:	info@addinol.de						
Contact person:	Application Technology						
Internet:	www.addinol.de						
Responsible Department:	ADDINOL Application Technology						
Supplier							
Company name:	GEM OILS LIMITED						
Place:	IRL-H12K298 Regaskin Co. Cavan						
Telephone:	+353 49 4378116	Telefax: +353 49 4368329					
e-mail:	sales@gemoils.ie						
Contact person:	GEM OILS LIMITED	Telephone: +353 49 4378116					
e-mail:	sales@gemoils.ie						
Internet:	https://gemoils.ie/						
1.4. Emergency telephone	Healthcare Professionals: +353 (1) 809 256	6 (24 hour service)					
number:							

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts Sulfonic acids, petroleum, calcium salts Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts C14-16-18 Alkyl phenol

Signal word: Warning

according to Regulation (EC) No 1907/2006

vision date: 02.08.2023	ADDINOL Wear Protect RS 2 MO Product code: 717269	Page 2 of 1
Pictograms:		
Hazard statements		
H319	Causes serious eye irritation.	
Precautionary statemen	its	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P501	Dispose of contents/container to industrial incineration plant.	
Additional advice on lab	belling	
	and labelled in accordance with EC regulations or the corresponding national laws.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
68584-23-6	Benzenesulfonic acid, C10-16-alky	l derivs., calcium salts		5 - < 10 %
	271-529-4			
	Skin Sens. 1B; H317	•		
61789-86-4	Sulfonic acids, petroleum, calcium	salts		<3 %
	263-093-9		01-2119488992-18	
	Skin Sens. 1B; H317			
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts			1 - < 2.5 %
	274-263-7		01-2119492616-28	
	Skin Sens. 1B; H317	-		
1335202-81-7	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt			1 - < 2.5 %
	932-231-6		01-2119560592-37	
	Skin Irrit. 2, Eye Dam. 1, Aquatic C	hronic 3; H315 H318 H412		
68411-46-1	alkylated diphenylamine			0.5 - < 1 %
	270-128-1		01-2119491299-23	
	Repr. 2, Aquatic Chronic 3; H361f	H412	•	
1190625-94-5	C14-16-18 Alkyl phenol			0.1 - < 0.3 %
	931-468-2		01-2119498288-1	
	Skin Sens. 1B, STOT RE 2; H317 H373			

Full text of H and EUH statements: see section 16.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 3 of 16

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
68584-23-6	271-529-4	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	5 - < 10 %		
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 16000 mg/kg Skin Sens. 1B; H317: >= 10 - 100			
61789-86-4	263-093-9	Sulfonic acids, petroleum, calcium salts	<3 %		
	dermal: LD50	= > 5000 mg/kg; oral: LD50 = > 16000 mg/kg Skin Sens. 1B; H317: >= 10 - 100			
70024-69-0	274-263-7	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	1 - < 2.5 %		
	dermal: LD50	= > 4000 mg/kg; oral: LD50 = > 16000 mg/kg			
1335202-81-7	932-231-6	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	1 - < 2.5 %		
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = 4445 mg/kg			
68411-46-1	270-128-1	alkylated diphenylamine	0.5 - < 1 %		
	dermal: LD50	ermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			
1190625-94-5	931-468-2	C14-16-18 Alkyl phenol	0.1 - < 0.3 %		
	dermal: LD50	= > 2000 mg/kg; oral: LD50 = > 2000 mg/kg			

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Provide fresh air. In case of persistent complaints seek medial advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). ABC-powder Foam. Water spray.

Co-ordinate fire-fighting measures to the fire surroundings.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 4 of 16

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). carbon black.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

High slip hazard because of leaking or spilled product. Avoid contact with skin, eye and clothing.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent

Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

7.3. Specific end use(s)

Further information: see technical data sheet.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 5 of 16

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 6 of 16

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., ca	lcium salts		
Norker DNEL, I	ong-term	inhalation	systemic	11,75 mg/m³
Worker DNEL, I	ong-term	dermal	systemic	3,33 mg/kg bw/day
Norker DNEL, I	ong-term	dermal	local	1,03 mg/cm ²
Consumer DNE	L, long-term	inhalation	systemic	2,9 mg/m³
Consumer DNE	L, long-term	dermal	systemic	1,667 mg/kg bw/day
Consumer DNE	L, long-term	dermal	local	0,513 mg/cm ²
Consumer DNE	L, long-term	oral	systemic	0,833 mg/kg bw/day
61789-86-4	Sulfonic acids, petroleum, calcium salts			
Norker DNEL, I	ong-term	inhalation	systemic	11,75 mg/m ³
Worker DNEL, I	ong-term	dermal	systemic	3,33 mg/kg bw/day
Norker DNEL, I	ong-term	dermal	local	1,03 mg/cm ²
Consumer DNE	L, long-term	inhalation	systemic	2,9 mg/m³
Consumer DNE	L, long-term	dermal	systemic	1,667 mg/kg bw/day
Consumer DNE	L, long-term	dermal	local	0,513 mg/cm ²
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl deri	vatives, calcium salts		
Norker DNEL, I	ong-term	inhalation	systemic	11,75 mg/m ³
Norker DNEL, I	ong-term	dermal	systemic	3,33 mg/kg bw/day
Norker DNEL, I	ong-term	dermal	local	1,03 mg/cm ²
Consumer DNE	L, long-term	inhalation	systemic	2,9 mg/m³
Consumer DNE	L, long-term	dermal	systemic	1,667 mg/kg bw/day
Consumer DNE	L, long-term	dermal	local	0,513 mg/cm ²
Consumer DNE	L, long-term	oral	systemic	0,833 mg/kg bw/day
1335202-81- 7	Benzenesulfonic acid, C10-13-alkyl derivs., ca	lcium salt		
Norker DNEL, I	ong-term	dermal	systemic	1,7 mg/kg bw/day
Consumer DNE	L, long-term	dermal	systemic	85 mg/kg bw/day
Consumer DNE	L, acute	oral	systemic	89 mg/kg bw/day
68411-46-1	alkylated diphenylamine			
Norker DNEL, I	ong-term	inhalation	systemic	0,6 mg/m³
Worker DNEL, I	ong-term	dermal	systemic	0,08 mg/kg bw/day
Consumer DNE	L, long-term	inhalation	systemic	0,14 mg/m ³
Consumer DNE	L, long-term	dermal	systemic	0,04 mg/kg bw/day

according to Regulation (EC) No 1907/2006

		ADDINOL Wear Protect	t RS 2 MO	
Revision date:	02.08.2023	Product code: 71	7269	Page 7 of 1
Consumer DN	EL, long-term	oral	systemic	0,04 mg/kg bw/day
1190625-94- 5	C14-16-18 Alkyl phenol			
Worker DNEL,	long-term	inhal	ation systemic	1,17 mg/m³
Worker DNEL,	long-term	derm	al systemic	0,3 mg/kg bw/day

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 8 of 16

PNEC values

CAS No	Substance	
Environmenta	al compartment	Value
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	
Freshwater		1 mg/l
Freshwater (ir	ntermittent releases)	10 mg/l
Marine water		1 mg/l
Freshwater se	ediment	226000000 mg/kg
Marine sedim	ent	226000000 mg/kg
Secondary po	bisoning	16,667 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1000 mg/l
Soil		271000000 mg/kg
61789-86-4	Sulfonic acids, petroleum, calcium salts	
Freshwater		1 mg/l
Freshwater (ir	ntermittent releases)	10 mg/l
Marine water		1 mg/l
Freshwater se	ediment	226000000 mg/kg
Marine sedim	ent	226000000 mg/kg
Secondary po	pisoning	16,667 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1000 mg/l
Soil		271000000 mg/kg
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	
Freshwater		1 mg/l
Freshwater (ir	10 mg/l	
Marine water	1 mg/l	
Freshwater se	226000000 mg/kg	
Marine sedim	ent	226000000 mg/kg
Secondary po	bisoning	16,667 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	1000 mg/l
Soil		271000000 mg/kg
1335202-81- 7	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	
Freshwater		0,023 mg/l
Freshwater (ir	ntermittent releases)	0,01 mg/l
Marine water		0,002 mg/l
Freshwater se	ediment	0,174 mg/kg
Marine sedim	ent	0,017 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	3 mg/l
Soil	0,62 mg/kg	
68411-46-1	alkylated diphenylamine	
Freshwater		0,034 mg/l
Freshwater (ir	ntermittent releases)	0,51 mg/l
Marine water		0,003 mg/l
Freshwater se		0,446 mg/kg

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 9 of 16

Marine sediment	0,045 mg/kg	
Micro-organisms in sewage treatment plants (STP)	10 mg/l	
Soil	1,76 mg/kg	
1190625-94- 5 C14-16-18 Alkyl phenol		
Freshwater	0,1 mg/l	
Freshwater (intermittent releases)	1 mg/l	
Marine water	0,01 mg/l	
Freshwater sediment 4266,1		
Marine sediment	426,62 mg/kg	
Secondary poisoning	3,3 mg/kg	
Micro-organisms in sewage treatment plants (STP)	100 mg/l	
Soil	852,58 mg/kg	

Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m³ STEL: 10 mg/m³

Does not contain substances above concentration limits fixing an occupational exposure limit.

8.2. Exposure controls



1112

Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.2 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 10 of 16

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and	chemical properties		
Physical state:	solid:		
Colour:	grey - black		
Odour:	characteristic		
Odour threshold:	not determined		
			Test method
Melting point/freezing point:		No data available	
Boiling point or initial boiling point and	t	No data available	
boiling range:			
Flammability:		No data available	
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Flash point:		No data available	
Auto-ignition temperature:		No data available	
Decomposition temperature:		No data available	
pH-Value:		not applicable	
Viscosity / kinematic:		220 mm²/s	DIN 51562 - Base oil
(at 40 °C)			
Water solubility:		insoluble	
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:		No data available	
Vapour pressure:		No data available	
Density (at 20 °C):			DIN 51757
Relative vapour density:		No data available	
9.2. Other information			
Information with regard to physical	hazard classes		
Explosive properties			
No data available			

No data available No data available

No data available

SECTION 10: Stability and reactivity

Self-ignition temperature

Oxidizing properties No data available Other safety characteristics

Solid:

Gas:

10.1. Reactivity

Pour point:

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 11 of 16

10.5. Incompatible materials

Reacts with : Oxidising agent, strong

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). carbon black. No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
68584-23-6	Benzenesulfonic acid, C	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts							
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1981)	OECD Guideline 402			
61789-86-4	Sulfonic acids, petroleu	m, calcium s	alts						
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1981)	OECD Guideline 402			
70024-69-0	Benzenesulfonic acid, n	nono-C16-24	4-alkyl derivat	ives, calcium salts	3				
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40			
	dermal	LD50 mg/kg	> 4000	Rabbit	Study report (1986)	other: 40 CFR, Section 163.81-2, Federal			
1335202-81- 7	Benzenesulfonic acid, C	:10-13-alkyl	derivs., calciu	um salt					
	oral	LD50 mg/kg	4445	Rat	Study report	other: W.S. Spector, Handbook of Toxicol			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1986)	OECD Guideline 402			
68411-46-1	alkylated diphenylamine)							
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1988)	OECD Guideline 402			
1190625-94- 5	C14-16-18 Alkyl phenol								
	oral	LD50 mg/kg	> 2000	Rat	Study report (2014)	OECD Guideline 423			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2015)	OECD Guideline 402			

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 12 of 16

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 13 of 16

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68584-23-6	Benzenesulfonic acid, C1	0-16-alkyl d	erivs., calciur	n salts			
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	Study report (1994)	EPA OTS 797.1050
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewag	Study report (1994)	OECD Guideline 209
61789-86-4	Sulfonic acids, petroleum	calcium sa	lts				
	Acute fish toxicity	LL50 mg/l	> 10000	96 h	Cyprinodon variegatus	Study report (1986)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	Study report (1994)	EPA OTS 797.1050
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1993)	EPA OTS 797.1300
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewag	Study report (1994)	OECD Guideline 209
70024-69-0	Benzenesulfonic acid, mo	no-C16-24-	alkyl derivativ	/es, calc	ium salts		
	Acute fish toxicity	LL50 mg/l	> 10000	96 h	Cyprinodon variegatus	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	EPA OTS 797.1050
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300
	Acute bacteria toxicity	(EC50 mg/l)	> 10000	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209
1335202-81- 7	Benzenesulfonic acid, C1	0-13-alkyl d	erivs., calciur	n salt			
	Acute fish toxicity	LC50 mg/l	1,67	96 h	Lepomis macrochirus	REACh Registration Dossier	other: US EPA, 1975. Reliability, deviat
	Acute algae toxicity	ErC50	29 mg/l		Pseudokirchneriella subcapitata	Water Res. 16: 675-680. (1986)	other: ASTM 1984
	Acute crustacea toxicity	EC50	2,9 mg/l	48 h	Daphnia magna	Other company data (1990)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,23	72 d	Oncorhynchus mykiss	Study report (2010)	Fertilized eggs of Salmo gairdneri were
	Crustacea toxicity	NOEC mg/l	1,18	21 d	Daphnia magna	Publication (1979)	A modified 0.5-L proportional diluter wa
68411-46-1	alkylated diphenylamine						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (1988)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2006)	OECD Guideline 201
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 14 of 16

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	> 4,46
61789-86-4	Sulfonic acids, petroleum, calcium salts	> 4,46
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivatives, calcium salts	18,05
1335202-81-7	Benzenesulfonic acid, C10-13-alkyl derivs., calcium salt	2,89
68411-46-1	alkylated diphenylamine	6,66
1190625-94-5	C14-16-18 Alkyl phenol	> 16000000

BCF

CAS No	Chemical name	BCF	Species	Source
68411-46-1	alkylated diphenylamine	411	Cyprinus carpio	Study report (2000)

<u>12.4. Mobility in soil</u>

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

Further information

Do not allow uncontrolled leakage of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packing group:	
Inland waterways transport (ADN)	
14.1. UN number or ID number:	

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO			
Revision date: 02.08.2023	Product code: 717269	Page 15 of 16	
14.2. UN proper shipping name:	-		
14.3. Transport hazard class(es):	-		
14.4. Packing group:	-		
Marine transport (IMDG)			
<u>14.1. UN number or ID number:</u>	-		
14.2. UN proper shipping name:	-		
14.3. Transport hazard class(es):	-		
14.4. Packing group:	-		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	-		
<u>14.2. UN proper shipping name:</u> 14.3. Transport hazard class(es):	-		
14.4. Packing group:	-		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user	neasures for safe transport must be followed.		
14.7. Maritime transport in bulk according	•		
not applicable			
Other applicable information	transport regulations		
No dangerous good in sense of these transport regulations.			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
National regulatory information			
Water hazard class (D):	2 - obviously hazardous to water		

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,7,8,9,10,12,16.

Abbreviations and acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship;

according to Regulation (EC) No 1907/2006

ADDINOL Wear Protect RS 2 MO

Revision date: 02.08.2023

Product code: 717269

Page 16 of 16

RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)