according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ADDINOL Creep Oil Spray

UFI: 4RR0-KSAN-N572-499U

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Aerosol - Lubricant, lubrifiants and release products

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555

e-mail: info@addinol.de
Contact person: Application Technology
Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: GEM OILS LIMITED

Place: IRL-H12K298 Regaskin Co. Cavan

Telephone: +353 49 4378116 Telefax: +353 49 4368329

e-mail: sales@gemoils.ie

Contact person: GEM OILS LIMITED Telephone: +353 49 4378116

e-mail: sales@gemoils.ie
Internet: https://gemoils.ie/

1.4. Emergency telephone Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

number:

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



## **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 2 of 12

### **Precautionary statements**

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container to an appropriate recycling or disposal facility.

### Special labelling of certain mixtures

54 % by mass of the contents are flammable.

#### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

#### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Hazardous components**

| CAS No   | Chemical name                               |                                       |                  |             |  |
|----------|---|---------------------------------------|------------------|-------------|--|
|          | EC No                                       | Index No                              | REACH No         |             |  |
|          | Classification (Regulation (EC) No          | 1272/2008)                            |                  |             |  |
|          | Hydrocarbons, C15-C20, n-alkane             | s, isoalkanes, cyclics, < 0.03% aroma | atics            | 40 - < 60 % |  |
|          | 934-956-3                                   | 01-2119827000-58                      |                  |             |  |
|          | Asp. Tox. 1; H304                           |                                       |                  |             |  |
| 106-97-8 | butane                                      |                                       |                  |             |  |
|          | 203-448-7                                   | 601-004-00-0                          |                  |             |  |
|          | Flam. Gas 1, Liquefied gas; H220 H280       |                                       |                  |             |  |
|          | Hydrocarbons, C11-C12, isoalkan             |                                       | 10 - < 20 %      |             |  |
|          | 918-167-1                                   |                                       | 01-2119472146-39 |             |  |
|          | Flam. Liq. 3, Asp. Tox. 1; H226 H304 EUH066 |                                       |                  |             |  |

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

| CAS No | EC No          | Chemical name  | Quantity    |
|--------|----------------|--|-------------|
|        | Specific Conc. | Specific Conc. Limits, M-factors and ATE                                 |             |
|        | 934-956-3      | Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics | 40 - < 60 % |
|        | dermal: LD50 = | dermal: LD50 = > 3160 mg/kg; oral: LD50 = > 5000 mg/kg                   |             |
|        | 918-167-1      | Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics                        | 10 - < 20 % |
|        | dermal: LD50 = | = > 2200 - 2500 mg/kg; oral: LD50 = > 5000 mg/kg                         |             |

### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 3 of 12

#### **General information**

Remove affected person from the danger area and lay down. Position and transport victim on their side. In case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case of breathing difficulties administer oxygen.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam.

## Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove persons to safety. Wear a self-contained breathing apparatus and chemical resistant suit. Vapours are heavier than air and will spread at floor level. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 4 of 12

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use only in well-ventilated areas. Take precautionary measures against static discharges. Do not spray on naked flames or any incandescent material. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent. Material, rich in oxygen, oxidizing.

### Further information on storage conditions

Recommended storage temperature: 5 - 40°C. Do not store at temperatures over: 50°C.

### 7.3. Specific end use(s)

Further information: see technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## Occupational exposure limits

| CAS No   | Substance                      | ppm  | mg/m³ | fib/cm³ | Category      | Origin |
|----------|--------------------------------|------|-------|---------|---------------|--------|
| 106-97-8 | Butane, all isomers - n-butane | 1000 | -     |         | STEL (15 min) |        |

### Additional advice on limit values

source:

### 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 5 of 12





### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: gaseous
Colour: light yellow
Odour: like: lemon.
Odour threshold: not applicable

Test method

Melting point/freezing point:

Boiling point or initial boiling point and

not applicable

< -20 °C

boiling range:

Flammability: not applicable Lower explosion limits: 0,5 vol. % Upper explosion limits: 10,9 vol. %

Flash point: < -20 °C DIN EN ISO 2592 Auto-ignition temperature: >200 °C DIN 51794

Decomposition temperature: not determined pH-Value: not applicable Viscosity / kinematic: not applicable Water solubility: insoluble

(at 20 °C)

Solubility in other solvents

No data available

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 6 of 12

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 0,682 g/cm³ DIN 51757

Relative vapour density:

No data available

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

#### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

Ignition hazard.

Vapours may form explosive mixtures with air.

### 10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

## 10.5. Incompatible materials

Keep away from: Oxidizing agent. Material, rich in oxygen, oxidizing.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

## **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 7 of 12

| CAS No | Chemical name                                     |   |         |                     |  |  |
|--------|---|---|---------|---------------------|--|--|
|        | Exposure route                                    | Dose  | Species | Source              | Method   |  |
|        | Hydrocarbons, C15-C20,                            | 20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics |         |                     |  |  |
|        | oral  | LD50 > 5000<br>mg/kg                                  | Rat     | Study report (1983) | OECD Guideline 401                             |  |
|        | dermal  | LD50 > 3160<br>mg/kg                                  | Rabbit  | Study report (1983) | OECD Guideline 402                             |  |
|        | Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics |   |         |                     |  |  |
|        | oral  | LD50 > 5000<br>mg/kg                                  | Rat     | Study report (1995) | OECD Guideline 401                             |  |
|        | dermal  | LD50 > 2200 -<br>2500 mg/kg                           | Rabbit  | Study report (1961) | Standard acute<br>method, applying 4<br>differ |  |

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **Practical experience**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

not applicable

#### **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

## **SECTION 12: Ecological information**

## **12.1.** Toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 8 of 12

| CAS No   | Chemical name  |                |          |           |  |  |   |  |  |
|----------|--|----------------|----------|-----------|--|--|---|--|--|
|          | Aquatic toxicity   | Dose           |          | [h]   [d] | Species  | Source   | Method  |  |  |
|          | Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics |                |          |           |  |  |   |  |  |
|          | Acute fish toxicity  | LL50<br>mg/l   | > 1028   | 96 h      | Scophthalmus<br>maximus                            | Study report<br>(2002)                         | other: "Guideline for measuring the acut      |  |  |
|          | Acute algae toxicity   | ErC50<br>mg/l  | > 10000  | 72 h      | Skeletonema<br>costatum                            | Study report<br>(1997)                         | ISO 10253                                     |  |  |
|          | Acute crustacea toxicity   | EL50<br>mg/l   | > 3190   | 48 h      | other aquatic<br>arthropod: Acartia<br>tonsa       | Study report<br>(2008)                         | other: ISO 14669<br>- 1999 Water<br>quality - |  |  |
|          | Fish toxicity  | NOEC<br>mg/l   | > 1000   | 28 d      | Oncorhynchus mykiss                                | Company report<br>(2010)                       | The aquatic toxicity was estimated by a       |  |  |
|          | Crustacea toxicity   | NOEC<br>mg/l   | > 1000   | 21 d      | Daphnia magna                                      | Company report<br>(2010)                       | The aquatic toxicity was estimated by a       |  |  |
|          | Acute bacteria toxicity  | (EC50<br>mg/l) | > 100    | 3 h       | activated sludge of a predominantly domestic sewag | Study report<br>(1994)                         | OECD Guideline<br>209                         |  |  |
| 106-97-8 | butane   |                |          |           |  |  |   |  |  |
|          | Acute fish toxicity  | LC50<br>mg/l   | 49,9     | 96 h      | Fish, no other information                         | United States<br>Environmental<br>Protection A | The Ecosar class program has beer develo      |  |  |
|          | Acute algae toxicity   | ErC50<br>mg/l  | 19,37    | 96 h      | Algae  | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.       |  |  |
|          | Acute crustacea toxicity   | EC50<br>mg/l   | 69,43    | 48 h      | Daphnia sp.  | USEPA OPPT<br>Risk Assessment<br>Division (200 | Calculation using ECOSAR Program v1.00.       |  |  |
|          | Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics                        |                |          |           |  |  |   |  |  |
|          | Acute fish toxicity  | LC50<br>mg/l   | > 76800  | 96 h      | Pimephales promelas                                | REACh<br>Registration<br>Dossier               | other:<br>EPA/600/4-90/02<br>7F               |  |  |
|          | Acute algae toxicity   | ErC50<br>mg/l  | > 1000   | 72 h      | Raphidocelis<br>subcapitata                        | REACh<br>Registration<br>Dossier               | OECD Guideline<br>201                         |  |  |
|          | Acute crustacea toxicity   | EL50<br>mg/l   | > 100    | 48 h      | Daphnia magna                                      | Study report<br>(2014)                         | OECD Guideline<br>202                         |  |  |
|          | Fish toxicity  | NOEC<br>mg/l   | >= 100   | 32 d      | Pimephales promelas                                | REACh<br>Registration<br>Dossier               | OECD Guideline<br>210                         |  |  |
|          | Crustacea toxicity   | NOEC           | > 1 mg/l | 21 d      | Daphnia magna                                      | REACh<br>Registration<br>Dossier               | OECD Guideline<br>211                         |  |  |

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# 12.3. Bioaccumulative potential

No data available

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 9 of 12

#### Partition coefficient n-octanol/water

| CAS No   | Chemical name                                     | Log Pow |
|----------|---|---------|
| 106-97-8 | butane  | 1,09    |
|          | Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics | >= 1,99 |

### BCF

| CAS No | Chemical name                                     | BCF     | Species    | Source               |
|--------|---|---------|------------|----------------------|
|        | Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics | >= 6,91 | calculated | REACh Registration D |

### 12.4. Mobility in soil

Product is easily volatile. Product is difficult to dissolve in water.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Do not open container by force. Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

## List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

## Contaminated packaging

Dispose of waste according to applicable legislation.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 1950 **14.2. UN proper shipping name:** AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity:

Excepted quantity:

Transport category:

Tunnel restriction code:

1 L

Excepted quantity:

E0

D

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1950

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 10 of 12

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1



Classification code: 5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number or ID number:UN 195014.2. UN proper shipping name:AEROSOLS14.3. Transport hazard class(es):2.1

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Marine pollutant: no

Special Provisions: 63, 190, 277, 327, 344, 381, 959

Limited quantity: 1L
Excepted quantity: E0
EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1



Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: flammable gases.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

according to Regulation (EC) No 1907/2006

## **ADDINOL Creep Oil Spray**

Product code: 77301630 Revision date: 25.07.2023 Page 11 of 12

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28, Entry 40

2010/75/EU (VOC): 56,193% (383,236 g/L) 2004/42/EC (VOC): 99,725 % (680,126 g/L) P3a FLAMMABLE AEROSOLS

Information according to 2012/18/EU

(SEVESO III):

### **Additional information**

To follow: 850/2004/EC, 1107/2009/EC, 649/2012/EC, Aerosolrichtlinie (75/324/EWG)

#### **National regulatory information**

**Employment restrictions:** Observe restrictions to employment for juveniles according to the 'juvenile

> work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe employment restrictions for women of

child-bearing age.

Water hazard class (D): 1 - slightly hazardous to water

United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,5,7,9,10,12,15,16.

### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified: NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments

and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -

according to Regulation (EC) No 1907/2006

# **ADDINOL Creep Oil Spray**

Revision date: 25.07.2023 Product code: 77301630 Page 12 of 12

### Relevant H and EUH statements (number and full text)

| H220 | Extremely flammable gas.     |
|------|------------------------------|
| H222 | Extremely flammable aerosol. |
| H226 | Flammable liquid and vapour. |

H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

#### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)