according to UK REACH Regulation

ADDINOL	Longlife	Grease	HS	2
---------	----------	--------	----	---

Revision date: 17.10.2024

Product code: 717227

Page 1 of 13

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ADDINOL Longlife Grease HS 2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricants, greases, release products

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer
--------------

Company name:	ADDINOL Lube Oil GmbH	
Street: Place:	Gebäude 4609 Am Haupttor D-06237 Leuna	
Telephone: E-mail: Contact person: Internet: Responsible Department:	+49 (0) 3461 845-0 info@addinol.de Application Technology www.addinol.de ADDINOL Application Technology	Telefax: +49 (0) 3461 845-555
<b>Supplier</b> Company name: Street: Place:	Gidov Oil & Logistics Ltd. 76 Cobham Road, Ferndown Industrial Estate GB-TN157DA Wrotham, Sevenoaks Kent	
Telephone: E-mail: Internet:	+44 7729229830 sales@addinol.co.uk https://www.gidovlogistics.co.uk/	Telefax:+44 7729229830
1.4. Emergency telephone	+44 7729229830 - This number is serviced dur	ring office hours.

#### number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

#### 2.2. Label elements

P501

### GB CLP Regulation

#### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P273 Avoid release to the environment.

Dispose of contents/container to an appropriate recycling or disposal facility.

#### Special labelling of certain mixtures

EUH208 Contains Zinc naphthenate, Dipentylammonium dipentyldithiocarbamate. May produce an allergic reaction.

#### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

according to UK REACH Regulation

### **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 2 of 13

### 2.3. Other hazards

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(	dithiophosphate)		1 - < 5 %
	224-235-5		01-2119493635-27	
	Eye Dam. 1, Aquatic Chronic 2; H3	18 H411		
68411-46-1	alkylated diphenylamine			1 - <10 %
	270-128-1		01-2119491299-23	
	Repr. 2; H361f			
12001-85-3	Zinc naphthenate			0.5 - < 1 %
	234-409-2			
	Eye Irrit. 2, Skin Sens. 1B, Aquatic			
71902-20-0	Dipentylammonium dipentyldithiocarbamate			0.5 - < 1 %
	276-172-8			
	Acute Tox. 4, Skin Sens. 1B, Aquat	H317 H400 H410		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
4259-15-8	224-235-5	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	1 - < 5 %	
	dermal: LD50 = Irrit. 2; H319: >	= > 5000 mg/kg; oral: LD50 = 3100 mg/kg Eye Dam. 1; H318: >= 50 - 100 Eye = 2,5 - < 50		
68411-46-1	270-128-1	alkylated diphenylamine	1 - <10 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg			
12001-85-3	234-409-2	Zinc naphthenate	0.5 - < 1 %	
	oral: LD50 = >	2000 mg/kg		
71902-20-0	276-172-8	Dipentylammonium dipentyldithiocarbamate	0.5 - < 1 %	
	oral: ATE = 50	0 mg/kg		

#### **Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

### according to UK REACH Regulation

### **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 3 of 13

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Sand. Water spray. Foam.

### Unsuitable extinguishing media

Water.

### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

according to UK REACH Regulation

### ADDINOL Longlife Grease HS 2

Revision date: 17.10.2024

Product code: 717227

Page 4 of 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent

#### Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

### 7.3. Specific end use(s)

Further information: see technical data sheet.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

according to UK REACH Regulation

# **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 5 of 13

# **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
4259-15-8	Zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate)			
Worker DNEL	., long-term	dermal	systemic	9,6 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	1,67 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	4,8 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,19 mg/kg bw/day
Worker DNEL	., long-term	inhalation	systemic	6,6 mg/m³
68411-46-1	alkylated diphenylamine			
Worker DNEL	., long-term	inhalation	systemic	0,6 mg/m³
Worker DNEL	., long-term	dermal	systemic	0,08 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	0,14 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	0,04 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	0,04 mg/kg bw/day
12001-85-3	Zinc naphthenate			
Worker DNEL	., long-term	inhalation	systemic	1,18 mg/m <sup>3</sup>
Worker DNEL	., long-term	dermal	systemic	3,3 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	0,29 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	1,7 mg/kg bw/day

according to UK REACH Regulation

# **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 6 of 13

#### **PNEC** values

CAS No	Substance		
Environmenta	al compartment	Value	
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)		
Freshwater		0,004 mg/l	
Freshwater (in	ntermittent releases)	0,044 mg/l	
Marine water		0,0046 mg/l	
Freshwater se	ediment	0,322 mg/kg	
Marine sedim	ent	0,032 mg/kg	
Secondary po	bisoning	8,33 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	3,8 mg/l	
Soil		0,062 mg/kg	
68411-46-1	alkylated diphenylamine		
Freshwater		0,034 mg/l	
Freshwater (in	ntermittent releases)	0,51 mg/l	
Marine water		0,003 mg/l	
Freshwater se	ediment	0,446 mg/kg	
Marine sedim	ent	0,045 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	10 mg/l	
Soil		1,76 mg/kg	
12001-85-3	Zinc naphthenate		
Freshwater		0,004 mg/l	
Freshwater (in	ntermittent releases)	0,04 mg/l	
Marine water		0 mg/l	
Freshwater sediment 0,01			
Marine sedim	ent	0,002 mg/kg	
Micro-organis	ms in sewage treatment plants (STP)	0,6897 mg/l	
Soil		0,001 mg/kg	

### Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

according to UK REACH Regulation

### **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 7 of 13

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.2 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

9.1.	information on pasic physical and cher	nical properties		
I	Physical state:	Paste		
(	Colour:	light beige		
(	Odour:	characteristic		
(	Odour threshold:	not determined		
				Test method
1	Melting point/freezing point:		> 250 °C	
I	Boiling point or initial boiling point and		> 250 °C	
I	boiling range:			
I	Flammability:		No data available	
I	Lower explosion limits:		No data available	
I	Upper explosion limits:		No data available	
	Flash point:		> 200 °C	DIN EN ISO 2592
	Auto-ignition temperature:		No data available	
I	Decomposition temperature:		No data available	
I	pH-Value:		not applicable	
Ň	Viscosity / kinematic: (at 40 °C)		27 mm²/s	DIN 51562 - Base oil
١	Water solubility:		virtually insoluble	
:	Solubility in other solvents			
	No data available			
I	Partition coefficient n-octanol/water:		No data available	
`	Vapour pressure:		No data available	
I	Density (at 25 °C):		0,94 g/cm³	DIN 51757 - Base oil
I	Relative vapour density:		No data available	
I	Particle characteristics:		No data available	
<u>9.2.</u>	Other information			
I	Information with regard to physical haza	ard classes		
I	Explosive properties			
	evaluation: not Explosive.			

according to UK REACH Regulation

ADDINOL Longlife Grease HS 2					
Revision date: 17.10.2024	Product code: 717227	Page 8 of 13			
Sustaining combustion: Self-ignition temperature	Not sustaining combustion				
Solid:	incapable of spontaneous heating.				
Gas: Oxidizing properties No data available	No data available				
Other safety characteristics					
Evaporation rate:	No data available				
SECTION 10: Stability and reactivity					

### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong acid.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

### according to UK REACH Regulation

# ADDINOL Longlife Grease HS 2

Revision date: 17.10.2024

Product code: 717227

Page 9 of 13

CAS No	Chemical name	Chemical name				
	Exposure route	Dose		Species	Source	Method
4259-15-8	Zinc bis[O,O-bis(2-ethyll	nexyl)] bis(dit	hiophosphat	e)		
	oral	LD50 mg/kg	3100	Rat	Study report (1975)	OECD Guideline 401
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1975)	OECD Guideline 402
68411-46-1	alkylated diphenylamine					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1988)	OECD Guideline 402
12001-85-3	Zinc naphthenate					
	oral	LD50 mg/kg	> 2000	Rat	Study report (2018)	OECD Guideline 423
71902-20-0	Dipentylammonium dipentyldithiocarbamate					
	oral	ATE mg/kg	500			

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

Contains Zinc naphthenate, Dipentylammonium dipentyldithiocarbamate. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

# Endocrine disrupting properties

not applicable

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects. Mixture not tested.

# according to UK REACH Regulation

# ADDINOL Longlife Grease HS 2

Revision date: 17.10.2024

Product code: 717227

Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
4259-15-8	Zinc bis[O,O-bis(2-ethylho	exyl)] bis(di	thiophosphate	e)			
	Acute fish toxicity	LL50	4,4 mg/l	96 h	Oncorhynchus mykiss	Study report (2002)	OECD Guideline 203
	Acute algae toxicity	ErC50	410 mg/l	72 h	Desmodesmus subspicatus	Study report (2004)	OECD Guideline 201
	Acute crustacea toxicity	EL50	75 mg/l	48 h	Daphnia magna	Study report (2005)	OECD Guideline 202
	Crustacea toxicity	NOEC	0,4 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
68411-46-1	alkylated diphenylamine						
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio	Study report (1988)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2006)	OECD Guideline 201
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
12001-85-3	Zinc naphthenate						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Cyprinus carpio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	4 mg/l	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50	35 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50 ()	5,2 mg/l	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209

#### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# 12.3. Bioaccumulative potential

No data available

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
4259-15-8	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	3,59
68411-46-1	alkylated diphenylamine	6,66
12001-85-3	Zinc naphthenate	0,8

BCF

CAS No	Chemical name	BCF	Species	Source
68411-46-1	alkylated diphenylamine	411	Cyprinus carpio	Study report (2000)
12001-85-3	Zinc naphthenate	69,48	Capoeta fusca	Water Qual Expo Heal

# 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

according to UK REACH Regulation

### **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 11 of 13

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

### Further information

Do not allow to enter into surface water or drains.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

### List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

# **SECTION 14: Transport information**

### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
Inland waterways transport (ADN)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
Marine transport (IMDG)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
Air transport (ICAO-TI/IATA-DGR)				
14.1. UN number or ID number:	-			
14.2. UN proper shipping name:	-			
14.3. Transport hazard class(es):	-			
14.4. Packing group:	-			
14.5. Environmental hazards				
ENVIRONMENTALLY HAZARDOUS:	No			
14.6. Special precautions for user				

according to UK REACH Regulation

### **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 12 of 13

#### Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

< 3%

#### EU regulatory information

Directive 2004/42/EC on VOC in paints and varnishes:

#### National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 5,7,8,9,10,16.

# Abbreviations and acronyms

Acute Tox: Acute toxicity Eye Dam: Eye damage Eye Irrit: Eye irritation Skin Sens: Skin sensitisation Repr: Reproductive toxicity Aquatic Acute: Acute aquatic hazard Aquatic Chronic: Chronic aquatic hazard For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

### according to UK REACH Regulation

### **ADDINOL Longlife Grease HS 2**

Revision date: 17.10.2024

Product code: 717227

Page 13 of 13

### Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

#### Relevant H and EUH statements (number and full text)

Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye damage.
Causes serious eye irritation.
Suspected of damaging fertility.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.
Contains Zinc naphthenate, Dipentylammonium dipentyldithiocarbamate. May produce an allergic reaction.

### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)