Print date: 14.12.2021

Telefax: +49 (0) 3461 845-555

# **Safety Data Sheet**

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 1 of 7

#### 1. Identification

### **Product identifier**

ADDINOL Cliptec XHS 485 FG

### Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant and additive.

# Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

 Street:
 Am Haupttor

 Place:
 D-06237 Leuna

 Telephone:
 +49 (0) 3461 845-0

e-mail: info@addinol.de
Contact person: Application Technology

Contact person: Application Tech Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: ADDINOL Lube Oil GmbH Street: Am Haupttor, D - 06237 Leuna

Telephone: +1 647 939 9938 e-mail: +1 647 939 9938 laura.nelson@addinol.de

Emergency telephone number: +16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST

# 2. Hazard identification

### Classification of the substance or mixture

# **WHMIS 2015**

This mixture is not classified as hazardous in accordance with WHMIS 2015.

### **Label elements**

# Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled discharge of product into the environment.

# 3. Composition/information on ingredients

### **Mixtures**

### **Further Information**

The product does not contain any dangerous substances with concentrations reaching or exceeding the limits acc. to 1272/2008 [GHS].

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

## 4. First-aid measures

Print date: 14.12.2021

# **Safety Data Sheet**

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 2 of 7

### **Description of first aid measures**

#### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

### Most important symptoms and effects, whether acute or delayed

No information available.

#### Indication of immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### 5. Fire-fighting measures

### **Extinguishing media**

### Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

### Unsuitable extinguishing media

Full water jet

### Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

### General measures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### **Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 3 of 7

according to the environmental legislation.

### Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

### 7. Handling and storage

# Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

## Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: Heat. UV-radiation/sunlight. Frost.

# 8. Exposure controls/Personal protection

### **Control parameters**

#### Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### **Exposure controls**





### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

## **Hand protection**

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 4 of 7

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.2 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state: liquid

Colour: whitish - light yellow Odour: characteristic Odour threshold: not determined

Test method

pH-Value: not applicable

Changes in the physical state

Melting point:

Boiling point or initial boiling point and

No data available
not determined

boiling range:

Pour point: -22 °C ASTM D 7346
Flash point: 300 °C DIN EN ISO 2592

Sustaining combustion: No data available

Flammability

Solid/liquid: No data available
Gas: No data available

**Explosive properties** 

No data available

Lower explosive limits:

Upper explosive limits:

No data available

No data available

Auto-ignition temperature:

not determined

Self-ignition temperature

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

**Oxidizing properties** 

No data available

Vapour pressure: No data available

Density (at 15 °C): 0,966 g/cm³ DIN 51757

Water solubility: practically insoluble.

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 5 of 7

#### Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

No data available

Viscosity / kinematic: 425 mm²/s ASTM D 7042

(at 40 °C)

Relative vapour density:

Evaporation rate:

No data available

No data available

### Other information

No data available

# 10. Stability and reactivity

#### Reactivity

The product is stable under storage at normal ambient temperatures.

### **Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

#### Incompatible materials

Reacts with: Oxidizing agents, strong. Acid.

# **Hazardous decomposition products**

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

### 11. Toxicological information

### Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitizing effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Information on other hazards

## **Endocrine disrupting properties**

not applicable

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 6 of 7

### 12. Ecological information

#### **Ecotoxicity**

No data available

Mixture not tested.

#### Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

# **Bioaccumulative potential**

No data available

#### Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

#### **Endocrine disrupting properties**

No information available.

#### Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled discharge of product into the environment.

### 13. Disposal considerations

### Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

# 14. Transport information

Canadi	an TDG
--------	--------

Proper shipping name: No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

UN number:

United Nations proper shipping -

name:

<u>Transport hazard class(es):</u> -

Packing group:

Air transport (ICAO-TI/IATA-DGR)

UN number:

United Nations proper shipping

name:

<u>Transport hazard class(es):</u> Packing group: -

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

Other applicable information

according to WHMIS

### **ADDINOL Cliptec XHS 485 FG**

Revision date: 14.12.2021 Product code: 766004 Page 7 of 7

No dangerous good in sense of these transport regulations.

### 15. Regulatory information

### **Canadian regulations**

#### **DSL/NDSL** inventory status

Substance/product listed in the following inventories: DSL

### 16. Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,3,4,5,6,7,9,10,11,12,14,15,16.

#### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further Information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)