according to WHMIS

## **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 1 of 8

### 1. Identification

## Product identifier

ADDINOL Panel Lube XH 215

## Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and additive.

### Details of the supplier of the safety data sheet

Manulacturer		
Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0 Telefax	::+49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
Supplier		
Company name:	ADDINOL Lube Oil GmbH	
Street:	Am Haupttor, D - 06237 Leuna	
Telephone:	+1 647 939 9938	
e-mail:	laura.nelson@addinol.de	
Emergency telephone number:	+16479399938 available Mon - Fri, 8:00 am to 4:30 pm	EST

# 2. Hazard identification

## Classification of the substance or mixture

#### **WHMIS 2015**

This mixture is not classified as hazardous in accordance with WHMIS 2015.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## Label elements

### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

### Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled discharge of product into the environment.

### 3. Composition/information on ingredients

### **Mixtures**

#### **Chemical characterization**

Mixture of synthetic base components and additives.

### Hazardous components

CAS No	Chemical name	Quantity
68037-01-4	1-Decene, homopolymer, hydrogenated	5 - < 10% (*)
9003-29-6	Polybutenes	5 - < 10% (*)

(\*) The actual concentration is withheld as a trade secret.

according to WHMIS

### **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 2 of 8

### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

## 4. First-aid measures

### **Description of first aid measures**

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician. Change contaminated clothing.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

### Most important symptoms and effects, whether acute or delayed

No information available.

#### Indication of immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### 5. Fire-fighting measures

#### Extinguishing media

#### Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Water spray.

#### Unsuitable extinguishing media

Strong water jet.

## Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide. Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately.

### 6. Accidental release measures

## Personal precautions, protective equipment and emergency procedures

## General measures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing. Directive 98/24/EC

according to WHMIS

## **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 3 of 8

of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

### Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

## Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

### 7. Handling and storage

### Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidising agent.

#### Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

### 8. Exposure controls/Personal protection

## **Control parameters**

## Additional advice on limit values

Recommended limit value for oil mist: TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

according to WHMIS

## **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 4 of 8

### Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

## Eye/face protection

Tightly sealed safety glasses. DIN-/EN-Norms DIN EN 166

#### Hand protection

Tested protective gloves must be worn. DIN-/EN-Norms EN ISO 374

Wearing time with permanent contact: 480 min Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Wash contaminated clothing before reuse. Do not put any product-impregnated cleaning rags into your trouser pockets.

### **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

### 9. Physical and chemical properties

### Information on basic physical and chemical properties

1	formation on basic physical and chemica	i properties	
	Physical state:	Liquid	
	Colour:	yellow - brown	
	Odour:	characteristic	
	Odour threshold:	not determined	
			Test method
	pH-Value:	not applicable	
	Changes in the physical state		
	Melting point:	No data available	
	Boiling point or initial boiling point and boiling range:	not determined	
	Pour point:	-40 °C	ASTM D 7346
	Flash point:	280 °C	DIN EN ISO 2592
	Flammability		
	Solid/liquid:	No data available	
	Gas:	No data available	
	Explosive properties No data available		
	Lower explosive limits:	No data available	
	Upper explosive limits:	No data available	
	Auto-ignition temperature:	not determined	
	Self-ignition temperature		

according to WHMIS

	ADDINOL Panel Lube XH 215	
Revision date: 05.07.2021	Product code: 766015	Page 5 of 8
Solid: Gas:	No data available No data available	
Decomposition temperature:	No data available	
Oxidizing properties No data available		
Vapour pressure:	No data available	
Density (at 15 °C):	0,939 g/cm³	DIN 51757
Water solubility:	practically insoluble.	
Solubility in other solvents No data available		
Partition coefficient n-octanol/water:	No data available	
Viscosity / kinematic: (at 40 °C)	260 mm²/s	ASTM D 7042
Relative vapour density:	No data available	
Evaporation rate:	No data available	
Other information		
No data available		

## 10. Stability and reactivity

### **Reactivity**

The product is stable under storage at normal ambient temperatures.

### **Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### Possibility of hazardous reactions

No known hazardous reactions.

#### Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

## Incompatible materials

Reacts with: Oxidizing agents, strong. Acid.

## Hazardous decomposition products

In case of fire, the following may be released: Carbon monoxide. Carbon dioxide (CO2) Sulphur oxides Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

### 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

according to WHMIS

# **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 6 of 8

CAS No	Chemical name					
	Route of exposure	Dose		Species	Source	Method
68037-01-4	1-Decene, homopolymer, hydrogenated					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1994)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 402
9003-29-6	6 Polybutenes					
	oral	LD50 mg/kg	> 10000	Rat	Study report (1986)	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 402
	inhalation (4 h) vapour	LC50	4820 mg/l	Rat		

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitizing effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## Information on other hazards

### Endocrine disrupting properties

not applicable

## 12. Ecological information

### **Ecotoxicity**

No data available

## Persistence and degradability

Not readily biodegradable (according to OECD criteria). Do not empty into drains.

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Endocrine disrupting properties

not applicable

### Other adverse effects

#### No data available

### **Further information**

Do not allow uncontrolled discharge of product into the environment.

## 13. Disposal considerations

according to WHMIS

## **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 7 of 8

### Waste treatment methods

### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

#### Canadian TDG

Proper shipping name:	No dangerous good in sense of these transport regulations.
Marine transport (IMDG)	
<u>UN number:</u>	-
United Nations proper shipping	-
name:	
Transport hazard class(es):	-
Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
<u>UN number:</u>	-
United Nations proper shipping	-
name:	
Transport hazard class(es):	-
Packing group:	-
Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Other applicable information	

No dangerous good in sense of these transport regulations.

### 15. Regulatory information

### **Canadian regulations**

### **DSL/NDSL** inventory status

Substance/product listed in the following inventories: DSL

### 16. Other information

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,9,10,11,12,14,15,16.

### Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization;

according to WHMIS

## **ADDINOL Panel Lube XH 215**

Revision date: 05.07.2021

Product code: 766015

Page 8 of 8

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Further Information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)