Telefax: +49 (0) 3461 845-555

Safety Data Sheet

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 1 of 9

1. Identification

Product identifier

ADDINOL Addisolv D

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

.

Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

 Street:
 Am Haupttor

 Place:
 D-06237 Leuna

 Telephone:
 +49 (0) 3461 845-0

e-mail: info@addinol.de
Contact person: Application Technology

Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: ADDINOL Lube Oil GmbH Street: Am Haupttor, D - 06237 Leuna

Telephone: +1 647 939 9938 e-mail: +1 647 939 9938 laura.nelson@addinol.de

Emergency telephone number: +16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

Flammable liquid: Flam. Liq. 4 Aspiration hazard: Asp. Tox. 1

This mixture is classified as hazardous in accordance with WHMIS 2015.

Label elements

WHMIS 2015

Signal word: Danger

Pictograms:



Hazard statements

Combustible liquid.

May be fatal if swallowed and enters airways.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do NOT induce vomiting.

Store in a well-ventilated place.

Store locked up.

Safety Data Sheet

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 2 of 9

Dispose of contents/container to industrial incineration plant.

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

Other hazards

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Special danger of slipping by leaking/spilling product.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

3. Composition/information on ingredients

Mixtures

Chemical characterization

Hazardous components

CAS No	Chemical name	Quantity
246538-76-1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics	60 - 70 %
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics	15 - 35 %
1174522-15-6	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics	15 - 35 %

Further Information

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

4. First-aid measures

Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Rub greasy ointment into the skin. Take off immediately all contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

Most important symptoms and effects, whether acute or delayed

Following ingestion: Cough. Dyspnoea.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Where appropriate artificial ventilation. Regulation of the blood circulation, possible

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 3 of 9

shock treatment. Subsequent observance for pneumonia and lung oedema.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray Water mist

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). carbon black.

The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

High slip hazard because of leaking or spilled product. Do not breathe gas/fumes/vapour/spray. Remove all sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothes. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Use only antistatically equipped (spark-free) tools. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

according to WHMIS

ADDINOL Addisolv D

Revision date: 21.06.2021 Product code: 716010 Page 4 of 9

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Provide adequate ventilation as well as local exhaustion at critical locations. Take precautionary measures against static discharges.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

8. Exposure controls/Personal protection

Control parameters

Additional advice on limit values

de-aromatised hydrocarbon mixtures (group 1): 200 ml/m3 (TRGS 900)

Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> $65 \,^{\circ}$ C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

Safety Data Sheet

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 5 of 9

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless,
Odour: characteristic
Odour threshold: not determined

Test method

pH-Value: not applicable

Changes in the physical state

Melting point: No data available

Boiling point or initial boiling point and 182 - 215 °C DIN EN ISO 3405

boiling range:

Flash point: 61 °C DIN EN ISO 2719

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

No data available

Lower explosive limits:

Upper explosive limits:

No data available

No data available

Auto-ignition temperature: > 200 °C DIN 51794

Self-ignition temperature

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

Oxidizing properties

No data available

Vapour pressure: No data available

(at 20 °C)

Density (at 15 °C): 0,765 g/cm³ DIN 51757

Water solubility: practically insoluble.

Solubility in other solvents

No data available

Partition coefficient n-octanol/water: No data available

Viscosity / kinematic: 1,9 mm²/s DIN 51562

(at 20 °C)

Relative vapour density:

Evaporation rate:

No data available

No data available

Other information

No data available

10. Stability and reactivity

Reactivity

The product is stable under storage at normal ambient temperatures.

Chemical stability

Safety Data Sheet

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 6 of 9

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Do not overheat to avoid decomposition by heat.

Incompatible materials

Reacts with: Oxidizing agents, strong.

Hazardous decomposition products

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). carbon black.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

 Dose
 Species
 Source

 LD50, oral
 > 5000 mg/kg
 Rat
 OECD 401

 LD50, dermal
 > 5000 mg/kg
 Rabbit
 OECD 402

CAS No	Chemical name						
	Route of exposure	Dose	Species	Source	Method		
246538-76-1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics						
	oral	LD50 > 5000 mg/kg	Rat	Study report (1995)	OECD Guideline 401		
	dermal	LD50 > 2200 - 2500 mg/kg	Rabbit	Study report (1961)	Standard acute method, applying 4 differ		
246538-78-3	Hydrocarbons, C11-C13, isoalkanes, < 2% aromatics						
	oral	LD50 > 5000 mg/kg	Rat	Study report (1995)	OECD Guideline 401		
	dermal	LD50 > 2200 - 2500 mg/kg	Rabbit	Study report (1961)	Standard acute method, applying 4 differ		
1174522-15- 6	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics						
	oral	LD50 > 5000 mg/kg	Rat	Study report (1989)	OECD Guideline 401		
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1993)	OECD Guideline 402		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 7 of 9

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Information on other hazards

Endocrine disrupting properties

not applicable

12. Ecological information

Ecotoxicity

: EL0 1000 mg/L (48 h)

Pseudokirchneriella subcapitata: EL0 1000 mg/L (72 h)

Pseudokirchneriella subcapitata: NOELR 1000 mg/L (72 h)

Oncorhynchus mykiss (Rainbow trout): LL0 1000 mg/L (96 h)

The statement is derived from products of similar structure or composition.

Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

Endocrine disrupting properties

not applicable

Other adverse effects

No data available

Further information

Do not allow uncontrolled discharge of product into the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

14. Transport information

Canadian TDG

<u>Proper shipping name:</u> No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

UN number: -

United Nations proper shipping -

name:

Transport hazard class(es):

Packing group:
-

according to WHMIS

ADDINOL Addisolv D

Revision date: 21.06.2021 Product code: 716010 Page 8 of 9

Air transport (ICAO-TI/IATA-DGR)

UN number: -

United Nations proper shipping -

name:

<u>Transport hazard class(es):</u> Packing group: -

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Other applicable information

No dangerous good in sense of these transport regulations.

15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,5,6,7,9,10,11,12,14,15,16.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

according to WHMIS

ADDINOL Addisoly D

Revision date: 21.06.2021 Product code: 716010 Page 9 of 9

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)