



# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## ADDINOL Gas Engine Oil LG 40

Revision date: 06/11/2021

Product code: 725018

Page 2 of 8

### Description of first aid measures

#### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

### Most important symptoms and effects, both acute and delayed

No information available.

### Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Water spray

#### Unsuitable extinguishing media

Full water jet

### Specific hazards arising from the chemical

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Sulphur oxides Nitrogen oxides (NO<sub>x</sub>). Hydrogen sulphide (H<sub>2</sub>S) carbon black.

### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### General measures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear respiratory protection when in the presence of vapor, dust, and aerosols.

### Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

### Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ADDINOL Gas Engine Oil LG 40**

Revision date: 06/11/2021

Product code: 725018

Page 3 of 8

according to the environmental legislation.

**Reference to other sections**

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking.

**Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

**Hints on joint storage**

Keep away from food, drink and animal feed.

Keep away from: Oxidizing agents.

**Further information on storage conditions**

Recommended storage temperature: 5 - 40°C

Protect against: Heat. UV-radiation/sunlight. Frost.

**8. Exposure controls/personal protection****Control parameters****Additional advice on limit values**

Recommended limit value for oil mist

TWA: 5

STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

**Exposure controls****Appropriate engineering controls**

Provide adequate ventilation as well as local exhaust at critical locations.

**Protective and hygiene measures**

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

**Eye/face protection**

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

**Hand protection**

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ADDINOL Gas Engine Oil LG 40**

Revision date: 06/11/2021

Product code: 725018

Page 4 of 8

Suitable material: NBR (Nitrile rubber)  
 Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min  
 Suitable material: NBR (Nitrile rubber)  
 Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

**Skin protection**

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

**Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

**9. Physical and chemical properties****Information on basic physical and chemical properties**

Physical state:	liquid
Color:	brown - black
Odor:	like: Mineral oil
Odour threshold:	not determined

**Test method**

pH-Value:	not applicable
-----------	----------------

**Changes in the physical state**

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	not determined
Pour point:	-27 °C ASTM D 7346
Flash point:	270 °C DIN EN ISO 2592

**Flammability**

Solid/liquid:	No data available
Gas:	No data available

**Explosive properties**

No data available

Lower explosion limits:	No data available
Upper explosion limits:	No data available
Auto-ignition temperature:	not determined

**Self-ignition temperature**

Solid:	No data available
Gas:	No data available

Decomposition temperature:	No data available
----------------------------	-------------------

**Oxidizing properties**

No data available

Vapor pressure:	No data available
-----------------	-------------------

Density (at 15 °C):	0,873 g/cm <sup>3</sup> DIN 51757
---------------------	-----------------------------------

Water solubility:	practically insoluble.
-------------------	------------------------

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ADDINOL Gas Engine Oil LG 40**

Revision date: 06/11/2021

Product code: 725018

Page 5 of 8

**Solubility in other solvents**

No data available

Partition coefficient n-octanol/water:

No data available

Viscosity / kinematic:  
(at 100 °C)13,8 mm<sup>2</sup>/s ASTM D 7042

Relative vapour density:

No data available

Evaporation rate:

No data available

**Other information**

No data available

**10. Stability and reactivity****Reactivity**

The product is stable under storage at normal ambient temperatures.

**Chemical stability**

Stability: Stable

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**Possibility of hazardous reactions**

Hazardous reactions: Will not occur

No known hazardous reactions.

**Conditions to avoid**

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

**Incompatible materials**

Reacts with: Oxidizing agents, strong. Acid.

**Hazardous decomposition products**In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO<sub>2</sub>) Sulphur oxides Nitrogen oxides (NO<sub>x</sub>). Hydrogen sulphide (H<sub>2</sub>S) carbon black.**11. Toxicological information****Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Mixture not tested.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 mg/kg > 5000	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 mg/kg > 5000	Rabbit	Study report (1982)	OECD Guideline 402

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitizing effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ADDINOL Gas Engine Oil LG 40**

Revision date: 06/11/2021

Product code: 725018

Page 6 of 8

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - single exposure**

Based on available data, the classification criteria are not met.

**Specific target organ toxicity (STOT) - repeated exposure**

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Information on other hazards****Endocrine disrupting properties**

not applicable

**12. Ecological information****Ecotoxicity**

No data available

**Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

**Bioaccumulative potential**

No data available

**Mobility in soil**

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

**Endocrine disrupting properties**

not applicable

**Other adverse effects**

No data available

**Further information**

Do not allow uncontrolled discharge of product into the environment.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

**Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

**14. Transport information****US DOT 49 CFR 172.101**

**Proper shipping name:** No dangerous good in sense of these transport regulations.

**Marine transport (IMDG)**

**UN number:** -

**UN proper shipping name:** -

**Transport hazard class(es):** -

**Packing group:** -

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ADDINOL Gas Engine Oil LG 40**

Revision date: 06/11/2021

Product code: 725018

Page 7 of 8

**Air transport (ICAO-TI/IATA-DGR)****UN number:** -**UN proper shipping name:** -**Transport hazard class(es):** -**Packing group:** -**Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

**Other applicable information**

No dangerous good in sense of these transport regulations.

**15. Regulatory information****U.S. Regulations****National Inventory TSCA**

Substance/product listed in the following inventories: TSCA

**State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**16. Other information****Hazardous Materials Information Label (HMIS)**

Health: 0

Flammability: 1

Physical Hazard: 0


**NFPA Hazard Ratings**

Health: 0

Flammability: 1

Reactivity: 0

Unique Hazard:

**Changes**

Revision date: 06/11/2021

Revision No: 1,07

This data sheet contains changes from the previous version in section(s): 3,4,5,6,7,9,10,11,12,14,15,16.

**Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road ; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ; ASTM - American Society for the Testing of Materials ; ATE - Acute Toxicity Estimates ; bw - Body weight ; CAO - Cargo Aircraft Only ; CAS - Chemical Abstracts Service ; CMR - Carcinogen, Mutagen or Reproductive Toxicant ; DIN - Standard of the German Institute for Standardisation ; DNEL - Derived No-Effect Level ; DOT - Department of Transportation ; DSL - Domestic Substances List (Canada) ; EG - European Union ; EN - European standards ; GHS - Globally Harmonized System ; GLP - Good Laboratory Practice ; HMIS - Hazardous Materials Identification System ; IARC - International Agency for Research on Cancer ; IATA - International Air Transport

**Safety Data Sheet**

according to 29 CFR 1910.1200(g)

**ADDINOL Gas Engine Oil LG 40**

Revision date: 06/11/2021

Product code: 725018

Page 8 of 8

Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Other data**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*