Telefax: +49 (0) 3461 845-555

# **Safety Data Sheet**

according to WHMIS

## **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 1 of 8

# 1. Identification

## **Product identifier**

ADDINOL Chain Lube XHT 250

# Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant and additive.

## Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

 Street:
 Am Haupttor

 Place:
 D-06237 Leuna

 Telephone:
 +49 (0) 3461 845-0

e-mail: info@addinol.de
Contact person: Application Technology

Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

**Supplier** 

Company name: ADDINOL Lube Oil GmbH Street: Am Haupttor, D - 06237 Leuna

Telephone: +1 647 939 9938 e-mail: +1 647 939 9938 laura.nelson@addinol.de

Emergency telephone number: +16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST

# 2. Hazard identification

# Classification of the substance or mixture

# **WHMIS 2015**

Reproductive toxicity: Repr. 2

Specific target organ toxicity - repeated exposure: STOT RE 2

This mixture is classified as hazardous in accordance with WHMIS 2015.

# Label elements

## **WHMIS 2015**

Signal word: Warning

Pictograms:



# **Hazard statements**

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

# **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

# **Safety Data Sheet**

according to WHMIS

### **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 2 of 8

## Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

### Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Spilled product must not leak into the ground.

Do not allow uncontrolled discharge of product into the environment.

## 3. Composition/information on ingredients

#### **Mixtures**

#### **Hazardous components**

CAS No	Chemical name	Quantity
9003-29-6	Polybutenes	10 - < 30% (*)
68937-41-7	Triaryl phosphate isopropylated	1 - < 5% (*)

<sup>(\*)</sup> The actual concentration is withheld as a trade secret.

#### **Further Information**

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information from specialist literature and company information.

## 4. First-aid measures

# **Description of first aid measures**

# **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

## After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

# After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

## Most important symptoms and effects, whether acute or delayed

No information available.

## Indication of immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## 5. Fire-fighting measures

# **Extinguishing media**

# Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide (CO2) Water spray

# **Safety Data Sheet**

according to WHMIS

#### **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 3 of 8

## Unsuitable extinguishing media

Strong water jet

### Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide. Carbon dioxide (CO2). Sulphur oxides. Nitrogen oxides (NOx). Phosphorus oxides. carbon black.

## Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing. Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **Environmental precautions**

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## Methods and material for containment and cleaning up

## Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

# Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

# 7. Handling and storage

## Precautions for safe handling

### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

# Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

# Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

# **Safety Data Sheet**

according to WHMIS

## **ADDINOL Chain Lube XHT 250**

Product code: 766025 Revision date: 10.02.2022 Page 4 of 8

Keep away from: Oxidizing agents.

# Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

## 8. Exposure controls/Personal protection

## **Control parameters**

#### Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### **Exposure controls**





## Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Individual protection measures, such as personal protective equipment

#### Eve/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

## Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber) Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

## Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

# Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state: liquid

Colour: yellow - brown Odour: characteristic Odour threshold: not determined

# **Safety Data Sheet**

according to WHMIS

## **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 5 of 8

Test method

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

boiling range:

Pour point: -40 °C ASTM D 7346
Flash point: 270 °C DIN EN ISO 2592

**Flammability** 

Solid/liquid: No data available
Gas: No data available

**Explosive properties** 

No data available

Lower explosive limits:

Upper explosive limits:

No data available

No data available

Auto-ignition temperature:

not determined

Self-ignition temperature

Solid: No data available Gas: No data available Decomposition temperature: No data available pH-Value: No data available

Viscosity / kinematic: 249 mm²/s ASTM D 7042

(at 40 °C)

Water solubility: practically insoluble.

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

Density (at 15 °C): 0,942 g/cm³ DIN 51757

Relative vapour density:

No data available

**Other information** 

Information with regard to physical hazard classes

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available

Further Information
No data available

# 10. Stability and reactivity

# Reactivity

The product is stable under storage at normal ambient temperatures.

# **Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# Possibility of hazardous reactions

No known hazardous reactions.

# **Safety Data Sheet**

according to WHMIS

## **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 6 of 8

## Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

#### **Incompatible materials**

Reacts with: Oxidizing agents, strong. Acid.

## **Hazardous decomposition products**

In case of fire, the following may be released: Carbon monoxide. Carbon dioxide (CO2). Sulphur oxides. Nitrogen oxides (NOx). Phosphorus oxides. carbon black.

# 11. Toxicological information

# Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

CAS No	Chemical name							
	Route of exposure	Dose		Species	Source	Method		
9003-29-6	Polybutenes							
	oral	LD50 mg/kg	> 10000	Rat	Study report (1986)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 402		
	inhalation (4 h) vapour	LC50	4820 mg/l	Rat				
68937-41-7	Triaryl phosphate isopropylated							
	dermal	LD50 mg/kg	> 10000	Rabbit	Study report (1976)	other: 16 CFR 1500. 40		

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

# Sensitizing effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of damaging fertility or the unborn child. (Triaryl phosphate isopropylated)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Triaryl phosphate isopropylated)

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# Information on other hazards

# **Endocrine disrupting properties**

not applicable

# 12. Ecological information

### **Ecotoxicity**

No data available

# **Safety Data Sheet**

according to WHMIS

## **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 7 of 8

Mixture not tested.

## Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

## Bioaccumulative potential

No data available

## Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

## **Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled discharge of product into the environment.

## 13. Disposal considerations

#### Waste treatment methods

## **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

# 14. Transport information

**Canadian TDG** 

Proper shipping name: No dangerous good in sense of these transport regulations.

**Hazard classes:** 

Marine transport (IMDG)

UN number or ID number: United Nations proper shipping -

name:

Transport hazard class(es):

Packing group:

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:

United Nations proper shipping

name:

<u>Transport hazard class(es):</u> - Packing group: -

**Environmental hazards** 

ENVIRONMENTALLY HAZARDOUS: No

# Other applicable information

No dangerous good in sense of these transport regulations.

# 15. Regulatory information

# **Canadian regulations**

# **Safety Data Sheet**

according to WHMIS

### **ADDINOL Chain Lube XHT 250**

Revision date: 10.02.2022 Product code: 766025 Page 8 of 8

## DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL

## 16. Other information

### Changes

This data sheet contains changes from the previous version in section(s): 9,12.

# Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further Information**

This mixture is classified as hazardous in accordance with WHMIS 2015.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)