Telefax: +49 (0) 3461 845-555

Safety Data Sheet

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 1 of 7

1. Identification

Product identifier

ADDINOL Heat Transfer Oil XW 30 M 250

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

•

Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

 Street:
 Am Haupttor

 Place:
 D-06237 Leuna

 Telephone:
 +49 (0) 3461 845-0

e-mail: info@addinol.de
Contact person: Application Technology

Internet: www.addinol.de

Responsible Department: ADDINOL Application Technology

Supplier

Company name: ADDINOL Lube Oil Telephone: +1 647 939 9938

e-mail: laura.nelson@addinol.de

Emergency telephone number: +16479399938 available Mon - Fri, 8:00 am to 4:30 pm EST

2. Hazard identification

Classification of the substance or mixture

WHMIS 2015

This mixture is not classified as hazardous in accordance with WHMIS 2015.

Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Do not allow uncontrolled discharge of product into the environment.

3. Composition/information on ingredients

Mixtures

Hazardous components

CAS No	Chemical name	Quantity
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	80 - 100% (*)

^(*) The actual concentration is withheld as a trade secret.

Further Information

This mixture does not contain any substances which either present a health or environmental hazard according to Regulation (EC) No. 1272/2008 or have an occupational exposure limit assigned.

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current CDN lists and is completed by information

Print date: 15.10.2021

Safety Data Sheet

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 2 of 7

from specialist literature and company information.

4. First-aid measures

Description of first aid measures

General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. In case of persistent complaints seek medial advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, consult a physician.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth immediately and drink plenty of water. In case of persistent complaints seek medial advice.

Most important symptoms and effects, whether acute or delayed

No information available.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Extinguishing powder Water spray jet Foam.

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the hazardous product

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). Sulphur oxides carbon black.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

Methods and material for containment and cleaning up

Print date: 15.10.2021

Safety Data Sheet

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 3 of 7

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

Further information on storage conditions

Protect against: UV-radiation/sunlight. Frost. Heat. Recommended storage temperature: 5 - 40°C

8. Exposure controls/Personal protection

Control parameters

Additional advice on limit values

Recommended limit value for oil mist

TWA: 5 STEL: 10

The product does not contain any relevant quantities of substances with legally established exposure limitation.

Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink or smoke when using this product.

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 4 of 7

Hand protection

Tested protective gloves must be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection with filter against organic gases and vapors type A - boiling point> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: like: Mineral oil

Test method

pH-Value: not applicable

Changes in the physical state

Melting point: No data available

Boiling point or initial boiling point and 360 °C ASTM D 1160

boiling range:

Pour point: -9 °C ASTM D 7346
Flash point: 210 °C DIN EN ISO 2719

Flammability

Solid/liquid: No data available
Gas: No data available

Explosive properties

No data available

Lower explosive limits:

Upper explosive limits:

No data available

No data available

Auto-ignition temperature:

No data available

Self-ignition temperature

Solid: No data available
Gas: No data available
Decomposition temperature: No data available

Oxidizing properties

No data available

Vapour pressure: No data available

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 5 of 7

Density (at 15 °C): 0,848 g/cm³ DIN 51757

Solubility in other solvents

No data available

Partition coefficient n-octanol/water: No data available

Viscosity / kinematic: 29 mm²/s ASTM D 7042

(at 40 °C)

Relative vapour density:

Evaporation rate:

No data available

No data available

Other information

No data available

10. Stability and reactivity

Reactivity

The product is stable under storage at normal ambient temperatures.

Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

Incompatible materials

Reacts with: Oxidizing agents, strong. Acid.

Hazardous decomposition products

In case of fire, the following may be released: Carbon monoxide Carbon dioxide (CO2) Nitrogen oxides (NOx). Sulphur oxides carbon black.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Route of exposure	Dose	Species	Source	Method		
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified						
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401		
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 6 of 7

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

not applicable

12. Ecological information

Ecotoxicity

Mixture not tested.

Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

Bioaccumulative potential

No data available

Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants.

Endocrine disrupting properties

not applicable

Other adverse effects

No data available

Further information

Do not allow uncontrolled discharge of product into the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be disposed of.

14. Transport information

Canadian TDG

<u>Proper shipping name:</u> No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

UN number: -

United Nations proper shipping -

name:

<u>Transport hazard class(es):</u>
<u>Packing group:</u> -

Air transport (ICAO-TI/IATA-DGR)

UN number: -

according to WHMIS

ADDINOL Heat Transfer Oil XW 30 M 250

Revision date: 15.10.2021 Product code: 778003 Page 7 of 7

United Nations proper shipping

name:

Transport hazard class(es):

Packing group:
Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Other applicable information

No dangerous good in sense of these transport regulations.

15. Regulatory information

Canadian regulations

DSL/NDSL inventory status

Substance/product listed in the following inventories: DSL

16. Other information

Changes

This data sheet contains changes from the previous version in section(s): 5,10,14,15.

Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISO - International Organisation for Standardization: LC50 - Lethal Concentration to 50 % of a test population: LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL -No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further Information

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)